This is a digital copy of a book that was preserved for generations on library shelves before it was carefully scanned by Google as part of a project to make the world's books discoverable online.

It has survived long enough for the copyright to expire and the book to enter the public domain. A public domain book is one that was never subject to copyright or whose legal copyright term has expired. Whether a book is in the public domain may vary country to country. Public domain books are our gateways to the past, representing a wealth of history, culture and knowledge that's often difficult to discover.

Marks, notations and other marginalia present in the original volume will appear in this file - a reminder of this book's long journey from the publisher to a library and finally to you.

Usage guidelines

Google is proud to partner with libraries to digitize public domain materials and make them widely accessible. Public domain books belong to the public and we are merely their custodians. Nevertheless, this work is expensive, so in order to keep providing this resource, we have taken steps to prevent abuse by commercial parties, including placing technical restrictions on automated querying.

We also ask that you:

+ *Make non-commercial use of the files* We designed Google Book Search for use by individuals, and we request that you use these files for personal, non-commercial purposes.

+ *Refrain from automated querying* Do not send automated queries of any sort to Google's system: If you are conducting research on machine translation, optical character recognition or other areas where access to a large amount of text is helpful, please contact us. We encourage the use of public domain materials for these purposes and may be able to help.

+ *Maintain attribution* The Google "watermark" you see on each file is essential for informing people about this project and helping them find additional materials through Google Book Search. Please do not remove it.

+ *Keep it legal* Whatever your use, remember that you are responsible for ensuring that what you are doing is legal. Do not assume that just because we believe a book is in the public domain for users in the United States, that the work is also in the public domain for users in other countries. Whether a book is still in copyright varies from country to country, and we can't offer guidance on whether any specific use of any specific book is allowed. Please do not assume that a book's appearance in Google Book Search means it can be used in any manner anywhere in the world. Copyright infringement liability can be quite severe.

About Google Book Search

Google's mission is to organize the world's information and to make it universally accessible and useful. Google Book Search helps readers discover the world's books while helping authors and publishers reach new audiences. You can search through the full text of this book on the web at `http://books.google.com/`

Q
11
.K16
Index
v.1-65

B 1,115,824

BIBLIOGRAPHY AND INDEX

OF

Transactions
Kansas Academy of Science

Volumes 1-65

(1872-1962)

By

WALTER H. SCHOEWE

PROPERTY OF
The University of Michigan Libraries
1817
ARTES SCIENTIA VERITAS

Bibliography and Index

of

Transactions
Kansas Academy of Science

Volumes 1-65
(1872-1962)

by

Walter H. Schoewe

Purchase Requests

Individual quarterly numbers, annual volumes, or series of volumes of the *Transactions* may be purchased, if in stock, from the Managing Editor, Dr. Robert Lichtwardt, Department of Botany, Snow Hall, The University of Kansas, Lawrence, Kansas 66045

Quarterly issues of the *Transactions*, $1.25 each.

Volumes of the Academy *Transactions*, four issues complete in one volume, $5.00 each.

Volumes of the Academy *Transactions* previous to 1944, if in stock, prices on request.

The Identification of Kansas Woody Plants by Their Twigs, by F. C. Gates, 1950 (reprinted 1961). 15 cents.

Simplified Percentage Table of Whole Numbers 1–100, compiled by Elmer T. Jones. 12 × 14 inches. 15 cents.

Index Transactions Kansas Academy of Science, Volumes 1–33 (1872–1930). 35 cents.

Bibliography and Index of Transactions, Kansas Academy of Science, Volumes 1–65 (1872–1962), by Walter H. Schoewe, 1964. $3.50.

All prices are postpaid.

Exchange Privileges

Correspondence concerning exchange privileges should be addressed to the Director of one of the following libraries: University of Kansas, Lawrence, Kansas; Kansas State University, Manhattan, Kansas; or Fort Hays Kansas State College, Hays, Kansas.

Authors

"Suggestions to Academy Authors"—Transactions, Vol. 65, No. 2, p. 206–213 and the Editor's Page, p. 302 of Vol. 65, No. 3 should be consulted as far as practical in preparing and processing paper for publication in the *Transactions*.

Printed at THE ALLEN PRESS, Lawrence, Kansas, U.S.A.

T.H.
.65

Transactions
Kansas Academy of Science

Editor, WALTER H. SCHOEWE, K.U.
Managing Editor, ROBERT LICHTWARDT, K.U.
Assistant Editor, HOWARD G. O'CONNOR, K.U.

Associate Editors

JAMES CLIFTON (*Anthropology*), K.U.
A. EISENSTARK (*Bacteriology*), K.S.U.
S. M. PADY (*Botany*), K.S.U.
A. W. BURGSTAHLER (*Chemistry*), K.U.
T. R. SMITH (*Geography*), K.U.
J. R. CHELIKOWSKY (*Geology*), K.S.U.
F. BATES (*Meteorology*), St. L.U.
A. B. CARDWELL (*Physics*), K.S.U.
A. L. GOODRICH (*Zoology*), K.S.U.

The Kansas Academy of Science founded in 1868 is a non-profit scientific organization. Its objects are (1) to increase, diffuse and promote knowledge in various departments of science, (2) to interest the youth in the state in science and to encourage them to consider science as their profession, and (3) to be of aid in the development of the state's economic growth.

Membership

Membership is open to all interested persons in science both within and without the state. Correspondence concerning membership (including changes of address) should be sent to the Academy Secretary, Dr. Robert J. Robel, Department of Zoology, Kansas State University, Manhattan. Classes of membership and associated dues are: Student Members, $2.00 annually (open to those who are regularly enrolled at a university, college or high school); Annual Members, $5.00 annually; Sustaining Members, $10.00 annually; Life Members, $75.00, in any combination of payments; and Industrial Members, $50.00 or more annually.

The Transactions

The *Transactions*, established in 1872, constitute the official publication of the Academy. The *Transactions* are published quarterly and are distributed to all Academy members free of charge.

Manuscripts

Manuscripts for publication are solicited from Academy members and may be submitted at any time to the editor or associate editors. Authors of papers submitted must be members of the Academy except for invitational papers. Where there is more than one author of a paper one of the authors must be an Academy member.

Change of Address

In order to insure prompt delivery of the *Transactions*, notify promptly Dr. Robert Lichtwardt, Managing Editor, Department of Botany, Snow Hall, University of Kansas, Lawrence, Kansas of any change in the address, giving both new and old addresses. Notice of a change in the address should also be sent to the Academy Secretary.

Transactions of the Kansas Academy of Science, Office of Publication, 5 Lindley Hall, University of Kansas, Lawrence, Kansas.

The Kansas Academy of Science

Founded 1868

***Transactions*, Established 1872**

ACADEMY COUNCIL, 1964–1965

JOHN O. HARRIS
President, K.S.U., Manhattan

FRANK B. CROSS
President-Elect, K.U., Lawrence

W. D. BEMMELS
Immediate Past-President, O.U., Ottawa

PAUL TASCH
Vice-President, U.W., Wichita

ROBERT J. ROBEL
Secretary, K.S.U., Manhattan

HOWARD REYNOLDS
Treasurer, Ft. H.K.S.C., Hays

WALTER H. SCHOEWE
Editor, K.U., Lawrence

ROBERT LICHTWARDT
Managing Editor, K.U., Lawrence

MARGARET PARKER
Jr. Acad. Director, K.S.C., Pittsburg

STANDLEE DALTON
Past-President, Ft. H.K.S.C., Hays

A. M. GUHL
Past-President, K.S.U., Manhattan

GERALD TOMANEK
Member at Large, Ft. H.K.S.C., Hays

S. WINSTON CRAM
Member at Large, K.S.T.C., Emporia

TED F. ANDREWS
Grants Liaison Officer, K.S.T.C., Emporia

PREFACE

The need for a Bibliography and Index of the *Transactions* became apparent when in 1948 I first started my project on the Geography of Kansas articles. Previous to this time a Table of Contents, Volumes 1 to 33, published in 1930 in Volume 33 was extant. This Table of Contents, however, advertized as an Index, proved to be, for practical research purposes, of very little value. The more than 22,000 pages of printed text and illustrations comprising Volume 1 published first in 1872 to and including Volume 65 issued in 1962 of the *Transactions* contain a wealth of scientific information, especially as related to Kansas. This work, therefore, is designed primarily to unlock this storehouse of scientific data making it possible not only to discover what has been published in the *Transactions* but also to save countless hours of the user's time in searching the literature.

The Bibliography lists 1,415 authors and 2,763 articles. The citations are listed alphabetically by author, with full title and publication data. Entries under each author are listed in chronological order.

The Index is based upon the key words in the title of each article listed in the Bibliography. The subject index consists of 3,276 topics or key words so that each article is cross-indexed several times. The numbers after the author's name refer to entries in the Bibliography.

Much valuable information is contained in the *Transactions* that lends itself for quick inspection in the form of tables, data that in many instances are useful especially to Academy officers, Academy Council members, and those interested in the functioning of the Academy and in its history. The Appendices, A to N, are all in the form of tables, except Appendix A. Appendix A lists special publications of the Kansas Academy of Science which have been printed and distributed in addition to the *Transactions* and three special references pertaining to the preparation of manuscripts and illustrations intended for possible publication in the *Transactions*. There may be other special publications of the Kansas Academy of Science extant but those listed are the only ones known to me.

In a work of this kind embracing many fields of science and compiled by a scientist whose experience is more or less confined to the physical science discipline, chances for error are unlimited especially as related to the scientific names applied to animals and plants. I am, therefore, greatly indebted to Dr. A. Byron Leonard, chairman of the Department of Zoology at The University of Kansas, for checking the spelling, capitalization and italicization of names common to the life science disciplines. I am confident, however, that any errors that may still prevail in this work and for which I assume all responsibility will in nowise render this work unusable. A word of thanks is also due the Allen Press of Lawrence for the unusually fine work of editing and proofreading the printer's galleys before submitting them to the author and compiler of this work.

Walter H. Schoewe
Editor, *Transactions*
Kansas Academy of Science

State Geological Survey of Kansas
and Department of Geology
The University of Kansas
August, 1964

Contents

Preface v

Bibliography 1

Index 131

Appendices

A. Special Publications 250

B. Academy Interest—News and Notes 251

C. Addresses, Presidential 251

D. Constitution and Bylaws 252

Correspondents 252

E. Editor's Page 253

F. Junior Academy—News and Notes 253

G. Librarian's Report—Accessions to the Library 253

H. Membership 254

I. Necrology—In Memoriam 254

J. Officers of the Academy 255

K. Programs of Annual Meetings 256

L. Secretary—Reports and Minutes 256

M. Transactions 257

N. Treasurer—Reports 259

Bibliography and Index

of

Transactions
Kansas Academy of Science

Volumes 1-65
(1872-1962)

by

Walter H. Schoewe

4. Botanical notes, 1917–1918: V. 29, p. 85, 1920.
5. A half century of bacteriology: V. 29, p. 23–34, 1920.
6. Botanical notes for 1918–1919: V. 30, p. 121–123, 1922.
7. Botanical notes for 1920: V. 30, p. 392–394, 1922.
8. Botanical notes 1921–1928: V. 32, p. 117–129, 1929.
9. (and Schaefer, Helen I.) Notable trees of Kansas, I: V. 38, p. 93–98, fig. 1–7, 1935.
10. Botanical notes for 1935: V. 39, p. 59–61, 1937.
11. (and Schaefer, Helen I.) Notable trees of Kansas, II: V. 39, p. 63–81, fig. 1–24, 1937.
12. Botanical notes, 1936: V. 40, p. 59–60, 1938.
13. Notable trees of Kansas, III: V. 40, p. 61–63, fig. 1–2, 1938.
14. Botanical notes, 1937: V. 41, p. 75, 1938.
15. Botanical notes, 1944: V. 48, no. 1, p. 105–106, 1945.
16. Botanical notes, 1945: V. 49, no. 1, p. 107–108, 1946.
17. Botanical notes, 1946: V. 50, no. 2, p. 172–173, 1947.
18. Botanical notes, 1947: V. 51, no. 3, p. 250–251, 1948.
19. Botanical notes, 1948: V. 52, no. 3, p. 350–351, 1949.
20. Botanical notes, 1949: V. 53, no. 3, p. 338–339, 1950.
21. Botanical notes, 1950: V. 54, no. 4, p. 540–541, 1951.
22. Botanical notes, 1951: V. 55, no. 3, p. 278–279, 1952.
23. Botanical notes, 1952: V. 56, no. 3, p. 313–314, 1953.
24. Botanical notes, 1953: V. 57, no. 3, p. 278–279, 1954.
25. Botanical notes, 1954: V. 58, no. 3, p. 326–327, 1955.

Agusiobo, Patrick C.

See: Sill, W. H., Jr. 5.

Alan, Jay

See: Sherwood, Noble P. 2

Albertson, F. W.

1. Prairie studies in west-central Kansas: V. 41, p. 77–83, fig. 1–5, tables 1–5, 1938.
2. Studies of a 189-year old American elm tree in west-central Kansas: V. 41, p. 85–86, fig. 1, 1938.
3. Monument Rocks, Gove County, Kansas: Vegetation: V. 42, p. 326–327, 1939.
4. Prairie studies in west-central Kansas: V. 42, p. 97–107, fig. 1–7, tables 1–5, 1939.
5. Studies of native and red cedars in west-central Kansas: V. 43, p. 85–95, plates 1–3, fig. 1–10, tables 1–2, 1940.
6. Vegetation, II: The Castle Rock area in Gove County, Kansas: V. 43, p. 302–303, plate 1, fig. 1–2, 1940.
7. Prairie studies in west-central Kansas, 1940: V. 44, p. 48–57, fig. 1–13, tables 1–4, 1941.
8. Prairie studies in west-central Kansas, 1941: V. 45, p. 47–54, fig. 1–6, tables 1–4, 1942.
9. Prairie studies in west-central Kansas, 1942: V. 46, p. 81–84, fig. 1–2, 1943.
10. Prairie studies in west-central Kansas, 1943: V. 47, no. 3, p. 405–414, fig. 1–3, 1945.
11. Man's disorder of nature's design in the Great Plains: V. 52, no. 2, p. 117–131, fig. 1–8, 1949.
12. See: Blair, Byron O. 2.
13. See: Hopkins, Harold 2.
14. See: Hopkins, Harold 3.
15. See: Martin, Edwin P. 4.
16. See: Riegel, Andrew 8.
17. See: Shantz, H. L.

Albrecht, W. A.

See: Shantz, H. L.

Albright, Penrose S.

Should we re-examine our Kansas winds?: V. 54, no. 2, p. 139–144, 1951.

Allen, B. M.

1. Experiments upon the extirpation of the pituitary and thyroid glands in tadpoles: V. 28, p. 245–248, 1918.
2. The relation between the germ cells and the environment: V. 28, p. 248–253, 1918.

Allen, G. M.

See: Pronko, N. H. 1.

Allen, H. C.

1. Heating values of gases of the Midcontinental field: V. 27, p. 71–73, tables 1–4, 1915.
2. Analysis and comparative heating values of natural gas and coals: V. 28, p. 185–186, 1918.
3. See: Bartow, E. 2.

Aller, Alvin R.

Vegetative keys to the polemoniales of Kansas: V. 35, p. 196–208, fig. 1–5, 1932.

Allison, Vernon C.

Some dragon flies of southeastern Kansas: V. 30, p. 45–58, 1922.

Alm, O. W.

1. The effects of associative-inhibition upon performance in humans: V. 35, p. 120–128, 1932.
2. The course offerings and curricular requirements of psychology in schools of diversified technology: V. 39, p. 203–309, tables 1–4, 1937.
3. The report of the committee to study educational trends in secondary schools of the State with respect to basic sciences: V. 41, p. 275–294, tables 1–16, 1938.
4. See: Parrish, D. B. 2.

Alsop, Annette

See: Harmon, Mary T. 15.

Alsop, Florence

Abnormalities produced in the nervous system of the chick embryo: V. 29, p. 99, 1920.

Ameel, Donald J.

1. An unusual anomaly of postcaval tributary in the thoracic region of the domestic cat: V. 42, p. 421–422, unnumbered fig., 1939.
2. Parasites of the coyote in Kansas: V. 58, no. 2, p. 208–210, 1955.
3. Robert Taft: V. 58, no. 4, p. 449–451, photograph p. 448, 1955.
4. The maintenance of parasitism: V. 59, no. 2, p. 147–155, 1956.
5. See: Ackert, J. E. 6.
6. See: Gaafar, S. M. 1.

Amos, W. S.

(and Sayre, L. E.) Examination of *Solanum rostratum*: V. 13, p. 21–23, 1893.

Anderson, Barbara

Stop biting those nails: V. 62, no. 1, p. 28–30, 1959.

Anderson, K. L.

1. See: Metzger, W. H. 2.
2. See: Reitz, L. P. 2.

Anderson, Sydney

1. (and Nelson, Bernard C.) Additional records of mammals of Kansas: V. 60, no. 3, p. 302–312, 1958.
2. (and Russell, Robert J.) Color and dental abnormalities in an Aplodontia: V. 60, no. 2, p. 181–182, fig. 1, 1957.

Anderson, Mary R.

Standardization of the general aptitude test battery for three certification areas at Stephens College: V. 57, no. 3, p. 354–365, tables 1–9, 1954.

Anderson, W. Max

1. See: Taft, Robert 39.
2. See: Taft, Robert 41.

Andrews, A. C.

1. (and Johnson, H. B.) Conductance studies of aqueous solutions of antihistamines at 25°C.: V. 56, no. 4, p. 449–455, fig. 1–2, tables 1–4, 1953.
2. See: Lyons, Thomas D.
3. (and Anderson, B. V.) Electrophoretic analysis of the white of the chicken egg: V. 59, no. 1, p. 18–27, tables 1–2, fig. 1–5, 1956.
4. (and Johnson, H. B.) The isopiestic activity coefficients of the antihistamine histadyl, in aqueous solution at 25°C.: V. 64, no. 4, p. 311–314, 1961.

Andrews, Frank C.

(and Andrews, A. C.) The form of the equilibrium distributional function: V. 65, no. 3, p. 247–256, 1962.

Andrews, Ted F.

1. (and Breukelman, John) Studies in Kansas limnology I. Survey of the Kansas state lakes: V. 55, no. 3, p. 315–329, fig. 1–4, table 1, 1952.
2. (and Stephens, Homer A.) Colonies of Great Blue Heron in Kansas: V. 59, no. 3, p. 279–308, 1956.
3. Future role of the Kansas Academy of Science: V. 62, no. 2, p. 123–133, 1959.
4. See: Brukelman, John 11.
5. See: Clarke, Robert F. 4.

Angino, Ernest E.

(and Owen, Don E.) Sedimentologic study of two members of the Beacon formation, Windy Gully, Victoria Land, Antarctica: V. 65, no. 1, p. 61–69, fig. 1–5, 1962.

Argersinger, W. J., Jr.

1. On the curvature of freezing point lines in two component systems: V. 50, p. 216–224, fig. 1–3, 1947.
2. Chemical aspects of the development of radioactivity: V. 53, p. 151–164, fig. 1–2, 1950.
3. (and Davidson, A. W., and Bonner Oscar D.) Thermodynamis and ion exchange phenomena: V. 53, p. 404–410, fig. 1, table 1, 1950.
4. Institutional research: V. 65, no. 1, p. 10–17, 1962.

Armitage, K. B.

1. Observation of parental behavior of *Cichlasoma nigrofasciatum* (Guenther): V. 63, no. 4, p. 269–275, 1960.
2. Species composition and seasonal distribution of limnetic crustacean zooplankton of northeastern Kansas: V. 64, no. 1, p. 27–35, tables 1–6, 1961.

Askren, Edward L., Jr.

1. Eye muscle imbalance among college students: V. 39, p. 151–158, fig. 1–7, 1937.
2. Nutritional factors influencing vision—A review of literature: V. 39, p. 115–120, 1937.

Asling, C. Willet

See: Eiseley, Loren C. 3.

Atkinson, Esther

(and Pittman, Martha S.) The nutritive values and cost of food consumed by men and women in a college residence hall: V. 40, p. 293–295, tables 1–2, 1938.

Atkinson, F. W.

See: Guhl, A. M. 4.

Aubert, Alfred B.

See: Patrick, G. E. 1.

Ayers, J. C.

See: Wimmer, E. J. 1.

Avery, T. B.

How hens perform in an ideal environment: V. 52, no. 4, p. 468–469, 1949.

Azarnoff, Daniel L.

(and Roofe, Paul G.) The effects of total body Roentgen irradiation on the endocrine glands and other organs of the rat: V. 55, no. 2, p. 184–195, fig. 1–8, tables 1–3, 1952.

Bailey, E. H. S.

1. The utilization of mineral waters: V. 9, p. 28–29, 1885.
2. On the composition of some culinary utensils: V. 9, p. 29–30, 1885.
3. Organic and physiological chemistry: V. 9, p. 87–91, fig. 1–3, 1885.
4. (and Walter, W. E.) The water of the Ft. Scott artesian well: V. 9, p. 96–98, 1885.
5. (and Powell, L. M.) Some special tests in regard to the delicacy of the sense of smell: V. 9, p. 100–101, 1885.
6. On the occurrence of bromides and iodides in the water of an artesian well at Independence, Kansas: V. 10, p. 22–23, 1887.
7. (and Franklin, E. C.) The relative bitterness of different bitter substances: V. 10, p. 23–24, 1887.
8. Miscellaneous chemical notes: V. 10, p. 62–63, 1887.
9. On the newly discovered salt beds in Ellsworth County, Kansas: V. 11, p. 8–10, 1889.
10. Some experiments on the relation between the taste and the acidity of certain acids: V. 11, p. 10, 1889.
11. The composition of Kansas coals: V. 11, p. 46–49, tables A–H, 1889.
12. On the economic values of corn-cobs: V. 11, p. 46–49, 1889.
13. Some Kansas mineral waters: V. 12, p. 25–29, 1890.
14. (and Slosson, E. E.) On barite and associated minerals in the concretionary rocks of eastern Kansas: V. 12, p. 45–46, 1890.
15. (and Case, E. C.) On the composition of some Kansas building stones: V. 13, p. 78, 1893.
16. "Feather Alum" from Colorado: V. 12, p. 101, 1890.
17. Selective power of the sense of taste: V. 12, p. 101, 1890.
18. Small things: V. 14, p. 6–13, 1896.
19. (and Rice, Mary A.) On the composition of water from a mineral spring in the vicinity of "The Great Spirit Spring," Mitchell County, Kansas: V. 14, p. 40–41, 1896.

20. (and Smyth, B. B.) In Memoriam: James H. Carruth: V. 15, p. 135–136, 1898.
21. The chemical composition of cement plaster: V. 16, p. 38–40, 1899.
22. On the occurrence of nitrates in well waters: V. 16, p. 40–42, 1899.
23. A report on the mineral springs and wells of Kansas: V. 16, p. 42–43, 1899.
24. Experiments on the relative heating power of coal and illuminating gas: V. 17, p. 35–38, fig. 1 unnumbered, 1901.
25. A study of dietaries at Lawrence, Kansas: V. 18, p. 49–53, 1903.
26. Some sandstone waters of great purity: V. 18, p. 68–69, 1903.
27. What rights have education institutions to duty-free importations: V. 19, p. 379–380, 1905.
28. (and Stromquist, W. G.) On the durability of cement plaster: V. 20, p. 61–63, 1906.
29. Sanitary water analysis: V. 21, p. 66–68, 1908.
30. Memorial Address: Francis Huntington Snow Memorial: V. 22, p. 36–38, 1909.
31. (and Tague, E. L.) On the coloring matter in fruit juices: V. 23, p. 41–42, 1909.
32. (and Sayre, L. E.) On the presence of barium in the ash and extract of certain Kansas weeds: V. 24, p. 194–198, tables 1–2, 1910.
33. (and Jackson, H. L.) On the powered sugar of Commerce: V. 25, p. 27–28, 1913.
34. A convenient card catalogue of food adulterants: V. 27, p. 129–130, 1915.
35. Necrology: Frank Olin Marvin: V. 27, p. 135–137, 1915.
36. Foreign additions to our dietary: V. 28, p. 147–152, 1918.
37. (and Tong, W. S.) On the occurrence of starch in green fruits: V. 28, p. 153–155, 1918.
38. Chemistry in Kansas during the past fifty years: V. 29, p. 44–45, 1920.
39. The economic values of by-product foods: V. 31, p. 53–54, 1928.
40. Needed reforms in packing food products: V. 31, p. 54–56, 1928.
41. Water solubility an economic force: V. 31, p. 56–59, 1928.
42. See: Failyer, G. H. 11.

Bailey, Louise Lorene

A survey of the filamentous green algae of Labette County, Kansas: V. 35, p. 190–195, plate 1, map 1, 1932.

Baker, A. B.

Mammals of western Kansas: V. 11, p. 56–58, 1889.

Baker, Burton L.

The effect of subcutaneous injections of antuitrin-S on the anoestrous male ground squirrel: V. 38, p. 253, 1935.

Baker, Harvey W.

Notes on the culture of wild flowers: V. 19, p. 214–217, plate 27, 1905.

Baker, H. G.

Primary forces: V. 31, p. 63–65, 1926.

Baker, Maurice F.

Prairie chickens in Kansas: V. 53, no. 3, p. 316–318, 1950.

Baker, Rollin H.

1. Mammals from owl pellets taken in Coahuila, Mexico: V. 56, no. 2, p. 253–254, 1953.
2. A hoary bat from northwestern Kansas: V. 57, no. 2, p. 196, 1954.
3. See: Robinson, Thane S. 1.
4. See: Robinson, Thane S. 2.
5. See: Robinson, Thane S. 3.
6. See: Robinson, Thane S. 4.

Baker, Winifred

Further studies of learning aptitude in pilots. B. Prediction of ground school aptitude: V. 45, p. 287–289, 1942.

Bakis, Edward

1. The so-called DP-Apathy in Germany's DP camps: V. 55, no. 1, p. 62–86, 1952.
2. A factor analysis of personal time expenditure near battle front: V. 57, no. 3, p. 335–353, fig. 1, 1–9a, 1954.

Baldwin, L. K.

See: Harris, J. O. 7.

Bardwell, F. W.

1. Speculations in regard to comets' tails: V. 2, p. 79–86, 1873.
2. Discrepancies between theory and observation of the moon's motion: V. 3, p. 103–105, 1874.
3. Suggestion of the true theory of number: V. 3, p. 94–98, 1874.

Barham, H. N.

1. (and Smits, B. L.) Kojic acid—a review: V. 37, p. 91–114, tables 1–2, 1934.
2. (and Campbell, Carol Lois) Some effects of the progressive absorption and desorption of palmitic acid on the behavior of a sorghum grain starch: V. 53, no. 2, p. 235–253, table 1, fig. 1–10, 1950.
3. See: Lanning, F. C. 3.
4. See: Perkins, Alfred T. 3.
5. See: Wang, I. Cheng.

Barker, David P.

See: Cottle, Wm. C. 3.

Barkley, T. M.

A revision of *Senecio aureus* Linn. and allied species: V. 65, no. 3, p. 318–364, fig. 1–5; V. 65, no. 4, p. 365–408, fig. 6–11, 1962.

Barnabas, Bentley

1. Twelve tests that have proved practical in commercial applications: V. 50, no. 2, p. 204–207, 1947.
2. A study of speed-power and verbal-quantitative scores for the personnel test: V. 58, no. 1, p. 111–114, 1955.
3. The apt performance tests for screening in business situations: V. 58, no. 3, p. 419–423, 1955.
4. See: Shultz, Irvin T. 2.

Barnett, R. J.

Ground cover affects frost penetration: V. 40, p. 203–207, fig. 1–6, 1938.

Barnhart, Carl H.

The use of fossils in teaching biology: V. 43, p. 355–356, 1941.

Bartell, M. H.

See: West, R. R.

Bartholomew, Elam

1. The Kansas Uredineae: V. 16, p. 168–196, 1899.
2. Edible mushrooms of Kansas: V. 30, p. 174–179, 1922.
3. Addition to "the fungous flora of Kansas": V. 33, p. 82–83, 1930.
4. Second list of additions to the "fungous flora of Kansas": V. 36, p. 71, 1933.

Bartley, S. H.

(and Newman, E. B.) Recording action currents: V. 33, p. 78–81, 1930.

Barton, Arthur W.

1. Effect of long-continued soaking on seed germination: V. 32, p. 37, 1929.
2. Studies in autolysis: I. Autolysis in seeds: V. 32, p. 34–36, 1929.
3. (and Moore, Ruth) Cacao bean and elimination: V. 33, p. 136, 1930.
4. Plant sap and juice: I. Hydrogen-ion concentration and other data: V. 36, p. 72–75, table 1, 1933.
5. Cacao and elimination: Some personal experiences: V. 37, p. 169, 1934.
6. Plant sap and juice: III. Data for the spring of 1934: V. 37, p. 71, 1934.
7. Papain, a proteolytic vegetable ferment: V. 41, p. 165–166, 1938.
8. See: Brennan, L. A.

Bartow, Edward

1. (and McCollum, Elmer V.) Some Kansas petroleum: V. 18, p. 57–58, 1903.
2. Water supplies of southeastern Kansas: V. 19, p. 39–48, plate no. 5, 1905.
3. (and Allen, H. C.) A new derivative of diazo-amido-benzene: V. 19, p. 69–70, 1905.
4. (and McCollum, Elmer) Kansas petroleum: V. 19, p. 56–59, 1905.
5. Examination of coal dust after explosions in mines of southeastern Kansas: V. 20, p. 228–229, 1906.

Bascom, John Upton

See: Harman, Mary T. 20.

Bass, William M.

(and Birkby, Walter H.) A human calvarium from Ford County, Texas: V. 65, no. 1, p. 80–86, fig. 1, 1962.

Bates, F. C.

Tornadoes in the central United States: V. 65, no. 3, p. 215–246, fig. 1–17, 1962.

Bates, James C.

1. Seed germination and development of the seedling of *Commelina virginica*: V. 42, p. 109–112, plate I–II, fig. 1–11, 1939.
2. Preliminary investigation on the translocation of food between vegetative organs and fruits in the wheat plant: V. 44, p. 128–129, 1941.

Baumgartner, Edward

Loss of teeth as a disqualification for military service: V. 18, p. 217–219, 1903.

Baumgartner, W. J.

1. What moving forces are found in the follicles of the orthopteran testes?: V. 33, p. 107–110, 1930.
2. A record of zoology majors of the University of Kansas: V. 35, p. 67–77, 1932.
3. Remains of a fetal pig retained in the uterus of a sow: V. 35, p. 81–84, 1932.
4. Pseudopodia and flowing cytoplasmic movements in living germ cells: V. 36, p. 209–212, plate 1, 1933.
5. The cell in growth and reproduction: V. 39, p. 45–51, 1937.
6. (and Everham, B. J.) A double monster pig, *Thoracopagus discymmetros*: V. 39, p. 251–255, fig. 1–4, 1938.
7. Cooperation among Kansas scientists: V. 40, p. 208–210, 1938.
8. The preparation of drawings and photographs from reproduction in the "Transactions": V. 41, p. 395–397, 1938.
9. (and Witherspoon, Ward) Spermatid transformation in *Anasa tristis* (De Geer): V. 40, p. 327–339, fig. 1–53, plates 1–2, 1938.

Baxter, Robert W.

1. Coal balls—new discoveries in plant petrifactions from Kansas coal beds: V. 54, no. 4, p. 526–635, plates 1–4, fig. 1–12, 1951.
2. The Coal Age flora of Kansas 1. *Microspermopteris aphyllum* var. *Kansensis*, var. nov.: V. 55, no. 1, p. 101–103, fig. 1, 1952.
3. (and Roth, Elmer A.): The Coal Age flora of Kansas IV. *Calamopitys kansanum*, a new species from the Pennsylvanian of Kansas: V. 56, no. 2, p. 220–226, plate 1–2, fig. 1–7, 1953.
4. (and Roth, Elmer A.) *Cardiocarpus magnicellularis* sp. nov., a preliminary report: V. 57, no. 4, p. 458–460, fig. 1–3, 1954.
5. The University of Kansas collection of fossil plants I. The Dakota Sandstone flora: V. 57, no. 1, p. 41–47, fig. 1–3, 1954.
6. The sporangium of *Cystoporites varius*: V. 62, no. 1, p. 47–52, plate I, II, 1959.

Bayles, Ernest E.

A factor unemphasized in current theories regarding the transfer of training: V. 39, p. 211–214, 1937.

Beach, Edith

1. The spermatogenesis of the meadow vole, *Microtus pennsylvanicus*: V. 34, p. 125–131, fig. 1–30, plates 1–2, 1931.
2. Effects of X-ray upon the snowy tree cricket, *Oecanthus nigricornis argentinus*: V. 41, p. 303–316, fig. 1, plates 1–3, fig. 1–51, 1938.

Beahm, Edgar H.

See: Leonard, A. B. 3.

Beal, Jack

1. Determination of quercetin-like substances in several mid-western plants: V. 52, no. 2, p. 209–218, tables I–III, graphs 1–3, 1949.
2. (Wenzel, Duane G.) Osage orange oil: V. 54, no. 1, p. 94–98, table 1, 1951.

Beath, O. A.

The composition and properties of the yucca plant: V. 27, p. 102–104, 1915.

Bee, James

(and Hall, E. Raymond) An instance of coyote-dog hybridization: V. 54, no. 1, p. 73–77, table 1, fig. 1–4, 1951.

Beede, J. W.

1. The McPherson Equus beds: V. 15, p. 104–110, plates 2, 3, 6, 1898.
2. Notes on Kansas physiography: V. 15, p. 114–120, plates 7–8, 1898.
3. The stratigraphy of Shawnee County: V. 15, p. 27–34, 1898.
4. On the correlation of the Coal Measures of Kansas and Nebraska: V. 16, p. 70–84, 1899.
5. Fauna of the Permian of the Central United States, Part I: V. 17, p. 185–189, plate 13, fig. 1–6, plate 14, fig. 1–2, 1901.
6. Formations of the Marion Stage of the Kansas Permian: V. 22, p. 248–256, fig. 1–2 unnumbered, 1909.
7. The Wamego anticline: V. 29, p. 141, 1920.

Bell, Rondal E.

See: Thomas, Olive E. 1.

Bennett, Betty

An analysis of the intrinsic factors that constitute a stable attitude: V. 43, p. 329–331, 1940.

Bennett, John

See: Haworth, Erasmus 5.

Bentley, J. R.
Native lespedezas in Kansas: V. 36, p. 78–81, map 1, 1933.

Bergstresser, Karl S.
Semimicro qualitative analysis: V. 43, p. 209–210, table 1, 1940.

Bernstein, Jerrold G.
A preliminary study of some reserpine analogs on the Siamese fighting fish: V. 63, no. 4, p. 264–268, 1960.

Bidwell, O. W.
Agricultural contributions to the industrial growth and development of Kansas: V. 65, no. 1, p. 30–32, 1962.

Bidwell, W. D.
The human eye: The changes which occur in middle life: V. 11, p. 101–103, 1889.

Bingham, Hal G.
See: Roofe, Paul G. 1.

Birkby, Walter H.
See: Bass, William M.

Birrer, Ivan J.
Prediction of college achievement of mature students: V. 57, no. 4, p. 513–516, table 1, 1954.

Blachly, C. P.
Ornithology of Riley County, Kansas: V. 7, p. 102–111, 1881.

Blair, Byron O.
1. The ecology of a pasture in the Dakota Sandstone Formation in Ellsworth County, Kansas: V. 52, no. 1, p. 38–57, tables I–VIII, fig. 1–9, 1949.
2. (and Albertson, Fred W.; and Choguill, Harold S.) A study of spotted and fallowed wheat field in west-central Kansas: V. 52, no. 1, p. 18–23, tables I–III, 1949.
3. (and Choguill, Harold S.) Comparison of methods for determination of soil calcium: V. 53, no. 1, p. 23–27, fig. 1–4, 1950.

Blair, F. I.
See: Havenhill, L. D. 6.

Blake, Lucien I.
1. The evaporative power of Kansas coals: V. 11, p. 42–47, tables A–F, 1889.
2. (and Franklin, W. S.) In regard to color-blindness among Indians: V. 11, p. 105–106, 1889.
3. (and Radcliffe, H.) The insulation resistance of some electric-light wires: V. 12, p. 44–45, 1890.
4. An electrical hygrometer: V. 12, p. 67, 1890.

Bloomer, Richard H.
(and Tegeler, Charles H., and Osborne, George) Intracomparisions of children's expressed fears, nightmares, and projective responses: V. 59, no. 2, p. 257–264, table 1, 1956.

Bogart, Ralph
(and Long, Sam) Elimination of fat for potash clearing: V. 39, p. 257–261, fig. 1–8, 1937.

Bohlke, J.

1. The biogenetic law for the systematic biologist: V. 52, no. 4, p. 487–488, 1949.
2. A new Pacific saury (Genus *Cololabis*) from off the Coast of Peru: V. 54, no. 1, p. 83–87, 1951.
3. Description of a new finless ophichthid eel from the Gulf of California: V. 56, no. 3, p. 325–329, fig. 1, 1953.
4. Studies on fishes of the family Characidae—No. 8. The description of a new *Hemigrammus* from the Rio Negro of Brazil: V. 58, no. 2, p. 229–236, fig. 1–3, 1955.

Boles, H. P.

See: Grundmann, A. W. 1.

Bond, Glenn C.

(and Downs, Cora M.) Antigenic studies on the genus *Pasteurella*: V. 38, p. 87–92, 1935.

Bonner, Oscar D.

See: Argersinger, W. J., Jr. 3.

Boughton, Lloyd L.

Croton Capitatus as a poisonous forage plant: V. 34, p. 114, 1931.

Bowen, Richard E.

(and McMahon, K. J., and Mitchell, Ralph W.) Infectious diseases in a black-tailed jack rabbit (*Lepus californicus melanotis*, Mearns) population in southwestern Kansas: V. 63, no. 4, p. 276–284, 1960.

Bower, R. K.

(and Eisenstark, A.) The effects of certain chemical agents upon Newcastle disease virus with special reference to the action of Urethane: V. 57, no. 3, p. 291–297, tables 1–4, 1954.

Bowers, Roy A.

Research in waxes: V. 47, no. 3, p. 349–354, tables I–VI, fig. 1–2, 1945.

Bowles, J. W., Jr.

See: Pronko, N. H. 2.

Boyce, Earnest

A study of oil-well brine disposal: V. 38, p. 131–138, 1935.

Boyce, S. R.

Iodoform: V. 12, p. 58–59, 1890.

Boyd, Ivan L.

1. Evaluation of species of prairie grasses as interplanting ground covers on eroded soils: V. 45, p. 55–58, tables I–IV, 1942.
2. Germination tests on four species of sumac: V. 46, p. 85–86, table 1, 1943.
3. An ecological study of four species of sumac in relation to development and growth on eroded soil: V. 47, no. 1, p. 51–59, tables 1–3, fig. 1–7, 1944.
4. See: Miller, R. F. 5.

Bozemen, Wilfred B., Jr.

An experimental investigation into the life history of *Blatticola blattae*, a nematode found in *Blatella germanica*: V. 45, p. 304–310, unnumbered fig. A, B, C, A′, B′, C′, D′, E′, F′, 1942.

Brady, William C.

Reclamation in the Kansas Basin: V. 50, no. 2, p. 115–119, 1 table unnumbered, 1 map unnumbered, 1947.

Branch, Hazel E.

1. A new record relative to the parasites of *Pholus achemon*, Drury: V. 31, p. 100, 1927.
2. Notes on the Chironomidae of Kansas: V. 31, p. 48, 1928.
3. The aims and opportunities of the Junior Academy in Kansas: V. 34, p. 27–32, 1931.
4. Effects of alcohol on the reproductive powers of rats (Albino): V. 34, p. 311–313, 1931.
5. Identification of chironomid egg masses: V. 34, p. 151–157, plate 1, fig. 1–9; plate 2, fig. 1–4; plate 3, fig. 1–15, 1931.
6. (and Moss, W. Glenn) Effects of nicotine on rats (Albino): V. 41, p. 317–329, tables 1–5, 1938.

Brande, Berney Lou

(Colburn, Richard, and Herrick, E. H.) Vitamin C and estrogen in adrenalectomized guinea pigs: V. 59, no. 3, p. 343–345, 1956.

Brandhorst, C. T.

A study of the relationship between certain insects and some native western Kansas forbs and weedy plants: V. 46, p. 164–175, plate 1–4, fig. 1–15, 1943.

Branson, Branley A.

1. Observation on the distribution of nuptial tubercles in some catostomid fishes: V. 64, no. 4, p. 360–372, fig. 1–8, 1961.
2. The slugs (Gastropoda: Pulmonata) of Oklahoma and Kansas with new records: V. 65, no. 2, p. 110–119, 1962.

Branson, Dorothy S.

See: Ackert, J. E. 5.

Branson, Farrel A.

A preliminary report on the insect orders found in various grassland habitats in the vicinity of Hays, Kansas: V. 45, p. 189–194, fig. 1–5, 1942.

Branson, Jack

See: Byrne, Frank 3.

Branson, Lester R.

An analysis of seed production of native Kansas grasses during the drought of 1939: V. 44, p. 116–127, tables 1–7, fig. 1–4, 1941.

Bray, Robert W.

(and Vail, Gladys E., and Mackintosh, D. L.) Influence of freezing on tenderness in "aged" beef: V. 44, p. 327–331, fig. 1–3, table 1, 1941.

Brecheisen, William R.

(and Legler, John M.) The harvest mouse, *Reithrodontomys montanus griseus*, from southeastern Kansas: V. 60, no. 1, p. 90–91, 1957.

Breck, Terrance John

Differential mineral absorption caused by gibberellic acid: V. 64, no. 3, p. 273–274, 1961.

Breese, C. M.

1. Statistics on color blindness among the students at the State Agricultural College: V. 11, p. 106–107, 1889.
2. Annual precipitation of rain and snow at Manhattan, Kansas, for the past thirty-two years: V. 12, p. 166–167, 1890.
3. Wind velocity at Manhattan, Kansas: V. 12, p. 167–168, 1890.
4. See: Failyer, G. H.

Brennan, L. A.

1. (and Darland, Raymond; and Lee, Floyd M.; and Barton, A. W.) Plant sap and juice—II. Data obtained in the spring of 1933: V. 36, p. 76–77, plate 1, 1933.
2. A check list of the amphibians and reptiles of Ellis County, Kansas: V. 40, p. 341–348, table 1, 1938.

Brennan, Margaret

Experimental application of hypnosis: V. 46, p. 192–197, 1943.

Breukelman, John

1. (and Sarracino, John) Speed of toxic action of mercuric chloride on *Daphnia pulex*: V. 35, p. 78–79, 1932.
2. (and Downs, Allen) A list of amphibia and reptiles of Chase and Lyon counties, Kansas: V. 39, p. 267–268, 1937.
3. Speed of toxic action of different concentrations of phenol on *Simocephalus*: V. 39, p. 263–266, fig. 1–2, 1937.
4. A collection of Kansas fishes in the State University museum: V. 43, p. 377–384, map 1 unnumbered, chart 1 unnumbered, 1940.
5. The fishes of northwestern Kansas: V. 43, p. 367–375, map 1 unnumbered, 1940.
6. Relation of zoology to the war effort: V. 46, p. 294–297, 1943.
7. A review of Kansas ichthyology: V. 49, no. 1, p. 51–70, 1 unnumbered map, 1946.
8. (and Clarke, Robert F.) A revised list of amphibia and reptiles of Chase and Lyon counties, Kansas: V. 54, no. 4, p. 542–545, 1951.
9. (and Andrews, T. F.; and Novak, J. D.) A study of problems involved in teaching large classes in college general biology: V. 62, no. 4, p. 245–251, fig. 1–2, tables 1–4, 1959.
10. The science teacher improvement program of the Kansas Academy of Science: V. 63, Supplement, p. 1–60, tables 1–6, 1960.
11. (and Frazier, Ralph P.) The science teacher improvement program of the Kansas Academy of Science (Second report): V. 64, no. 3, p. 237–257, tables 1–3, 1961.
12. (and Frazier, Ralph P.) The science teacher improvement program of the Kansas Academy of Science (Third report): V. 65, no. 2, p. 154–177, tables 1–2, 1962.
13. See: Andrews, Ted F. 1.
14. See: Downs, Theodore 1.
15. See: Clarke, Robert F. 4.

Brewster, R. Q.

1. A note on the reducing action of anhydrous hydrogen iodide: V. 36, p. 111, 1933.
2. (and Floyd, W. W.) The electronegativity of organic radicals: V. 38, p. 139–144, tables 1–4, 1935.
3. (and Horner, Sister Agnes Marie) The use of xenyl mustard oil as a reagent for amines: V. 40, p. 101–102, 1938.
4. See: Burket, Stanley C. 1.
5. See: Dashen, Ludwig 1.
6. See: Johnson, Sam H. 1.
7. See: White, Leland M. 1.

Bridwell, Arthur

1. The brachiopos genus *Enteletes* with a description of a new species: V. 42, p. 329–335, 24 unnumbered fig., unnumbered plate, unnumbered table, 1939.
2. Fossiliferous phosphatic nodules of the Haskell limestone horizon: V. 46, p. 176–178, fig. 1–2, 1943.
3. See: Schoewe, W. H. 13.

Bridwell, J. C.
A list of Kansas Hymenoptera: V. 16, p. 203–211, 1899.

Brigden, Robert L.
1. Goal activity in the white rat: V. 34, p. 239, 1931.
2. A preliminary study of the relative efficiency of pattern repetition vs. motor repetition, in the memorization of music: V. 39, p. 215–218, 1937.
3. Maladjustment to responsibility: V. 41, p. 245–247, 1938.
4. Psychological service in Kansas children's institutions: V. 43, p. 333–335, 1940.
5. The reduction of emotional tension in psychotherapy: V. 44, p. 339–342, 1941.

Briggs, Leslie
The Thurstone Vocational Interest Schedule and students actual vocational choices: V. 45, p. 272–273, tables I–III, 1942.

Brill, Alice K.
Growth and reproduction of rats on a vitamin C-free diet: V. 36, p. 153–155, fig. 1, 1933.

Bronson, Franklin H.
1. Notes on body size of black-tailed jackrabbits: V. 61, no. 1, p. 109, 1958.
2. (and Tiemeier, Otto W.) Notes on crop damage by jackrabbits: V. 61, no. 2, p. 226–229, 1958.

Brooks, Travis E.
1. Some unrecorded hosts of *Comandra pallida*, a hemiparasite: V. 40, p. 65–66, fig. 1 unnumbered, 1938.
2. Myxomycetes of Kansas: V. 44, p. 130–157, 1941.
3. Myxomycetes of Kansas—II Stemonitales: V. 45, p. 59–70, 1942.
4. See: Johnstone, C. O. 4.
5. See: Paslay, Lucille A. 1.

Brous, H. A.
1. Habits of *Amblychila cylindriformis*: V. 5, p. 12, 1877.
2. Habits of the prairie dogs: V. 5, p. 10–12, 1877.

Brown, Harold P.
1. Two Beta arsenical derivatives of naphthalene: V. 42, p. 209–211, 1939.
2. Periodic tables: V. 43, p. 211–212, 1940.

Brown, H. Ray
Growth and seed yields of native prairie plants in various habitats of the mixed-prairie: V. 46, p. 87–99, tables 1–9, 1943.

Brown, Jerry Wm.
See: Latimer, Homer B. 1.

Brown, Leo
1. The distribution of the whitetailed jackrabbit (*Lepus townsendii campanius Hollister*) in Kansas: V. 43, p. 385–389, fig. 1, 1940.
2. The management of farm wildlife: V. 44, p. 381–388, 1941.
3. Propagation of the spotted channel catfish (*Ictalurus lacustrus punctatus*): V. 45, p. 311–314, 1942.
4. Rodent activity in a mixed prairie near Hays, Kansas: V. 48, no. 4, pp. 448–456, tables 1–3, 1946.
5. Why has the white-tailed jackrabbit (*Lepus townsendii campanius* Hollister) become scarce in Kansas: V. 49, no. 4, p. 455–456, 1947.
6. Coaction of jackrabbit, cottontail, and vegetation in a mixed prairie: V. 50, p. 28–44, tables 1–6, fig. 1–11, 1947.
7. Censusing wildlife: V. 50, no. 3, p. 322–326, 1947.
8. Caucasian bluestem (*Andropogon intermedius* var. *cascasicus*): V. 56, no. 1, p. 46–52, fig. 1–4, 1953.

Brown, R. J.

Is a geological survey of the state a necessity?: V. 9, p. 49–56, 1885.

Brown, William

See: Ekstein, Rudolf 3.

Brownlee, William E.

(and Vanderwerf, Calvin A.) The alkylation of cyclohexanone: V. 47, no. 3, p. 361–366, 1945.

Brubaker, H. W.

1. A study of the oil from sumac (*Rhus glabra*): V. 39, p. 221–222, tables 1–3, 1922.
2. A preliminary report on a survey of the waters of Kansas to determine their iodine content: V. 32, p. 60–62, 1929.
3. Analyses of fragments from the tusks of four specimens of extinct elephants found in Kansas: V. 37, p. 115–116, tables 1–2, 1934.
4. The economy of water softening: V. 41, p. 167–170, 1938.

Bruckmiller, F. W.

The determination of sulfates in water: V. 27, p. 97–98, 1915.

Brumwell, Malcolm J.

1. Variation in the snake, *Thamnophis macrostemma* Kennicott: V. 42, p. 423–429, tables I–III, plate I, 1939.
2. Notes on the courtship of the turtle, *Terrapene ornata*: V. 43, p. 391–392, 1940.

Bryson, Harry R.

The identification of soil insects by their burrow characteristics: V. 42, p. 245–253, fig. 1–9, table I, 1939.

Buechner, Helmut K.

Birds of Kerr County, Texas: V. 49, no. 3, p. 357–364, table 1, fig. 1, 1946.

Bugbee, Robert E.

1. An analysis of local populations in the continental species, *E. rhois*: V. 44, p. 228–233, chart 1, 1941.
2. Notes on animal occurrence and activity in the White Sands National Monument, New Mexico: V. 45, p. 315–321, map 1, graph 1, fig. 1, 1942.
3. A note on the mortality of snakes on highways in western Kansas: V. 47, no. 3, p. 373–374, table 1, 1945.
4. (and Riegel, Andrew) Seasonal food choices of the fox squirrel in western Kansas: V. 48, no. 2, p. 199–203, fig. I–IV, 1945.

Bull, H. R.

Notes on tea analysis: V. 9, p. 42–43, 1885.

Burchalter, J. H.

Modern antimalarial drugs: V. 53, no. 4, p. 433–440, 1950.

Burgat, Virgil

See: Chelikowsy, J. R. 1.

Berger, W. Leslie

See: Smith, Philip W. 1.

Burgert, Irma A.

A study of some factors influencing germination of spores of *Phyllosticta solitaria*: V. 36, p. 82, 1933.

Burgstahler, Albert W.

(and Nordin, Ivan C.) Angular alkylation by the Claisen rearrangement: V. 65, no. 1, p. 39–43, 1962.

Burket, Stanley C.

(and Brewster, Ray Q.) The reaction of phenols with tertiary butyl chloride: V. 46, p. 133–135, 1943.

Burkhard, R. K.

Another method for the determination of ionization constants of dyes: V. 60, no. 3, p. 324–326, fig. 1, table 1, 1957.

Burner, Charles C.

(and Leist, Claude) A limnological study of the college farm stripmine lake: V. 56, no. 1, p. 78–85, fig. 1–2, 1953.

Burrage, Bryan R.

Notes on some captive minnows, *Pimephales promelas* Rafinesque: V. 64, no. 4, p. 357–359, 1961.

Burress, Ralph M.

See: Gier, L. J. 3.

Burt, Charles E.

1. Some distributional and ecological records of Kansas reptiles: V. 36, p. 186–208, 1933.
2. (and Hoyle, William Luther) Additional records of the reptiles of the central prairie region of the United States: V. 37, p. 193–216, 1934.
3. A key to the lizards of the United States and Canada: V. 38, p. 255–305, fig. 1–71, 1935.
4. The fauna: Amphibians and reptiles of "Rock City": V. 40, p. 195, 1938.
5. The lizards of the southeastern United States: V. 40, p. 336–349, 1938.
6. The frog and toads of the southeastern United States: V. 41, p. 331–367, fig. 1–14, 1938.
7. A mutant red-phase wood salamander (*Plethodon cinereus*) from New Hampshire: V. 48, no. 2, p. 204, 1945.
8. A report on some amphibians and reptiles from Louisiana: V. 48, no. 4, p. 422–428, 1946.

Burt, Lucile B.

The bearing of Zalenski's law on conifer leaves: V. 42, p. 113–121, plates I–III, fig. 1–24, tables I–III, 1939.

Bush, Vannevar

Science—the endless frontier: V. 48, no. 3, p. 231–264, 1 unnumbered diagram, 1945.

Bushnell, Leland D.

1. Micro-organisms and the struggle for existence: V. 48, no. 1, p. 55–69, 1945.
2. (and Erwin, L. E.) Studies on Newcastle disease—II. The distribution of Newcastle disease virus antibodies in the tissues of recovered chickens: V. 52, no. 3, p. 370–372, table 1, 1949.
3. (and Erwin, L. E.) Studies on Newcastle disease—IV. The distribution of Newcastle disease virus in the tissues of chicks visibly sick of the disease: V. 52, no. 3, p. 373–374, table I, 1949.
4. (and Erwin, L. E.) Studies on Newcastle disease—IV. Hemagglutination inhibition for Newcastle disease virus by abnormal allantoic and amniotic fluids: V. 53, no. 1, p. 64–65, table 1, 1950.
5. (and Erwin, L. E.) Studies on Newcastle disease—V. Rate of increase of Newcastle disease virus in the allantoic sac of 10-day chicken and embryos: V. 53, no. 1, p. 66–67, plate 1, 1950.

6. (and Erwin, L. E.) Studies on Newcastle disease—VI: Thermostability of Newcastle disease virus and its antibody: V. 53, no. 1, p. 68–69, tables 1–2, 1950.
7. (and Erwin, L. E.) Studies on Newcastle disease—VII. The rate of virus absorption in the hemagglutination reaction of Newcastle disease virus: V. 53, no. 3, p. 378–380, fig. 1–2, 1950.
8. (and Erwin, L. E.) Studies on Newcastle disease—VIII. Reactivation of over neutralized Newcastle disease virus: V. 53, no. 3, p. 381–385, tables 1–5, 1950.
9. (and Erwin, L. E.) Studies on Newcastle disease—IX. Effect of Newcastle disease virus on the volume of chicken red blood cells: V. 53, no. 4, p. 488–490, 1 unnumbered table, 1950.
10. (and Erwin, L. E.) Studies on Newcastle disease—X. Effect of Newcastle disease virus on the fragility of chicken red blood cells: V. 53, no. 4, p. 491–493, 1 table, 1 unnumbered fig., 1950.
11. (and Erwin, L. E.) Studies on Newcastle disease—XI. Reduction of methylene blue by normal allantoic fluids and Newcastle disease viruses: V. 54, no. 1, p. 36–39, tables I–VI, 1951.
12. (and Erwin, L. E.) Studies on Newcastle disease—XII. The Danysz phenomenon in the neutralization of its antibody by Newcastle disease virus: V. 54, no. 1, p. 40–41, fig. 1, 1951.
13. See: Haas, H. F. 1.
14. See: Hunter, O. W. 1.
15. See: Liao, Y. S. 1.
16. See: Liao, Y. S. 2.

Bushong, F. W.

1. On the alkyl hypobromites—R-O-Br: V. 15, p. 81–82, 1898.
2. The deep well at Madison, Kansas: V. 16, p. 67–70, plate 5, 1899.
3. Analysis of magnesium water found near Madison, Kansas: V. 17, p. 53, 1901.
4. On the alkyl sulphates: V. 18, p. 62–67, 1903.
5. The action of ethyl chlorsulfonate upon aniline: V. 19, p. 71–73, 1905.
6. Composition of gas from cottonwood trees: V. 21, p. 53, 1908.
7. (and Weith, A. J.) Some fluctuations in the mineral content of the Kaw River: V. 22, p. 95, 1909.
8. The optical activity of petroleum and its significance: V. 25, p. 16–23, 1913.

Byrne, Frank

1. A preliminary report on a new mammal-like reptile from the Permian of South Africa: V. 40, p. 221–232, fig. 1–32, plates 1–3, 1938.
2. Notes on the evolution of the mammal-like reptiles: V. 43, p. 291–296, chart 1 unnumbered, 1940.
3. (and Branson, Jack) Permian organic burrows: V. 44, p. 257–263, fig. 1–6, 1941.
4. (and Seeberger, Evelyn) Fragmentary crinoids from the Lower Permian of the Manhattan area: V. 45, p. 221–228, plate 1, fig. 1–17, table 1, 1941.

Cady, H. D.

1. A note on the detection of cyanides: V. 20, p. 82–83, 1907.
2. (and McFarland, D. F.) Helium in Kansas natural gas: V. 20, p. 80–81, 1907.
3. Notes on mercurous sulfate for standard cells: V. 20, p. 84, 1907.
4. (and McFarland, D. F.) Neon and argon in natural gas: V. 21, p. 64–65, 1908.
5. Helium as a balloon gas: V. 30, p. 212–214, 1922.
6. See: Holmes, F. O. 1.

Calderwood, William A.

The metabolic rate of the flour beetle *Tribolium confusum*: V. 64, no. 2, p. 150–152, fig. 1, 1961.

Caldwell, J. M.

(and Weeks, Mary Elvira) Victoria Blue BX as internal indicator in ceriometry: V. 37, p. 117–118, 1934.

Caldwell, M. J.

1. (and Hall, J. L.; and King, H. H.) X-ray investigation of particle size in beef: V. 36, p. 113, fig. 1, 1933.
2. (and Parrish, D. B.; and Schrenk, W. G.) The response of different photometers to the color produced by vitamin A and carotene with antimony trichloride: V. 49, no. 2, p. 197–214, tables I–III, fig. 1, 1946.
3. See: Parrish, D. B. 1.

Call, L. E.

1. Food in the war effort: V. 46, p. 267–271, 1943.
2. The crop industries of Kansas: V. 47, no. 1, p. 1–6, 1944.

Campbell, Carol Lois

See: Barham, H. N. 2.

Campbell, Marion I.

Some observations on *Scolopendra heros* under laboratory conditions: V. 35, p. 80, 1932.

Caraiff, Ira D.

An aberrant walnut: V. 23, p. 128, 1909.

Carleton, M. A.

1. List of plants collected by the Garfield University Expedition of 1889: V. 13, p. 50–57, 1893.
2. Variations in dominant species of plants: V. 13, p. 24–28, 1893.
3. Characteristic sand-hill flora: V. 12, p. 32–34, 1890.
4. A new aecidium of peculiar habit: V. 14, p. 44, 1896.
5. Variations in dominant species of plants: V. 14, p. 45, 1896.
6. See: Kellerman, W. A. 3.

Carlson, William A.

(and Runnels, Russell T.) A study of silt deposited by the July, 1951, flood, central Kansas River Valley: V. 55, no. 2, p. 209–213, tables 1–4, 1952.

Carman, J. Neale

The replacement of the Indian languages of Kansas by English: V. 58, no. 2, p. 131–150, 1955.

Carpenter, A. C.

1. New mineral localities in Kansas: V. 44, p. 264, 1941.
2. Scientific hobbies: V. 58, no. 3, p. 303–309, 1955.

Carpenter, Charles R.

The black rot of the grape: V. 11, p. 14–17, 1889.

Carr, John H.

Inoculation time differentials for expression of interference of Newcastle disease virus by swine influenza virus in chick embryos: V. 63, no. 3, p. 141–146, fig. 1–2, 1960.

Carruth, J. H.

1. Catalogue of plants seen in Kansas: V. 1, p. 8–20, 1872.
2. Report on botany of Kansas for the year 1873: V. 2, p. 74–79, 1873.
3. Report on botany of Kansas for the year 1874: V. 3, p. 122–127, 1874.
4. Centennial catalogue of the plants of Kansas: V. 5, p. 40–59, 1877.
5. Botanical addenda: V. 6, p. 40–42, 1878.

6. Botanical addenda for 1879 and 1880: V. 7, p. 120–218, 1881.
7. Botanical addenda for 1881 and 1882: V. 8, p. 32–33, 1883.
8. Botanical addenda for 1883 and 1884: V. 9, p. 142–144, 1885.
9. Botanical notes, 1889: V. 12, p. 43–44, 1890.

Carter, F. L.

A study in jackrabbit shifts in range in western Kansas: V. 42, p. 431–435, charts 1–2, maps 4 unnumbered, 1939.

Case, Annette Alsop

See: Harman, Mary T. 16.

Case, Arthur A.

1. (and Ackert, J. E.) Intermediate hosts of chicken tapeworms occurring in Kansas: V. 42, p. 439–442, 1939.
2. (and Ackert, J. E.) New intermediate hosts of fowl cestodes: V. 43, p. 393–396, 1940.
3. The occurrence of the liver fluke, *Fasciola hepatica* in cattle from Rice County, Kansas: V. 56, no. 1, p. 108–110, 1953.
4. Nematodes from silos in Missouri: V. 58, no. 3, p. 347–352, fig. 1–3, 1955.
5. The invasion and destruction of subserosal tissues in the horse by migrating stages of *Strongyluss edentatus*: V. 60, no. 3, p. 297–300, fig. 1–3, 1957.
6. See: Ackert, J. E. 8.

Case, E. C.

1. On the analysis of the deposit from a chalybeate water: V. 14, p. 36–37, 1896.
2. See: Bailey, E. H. S. 17.

Case, Theo. S.

A holiday excursion to the birthplace of Montezuma: V. 7, p. 13–21, plate 1 unnumbered, 1881.

Cashon, Dorothy

See: Gates, Frank 1.

Castle, E. W.

A list of the flowering plants and ferns: V. 13, p. 80–89, 1893.

Castonguay, Thomas T.

1. (and Ferm, Richard L.) A study of the production of DDT: V. 49, no. 2, p. 167–176, tables I–VI, fig. 1–5, 1946.
2. (and Ferm, Richard L.) The effect of various condensing agents and inert solvents in the production of DDT: V. 49, no. 4, p. 433–435, tables 1–2, 1947.

Caulfield, W. J.

See: McCannon, Ruth B. 2.

Cauthen, Geo. E.

Occurrence of capillaria (Nematoda) in a colony of pigeons and methods of control: V. 40, p. 367, 1938.

Chapman, O. W.

1. Licensing chemists and chemical engineers: V. 50, no. 3, p. 338–341, 1947.
2. Statistical quality control in college analytical laboratories: V. 52, no. 2, p. 160–167, fig. 1–8, 1949.

Chase, George

Archaeological notes: V. 9, p. 30–31, fig. 1–2, 1885.

Charles, H. W.

Dakota sandstone in Washington County: V. 17, p. 194, 1901.

Charlton, O. C.
1. On the occurrence of mammoth remains in Franklin County, Kansas: V. 12, p. 74, 1890.
2. Preliminary observation on the destructive burrowing of shale: V. 12, p. 75, 1890.

Chelikowsky, J. R.
1. (and Burgat, Virgil) Structure and convergence of the formations in the Lansing group, Wilson County, Kansas: V. 50, no. 1, p. 89–96, fig. 1–3, 1947.
2. See: Harned, H. C. 1.

Chenoweth, W. L.
Records of amphibians and reptiles from New Mexico, Utah, and Arizona: V. 53, no. 4, p. 532–534, 1950.

Chitwood, Ida
(and Vail, Gladys) A study of the effects in frying potato chips in different ways: V. 36, p. 156, 1933.

Choguill, Charles L.
1. Gas chromatography: V. 61, no. 3, p. 253–255, 1958.
2. Paper electrophoresis: V. 62, no. 4, p. 232–236, 1959.

Choguill, Harold S.
1. The electrodeposition of some metals from solutions of their sulfamates: V. 42, p. 213–215, tables I–II, 1939.
2. (and Finch, Jack N.) The ionization constants of certain cyclohexane derivatives of aliphatic acids: V. 55, no. 3, p. 363–368, tables 1–2, fig. 1, 1952.
3. (and Sullivan, Harold E.) Condensation of ethyl acetoacetate with halogenated alcohols: V. 57, no. 1, p. 97–100, table 1, 1954.
4. (and Shell, Francis J.) Decomposition potentials of some metallic sulfamates: V. 57, no. 3, p. 386–390, fig. 1–5, tables 1–4, 1954.
5. (and Goetz, LaVern) Transference numbers of cadmium and copper sulfamates: V. 60, no. 1, p. 78–81, tables I–II, fig. 1, 1957.
6. Some poisonous plants of Kansas (presidential address, 1957). V. 61, no. 1, p. 1–13, 1958.
7. (and Dodd, J.) Paper chromatography of carbohydrate reserves: V. 62, no. 1, p. 58–61, 1959.
8. See: Blair, Byron O. 2.
9. See: Moring, Edmond A. 1.
10. See: Tombaugh, Robert M. 1.

Chou, David Y. P.
(and Davidson, Arthur W.) Phase equilibria in the system strontium chloride-acetic acid-water: V. 65, no. 4, p. 428–432, fig. 1–2, 1962.

Chrapliwy, P. S.
See: Williams, K. L. 2.

Christesen, Bernice
See: Herrick, E. H. 4.

Clark, Francis E.
1. Effects of soil amendments upon bacterial populations associated with roots of wheat: V. 42, p. 91–96, tables I–III, 1939.
2. Notes on types of bacteria associated with plant roots: V. 43, p. 75–83, tables 1–5, 1940.

Clark, John R.
Colors and sugar relationships in plants: V. 64, no. 3, p. 268–269, fig 1, 1961.

Clarke, Robert F.

1. Additional turtle records for Kansas: V. 56, no. 4, p. 438–439, 1953.
2. Distributional notes on some amphibians and reptiles of Kansas: V. 59, no. 2, p. 213–219, 1956.
3. (and Breukelman, John; and Andrews, T. F.) An annotated check list of the vertebrates of Lyon County, Kansas: V. 61, no. 2, p. 165–194, 1958.
4. See: Breukelman, John 8.

Clegg, Robert F.

See: Ericson, A. T. 1.

Clothier, R. W.

See: Willard, J. T. 12.

Cobden, Selma Edith

Studies on the retinal pigment of the embryo chick: V. 37, p. 217–224, fig. 1–14, plate 3, 1934.

Cockerell, T. D. A.

1. A first list of the hymenopterous families Tenthredinidae, Siricidae, Chrysididae, Proctotrypidae, Cynipidae, Chalcididae, and Braconidae collected in New Mexico: V. 16, p. 212–216, 1899.
2. The Diptera of Kansas and New Mexico: V. 19, p. 250–251, 1905.
3. Notes upon variation of *Melissodes lupina* Cresson: V. 22, p. 305, 1909.
4. The Colorado Desert of California—its origin and biota: V. 48, no. 1, p. 1–39, 13 unnumbered photographs, 1 unnumbered map, 1945.

Cockrum, E. Lendell

1. The distribution of the hispid cotton rat in Kansas: V. 51, no. 3, p. 306–312, fig. 1–3, 1948.
2. Reproduction in North American bats: V. 58, no. 4, p. 487–511, 1955.

Coco, Russell M.

See: Johnson, George E. 3.

Cohoe, Edith

See: Dutro, Ruth 1.

Collette, A. M.

1. Nesting of the pied-billed grebe: V. 13, p. 49–50, 1893.
2. Two rare birds of Kansas, the white-faced glossy ibis (*Plegadis guarauna*) and the Clarke's nutcracker (*Picicoruus columbianus*): V. 13, p. 29–30, 1893.

Collister, E. Gordon

(and Ahlstrom, Winton) Reliability of test scores for diagnosis: V. 59, no. 3, p. 385–389, 1956.

Comer, Ralph D.

1. (and Roofe, Paul G.) The effects of intraperitoneally injected radium chloride on the thymus of the albino rat: V. 56, no. 2, p. 234–241, fig. 1–4, tables 1–2, 1953.
2. See: Roofe, Paul G. 1.

Congdon, Leon A.

1. A study of the gelatinizing agents, pasty materials and thickners used in food products: V. 27, p. 81–86, 1915.
2. The high cost of food: V. 28, p. 313–318, 1918.
3. A study of foods for infants: V. 29, p. 209–216, tables 1–6, 1920. See also special publications.

Conkin, James

1. Relations of the Liberty-Saluda, Whitewater beds in Oldham, Kentucky: V. 55, no. 1, p. 126–130, fig. 1–3. 1952.
2. (and Conkin, Barbara) Cyathaxonia from the Fern Glen Formation: V. 57, no. 2, p. 214–217, fig. 1, 1954.

Connin, R. V.

See: Sill, W. H., Jr. 2.

Cook, Philip H.

Evacuation problems in Britain: V. 44, p. 243–345, 1941.

Cook, W. A.

1. Lowering of the ground-water table: V. 26, p. 84–86, 1914.
2. Phenomena beautiful: V. 26, p. 97–100, 1914.

Coonfield, B. R.

1. The peripheral nervous system of the earthworm: V. 34, p. 115, 1931.
2. Development and reaction of melanophores of embryos and larvae of *Typhlogobius californiensis* Steindachner: V. 45, p. 322–333, plate I, fig. 1–10; plate II, fig. 11–19; plate III, fig. 20–25, 1942.

Cooper, J. C.

1. Oxygen in its relation to mineralogy: V. 19, p. 33–38, 1905.
2. The study of mineralogy for self-culture: V. 20, p. 253–259, 1906.

Copeland, B. J.

See: Minter, Kenneth W.

Copley, John T.

The movements and forces in tornadoes: V. 38, p. 213–216, 1935.

Coppedge, R. W.

Effect of light on *Melilotus alba* (sweet clover): V. 20, p. 97–105, 1906.

Cornelius, Donald R.

(and Melcher, Newell C.) Estimating the yield of blue grama grass seed: V. 45, p. 71–74, fig. 1, table 1, 1942.

Corp, Charles I.

1. An interpretation of indicator diagrams: V. 20, p. 239–244, 1906.
2. Discussion of a Pelton Water-wheel test made at the University of Wisconsin: V. 22, p. 84–88, 1909.

Cortner, G. L.

See: Jones, J. Knox, Jr. 8.

Cottle, Wm. C.

1. and Powell, Jackson O.) Relationship of mean scores on the Strong, Kuder and Bell inventories with the MMPI M-F scale as a criterion: V. 52, no. 3, p. 396–398, tables I–II, 1949.
2. Supervising practicum courses in counseling: V. 55, no. 4, p. 468–471, 1952.
3. and Wands, Herbert O.; Pownall, J. F.; and Barker, David P.) A scale to differentiate counselors from teachers: V. 57, no. 4, p. 509–512, 1954.

Cowan, Edwina A.

1. The birth-injured child as a training problem: V. 35, p. 131, 1932.
2. The experimental training of a birth-injured child: V. 39, p. 219–221, 1937.
3. The phenomenon of mother-love: a study of the child's doubt of the parent's attitude: V. 41, p. 249–252, 1943.

4. A study of children exhibiting pattern loss during performance of a mental test: V. 42, p. 389–391, table 1, 1939.
5. Mutual participation in adjustment techniques as a factor in problems involving present human relationships: V. 45, p. 274–278, 1942.

Cowgill, E. B.

Observation of the formation of sugar crystals in the juice of sorghum saccharatum: V. 10, p. 26–27, 1887.

Cragin, F. W.

1. A preliminary catalogue of Kansas reptiles and batrachians: V. 7, p. 112–120, 1881.
2. A contribution to the history of the freshwater Copepoda: V. 8, p. 66–81, plate 1, fig. 1–23; plate 2, fig. 1–15; plate 3, fig. 1–23; plate 4, fig. 1–17, 1883.
3. Second contribution to the herpetology of Kansas with observations on the Kansas fauna: V. 9, p. 136–140.
4. Preliminary note on the origin and maturation of the ovum in porcellio: V. 9, p. 140–142, 1885.
5. Note on a new variety of a Sonoran serpent from Kansas: V. 10, p. 85–86, 1887.
6. Library of the Kansas Academy of Science catalogue: V. 10, p. 145–154, 1887.

Crain, Frank T.

(and Gottlieb, Selma) A study of the mechanism of the effect of chlorine on the biochemical oxygen demand: V. 38, p. 145–148, tables 1–2, 1935.

Cram, S. Winston

See: Gladfelter, Robert D. 1.

Creditor, Margaret

Compensatory hypertrophy of the kidney: V. 64, no. 2, p. 155–157, 1961.

Cressler, Lawrence

The effect of different intensities and times of grazing and the degree of dusting upon the vegetation of range land in west central Kansas: V. 45, p. 75–91, fig. 1–17, tables I–VII, 1942.

Crevecoeur, F. F.

1. List of fossil plants collected in the vicinity of Onaga, Kansas: V. 18, p. 124–128, fig. 1–3, plate 1 unnumbered, 1903.
2. A new species of fish: V. 18, p. 177–178, 1903.
3. Additions to the list of the hemipterous fauna of Kansas: V. 19, p. 232–237, 1905.
4. Some variations among Kansas wild flowers: V. 19, p. 205–208, plate 26, 1905.
5. A new species of Campostoma: V. 21, p. 155–157, 1908.
6. Additions to the list of Kansas Diptera: V. 20, p. 90–96, 1906.
7. Additions to the list of Kansas Hymenoptera: V. 30, p. 385–388, 1922.
8. Additions to the list of Kansas Lepidoptera: V. 30, p. 377–385, 1922.
9. A new nesting record for the pine siskin: V. 30, p. 376, 1922.

Croissant, DeWitt C.

University extension: V. 26, p. 104–106, 1914.

Croley, Hugh T.

1. See: Lichlyter, Dean E. 1.
2. A method of analyzing group psychotherapy: V. 59, no. 2, p. 249–256, 1956.

Cross, Frank B.

1. Occurrence of the sturgeon chub, *Hybopsis gelida* (Girard) in Kansas: V. 56, no. 1, p. 90–91, 1953.
2. Nomenclature in the Pimephalinae, with special reference to the bullhead minnow, *Pimephales vigilax perspicuus* (Girard): V. 56, no. 1, p. 92–96, 1953.
3. Fishes of Cedar Creek and the south fork of the Cottonwood River, Chase County, Kansas: V. 57, no. 3, p. 303–314, 1954.
4. Records of fishes little known in Kansas: V. 57, p. 473–479, 1954.
5. (and Hastings, Claude E.) Ages and sizes of 29 flathead catfish from the Kansas River, Douglas County, Kansas: V. 59, no. 1, p. 85–86, 1956.
6. New records of four fishes from Kansas: V. 61, no. 1, p. 104–108, 1958.
7. (and Deacon, J. E.; and Ward, C. M.) Growth of sport fish in Kansas lakes: V. 62, no. 2, p. 162–164, table 1, 1959.
8. See: Minckley, W. L. 3.

Cross, Frank C.

Nesting birds of north-central Kansas: V. 55, no. 1, p. 120–125, 1952.

Crotty, Gertrude

1. Methods of collecting, cleaning, and mounting diatoms: V. 12, p. 81–83, 1890.
2. Some statistics relating to health of college women: V. 13, p. 33–37, 1893.

Crow, H. E.

(and Swanson, Harold) Disappearance of ox warbles (*Hypoderma lineatum*) from a herd of cattle: V. 53, no. 4, p. 529–531, 1950.

Crown, Gary

See: Mallory, Bob F.

Cruise, Lawrence L.

The straited spark: V. 33, p. 84–86, fig. 1, 1930.

Crum, L. A.

(and Gottlieb, Selma) Studies on two Kansas oil wells, mineralogy of the formations and chemical nature of the water encountered: V. 38, p. 149–152, tables 1–2, 1935.

Crumb, S. E.

1. The Jassoidea of Kansas: V. 24, p. 232–238, 1910.
2. A partial key to the genera of North American Jassoidea: V. 25, p. 129–137, plate 1, fig. 1–11; plate 2, fig. 1–13, 1913.

Crumbine, S. J.

The pollution of underground waters: V. 23, p. 169–176, 1909.

Curtis, Geo. E.

1. Who sold his wheat for $1.40?, or an examination of the values of Blake's tables: V. 12, p. 37–42, 1890.
2. Some Diatomaceae of Kansas: V. 17, p. 67–78, fig. 1–29, 1901.

Curtis, R. W.

(and McReynolds, S. A.) The quantitative estimation of iron and cobalt by the rotating cathode: V. 20, Part II, p. 67–69, tables 1–3, 1907.

Dains, F. B.

1. On the composition of a natural oil from Wilson County, Kansas: V. 14, p. 38–39, 1896.
2. On some ferrocyanides of calcium, barium and magnesium: V. 20, p. 86–87, 1907.

3. Silliman, Hare, and Cooke, and their relation to American science: V. 23, p. 22–33, 1909.
4. (and Griffin, E. L.) On the reactions of the formamidines: V. 25, p. 35–36, 1913.
5. (and Lehmann, Glenn A.) The action of bromine and iodine monochloride on some schiff's bases: V. 34, p. 297–302, 1931.
6. (and Werner, Henry) Triazin desulfurization products of phenyl benzamidine thiourea: V. 35, p. 149–157, 1932.
7. (and Eberly, Floyd) On the preparation of P-iodophenol and some of its derivatives: V. 36, p. 114–117, 1933.
8. See: Long, Walter S.

Dalquest, Walter W.

1. (and Hall, E. Raymond) Geographic range of the hairy-legged vampire in eastern Mexico: V. 50, no. 3, p. 315–317, fig. 1, 1947.
2. (and Hoffmeister, Donald F.) Mountain sheep from the state of Washington in the collection of the University of Kansas: V. 51, no. 2, p. 224–234, tables 1–2, fig. 1 with 6 fig., fig. 2, 1948.
3. Netting bats in tropical Mexico: V. 57, no. 1, p. 1–10, 1954.
4. A human skull and an associated fauna from Foard County, Texas: V. 65, no. 1, p. 76–79, 1962.

Dalton, B. J.

1. (and Marvin, F. O.) Notes on the second setting of cement: V. 12, p. 10, 1890.
2. Railroad rates from an engineering standpoint: V. 22, p. 355–362, plates I–III, 1909.

Danheim, Bertha L.

Studies on the occurrence and development of *Ascaridia perspicillum*, parasitic in chickens: V. 30, p. 204, 1922.

Daniel, Charles M.

(and Worth, A. Fletcher) The preparation of some new Azo derivatives of guaiacol I: V. 37, p. 119–122, tables 1–2, 1934.

Darland, Raymond

See: Brennan, L. A.

Darling, Donald M.

(and Smith, Hobart M.) A collection of reptiles and amphibians from eastern Mexico: V. 57, no. 2, p. 180–195, plate 1, fig. 1–2; plate 2, fig. 1–2; 1954.

Dashen, Ludwig

(and Brewster, R. Q.) The action of ethylene dibromide upon disubstituted thioureas: V. 40, p. 103–108, tables 1–2, 1938.

Daubenmire, R.

See: Shantz, H. L.

Davidson, Arthur W.

1. Analogue of the cupric-ammonia ion in acetic acid solution: V. 31, p. 60, 1927.
2. Net work and free energy decrement in non-isobaric and spontaneous changes: V. 60, no. 4, p. 441–447, 1957.
3. See: Adams, Myrl R. 1.
4. See: Martin, James B. 1.
5. See: Chou, D. Y. P.

Davidson, W. J.

See: Argersinger, W. J., Jr. 3.

Davies, H. E.
Kansas mineral water: V. 15, p. 82–88, 1898.

Davis, John C.
See: Fishburn, M. D.

Davis, Kendall
See: Hulicka, Irene Mackintosh.

Davis, Philip Bruce
The fossil beds of northwestern Nebraska as observed on the McPherson College 1937 Summer biology trek: V. 41, p. 199–211, 1938.

Davis, Vera
A study of the relationship between high school marks and college success as measured by college marks and entrance examinations: V. 39, p. 223–226, 1937.

Dawson, Eugene E.
The religious implications of Jung's psychology: V. 52, no. 1, p. 89–91, 1949.

Deacon, James E.
1. See: Minckley, W. L. 2.
2. See: Cross, F. B. 7.

Dean, George A.
1. The mound-building prairie ant: V. 19, p. 164–170, plate 20, fig. 11, 1905.
2. Coccidae of Kansas: V. 22, p. 265–275, 1909.
3. The contribution of Kansas to the science of entomology: V. 41, p. 61–73, 1938.

Deere, E. O.
1. A fossil tusk found in the Equus beds in McPherson County: V. 21, p. 61–73, 1938.
2. An atypical or stagehorn branch on the wild sumac (*Rhus glabra* L.): V. 39, p. 83–84, 1937.

Dell, Carl
See: Mohler, R. E. 3.

DeMand, J. W.
1. The effects of olfactory cues on the maze learning of white rats: V. 43, p. 337–338, tables 1–2, 1940.
2. Correlations between scores on the modified Alpha examination form 9 and grades in various high school subjects: V. 47, p. 417–418, tables I–II, 1945.

Dempsey, Esther
The biological anatomy of *Triosteum perfoliatum*: V. 34, p. 217–219, 1931.

Denio, Elgin A.
Note on three-electrode gap as applied to instantaneous photography: V. 34, p. 148–150, fig. 1–4, 1931.

Dennis, Parley W.
(and Wells, J. Ralph) A study of the blood picture of rabbits subjected to various types of smoke: V. 39, p. 269–273, table 1, 1937.

Devereux, George
1. Post-partum parental observances of the Mohave Indians: V. 52, no. 4, p. 458–465, 1949.
2. Notes on the developmental pattern and organic needs of Mohave Indian children: V. 53, no. 2, p. 178–185, 1950.

Devor, Arthur
See: Hershey, J. Willard 11.

Dickman, Sister Regina Marie
See: Kunerth, Bernice L. 4.

Dill, Florence E.
1. Morphology of *Veronicastrum virginicum*: V. 44, p. 158–163, plate 1–2, fig. 1–12, 1941.
2. See: Stevens, W. C. 6.
3. See: Stevens, W. C. 7.
4. See: Stevens, W. C. 9.

Dinsmore, T. H., Jr.
1. Preliminary report concerning the effects of oxygen upon animal life: V. 10, p. 72, 1887.
2. An improved fire-screen—and notes on the thermal resistance of fire screens: V. 12, p. 81, 1890.

Distler, Donald A.
See: Metcalf, Artie L.

Dobrovolny, Charles G.
1. Canine filariasis and its transmission: V. 35, p. 65–66, 1932.
2. Studies on the nematode parasites of the American cockroach, *Periplaneta americana*: V. 36, p. 213, 1933.
3. (and Dobrovolny, Marjorie Prickett) An unusual collection of polyradiate tapeworms from a dog: V. 36, p. 214, 1933.

Dobrovolny, Marjorie Prickett
1. See: Dobrovolny, C. G. 3.
2. See: Harman, Mary T. 7.

Dockeray, F. C.
Some chemical products of physical fatigue and other possible effect on mental efficiency: V. 28, p. 177, 1918.

Dodd, Jimmie D.
1. (and Hopkins, Harold H.) Yield and carbohydrate content of blue grama grass as affected by clipping: V. 61, no. 3, p. 280–287, fig. 1–2, 1958.
2. See: Choguill, Harold S. 10.

Doleeek, R. L.
Inverse processes of the radioactive Beta-decay: V. 38, p. 223, 1935.

Doll, Glennys
See: Hershey, J. Willard 16.

Dolyak, Frank
1. (and Leone, Charles A.) Some standard values of the blood and serum of the cotton rat *Sigmodon hispidus texianus*: V. 56, no. 2, p. 242–245, 1953.
2. (and Weir, J. A.) Electrophoretic analyses of the serum proteins of mice: V. 59, no. 3, p. 346–350, 1956.

Donald, Anne
Effects of epinephrine solution on plant crystals: V. 65, no. 4, p. 468–469, 1962.

Dost, Jeanne E.
An analysis of the changes in the level-of-living indexes in the wheat specialty counties, 1930, 1940, 1945, and 1950: V. 61, no. 1, p. 114–117, 1958.

Downs, Allen

See: Breukelman, John 2.

Downs, Cora M.

1. Wartime advances in yellow fever and the rickettsial infections: V. 52, no. 4, p. 407–415, fig. I–III, 1949.
2. See: Bond, Glenn C. 1.

Downs, Theodore

1. (and Breukelman, John) Birds of Lyon County and vicinity: V. 44, p. 389–399, fig. 1, 1941.
2. Birds on Tinian in the Marianas: V. 49, no. 1, p. 86–106, 3 unnumbered pictures, 1 unnumbered map, 1 unnumbered chart, 1946.
3. Amphibians and reptiles of Tinian Island: V. 51, no. 2, p. 112–116, 1948.

Dragsdorf, R. D.

See: Parkert, C. W. 1.

Drake, Ralph L.

Isulin shock therapy in the psychoses: V. 41, p. 253–255, 1938.

Drees, Linus S.

1. (and Zinszer, H. A.) Fluorescense of oil-well cuttings under the action of ultraviolet light: V. 54, no. 3, p. 407–410, fig. 1–3, 1951.
2. See: Johnston, Milford W. 1.

Duellman, William C.

A new species of finger-limbed tree frog from Mexico—Studies of American hylid frogs VIII: V. 64, no. 4, p. 349–352, fig. 1–2, 1961.

Duffield, P. C.

1. See: Johnston, C. O. 25.
2. See: Hansing, E. D. 15.

Duncan, Bertha K.

1. The ego functions and response to color on the Rorschach—(1) disturbed children and (2) institutionalized children: V. 58, no. 1, p. 252–258, tables 1–6, 1955.
2. Personality changes as reflected in Rorschach records concomitant with psychotherapy: V. 59, no. 1, p. 87–93, 1956.

Dunmire, Harriet

A study of visual space disorientation: V. 43, p. 339–341, 1940.

Dunn, J. T., Jr.

(and Fletcher, Worth A.) Concerning the preparation of some diazothioethers of thio-beta-naphthol: V. 37, p. 123–126, 1934.

Dutro, Ruth

(and Cohoe, Edith) An ecological study of Wolf's Bog, Cheboygan County, Michigan: V. 41, p. 87–96, fig. 1–4, tables 1–2, map 1, 1938.

Dyche, L. L.

1. Notes on three species of gophers found at Lawrence, Kansas: V. 12, p. 29–31, 1890.
2. Food habits of the common garden mole: V. 18, p. 183–186, 1903.
3. Notes of the food habits of California sea-lions: V. 18, p. 179–182, 1903.
4. The golden eagle: V. 19, p. 179–181, 1905.
5. The puma or American lion: V. 19, p. 160–163, plate 18 and 19, 1905.
6. The red phalarope (*Crymophilus fulicarius* Linn) A new bird for the Kansas list: V. 20, p. 131–132, 1906.

7. A Kansas beaver: V. 21, p. 165–167, 1908.
8. Some observations on the food habits of the blue jay: V. 21, p. 130–137, 1908.
9. Doctor Snow as a collector, and his collections: V. 22, p. 39–45, 1909.
10. A new bird for the Kansas list, taken at Lawrence: V. 22, p. 311, 1909.
11. On the care of mammal skins kept for museum purposes: V. 22, p. 363–368, 1909.
12. The poison-glands of a rattlesnake during the period of hibernation: V. 22, p. 312–313, 1909.

Eaton, Theodore H., Jr.
1. The aquatic origin of tetrapods: V. 63, no. 3, p. 115–124, fig. 1–3, 1960.
2. See: Hetzer, William A. 1.

Ebbert, Bernadine
See: Hershey, J. Willard 16.

Eberly, Floyd
See: Dains, F. B. 7.

Eberly, Robert Dee
Observation of variable stars by visual photometry: V. 63, no. 2, p. 61–64, fig. 1–4, 1960.

Edgar, S. A.
Artificial evagination of larval tapeworms: V. 43, p. 397–399, 1940.

Edwards, W. H.
Description of a new species of chrysophanus: V. 7, p. 66–67, 1881.

Ehrenreich, Gerald A.
The relationship of certain descriptive factors to hypnotizability: V. 52, no. 1, p. 24–27, 1949.

Eiseley, Loren C.
1. A neglected anatomical feature of the Foxhall jaw: V. 46, p. 57–59, fig. 1, 1943.
2. Racial and phylogenetic distinctions in the Intertemporal-Interangular Index: V. 46, p. 60–65, tables I–II, 1943.
3. (and Asling, C. Willet) An extreme case of scaphocephaly from a mound burial near Troy, Kansas: V. 47, no. 2, p. 241–255, plate I–V, 1944.

Eisenstark, A.
1. (and Pelon, W.) Studies on Newcastle disease virus, catalase production in infected chick embryos: V. 56, no. 1, p. 63–66, fig. 1, tables 1–2, 1953.
2. See: Liao, Y. S. 1.
3. See: Bower, R. K. 1.
4. See: Newman, F. S.

Ekstein, Rudolf
1. (and Sargent, Helen) Preliminary report on an experimental project in supervision in clinical psychology (A. Psychotherapy): V. 52, no. 2, p. 232–243, 1949.
2. Dynamic aspects of training in psychology in a professional group setting: V. 55, no. 3, p. 352–362, 1952.
3. (and Brown, William; Greenbaum, Nathan; Hollinsworth, Irene; Kobler, Arthur; Sargent, Helen) A method of supervision for psychotherapy: V. 53, no. 2, p. 254–267, 1950.
4. See: Kass, Walter 1.

Elder, James B.
See: Taylor, D. L.

Ellinthorpe, H. F.

The bacterial flora of artesian well water in Meade County, Kansas: V. 36, p. 83–86, table 1, 1933.

Emch, Arnold

1. Mathematical models: V. 14, p. 90–93, 1896.
2. On certain methods of the geometry of position: V. 18, p. 220–230, fig. 1–6, 1903.

Enberg, L. A.

1. The determination of iodides in stabilized iodized salt: V. 45, p. 165–169, tables I–IV, 1942.
2. See: Hershey, J. Willard 11.

Engel, Mary

The development of a scale to be used in play therapy research: V. 58, no. 4, p. 561–565, 1955.

Ericson, A. T.

(and Clegg, Robert E.) Effect of varying the urea concentration on the efficiency of the extraction of unsaturated fatty acids from corn oil: V. 55, no. 4, p. 493–498, fig. 1–3, 1952.

Erwin, L. E.

1. See: Bushnell, L. D. 2.
2. See: Bushnell, L. D. 3.
3. See: Bushnell, L. D. 4.
4. See: Bushnell, L. D. 5.
5. See: Bushnell, L. D. 6.
6. See: Bushnell, L. D. 7.
7. See: Bushnell, L. D. 8.
8. See: Bushnell, L. D. 9.
9. See: Bushnell, L. D. 10.
10. See: Bushnell, L. D. 11.
11. See: Bushnell, L. D. 12.

Escalona, Sibylle K.

The use of a battery of psychological tests for diognosis of maladjustment in young children, a case report: V. 48, no. 2, p. 218–223, 1945.

Eshbaugh, Fred P.

The place of research in relation to certain phases of strip land reclamation in Kansas: V. 52, no. 2, p. 149–159, fig. 1–23, 1949.

Evans, W. F.

(and Stickler, F. C.; and Laude, H. H.) Sorghum seed germination as affected by moisture and temperature: V. 64, no. 3, p. 210–217, fig. 1–3, 1961.

Everham, B. J.

See: Baumgartner, W. J. 6.

Everly, T. L.

The buried city of the Panhandle: V. 21, p. 219–228, fig. 1–4, 1908.

Evers, Helen

(and Kramer, Martha M.) Nitrogen intake of college women as indicated by the nitrogen output: V. 35, p. 104–105, 1932.

Failyer, G. H.

1. Traces of the aborigines in Riley County: V. 7, p. 129–132, 1881.
2. Notes on some Kansas mineral waters: V. 9, p. 114–115, 1885.

3. On the distribution of saccharine substance in the stem of sorghum vulgaris: V. 9, p. 34–35, 1885.
4. On the phosphorescense of chlorophane from Pike's Peak: V. 9, p. 104–105, 1885.
5. (and Willard, J. T.) On some Kansas mineral waters: V. 10, p. 63–64, fig. 1–4, 1887.
6. (and Breese, C. M.) Mineral waters: V. 11, p. 109–110, tables 1–2, 1889.
7. A new form of hydrometer: V. 11, p. 104, 1889.
8. On the occurrence of nitrates in rain water: V. 11, p. 24–25, 1889.
9. Ammonia and nitric acid in rain waters collected at the Agricultural College: V. 12, p. 21–24, tables 1–2, 1890.
10. (and Willard, J. T.) On the improvement of sorghum by seed selection: V. 13, p. 69, 1893.
11. (and Bailey, E. H. S.) A revised list of Kansas minerals: V. 13, p. 76–78, 1893.
12. See: Willard, J. T. 2.
13. See: Willard, J. T. 5.

Falls, Olive

Sex attraction in *Samia cecropia*: V. 36, p. 215–217, fig. 1, 1933.

Faragher, W. F.

The industrial research movement of today: V. 30, p. 451–459, 1922.

Farber, L. M.

See: Jackson, D. C., Jr.

Faridi, M. A. F.

Chaetomorpha henningsii P. Richter in the U. S.: V. 65, no. 4, p. 420–421, fig. 1, 1962.

Farquhar, O. C.

(and Hill, E. W., Jr.) Two reported meteorite finds in Kansas: V. 60, no. 3, p. 252–258, fig. 1, plate 1, 1957.

Fay, George E.

1. Lead-silver molds of the Osage Indians: V. 52, no. 2, p. 205–208, fig. I–III, 1949.
2. A preliminary report of an archaeological survey in southern Sonora, Mexico, 1953: V. 58, no. 4, p. 566–587, fig. 1–2, plates 1–7, sketches 1–2, unnumbered, 1955.

Fee, John

Color blindness and railway accidents: V. 7, p. 29–37, 1881.

Fellow, H. C.

The civilization of the Mound-Builders: V. 12, p. 90–95, 1890.

Fellows, H.

1. See: Hansing, E. D. 3.
2. See: Hansing, E. D. 5.
3. See: Hansing, E. D. 4.
4. See: Johnston, C. O. 7.
5. See: Sill, W. H., Jr. 3.

Fent, O. S.

Pleistocene drainage history of central Kansas: V. 53, no. 1, p. 81–90, fig. 1–5, 1950.

Ferm, Richard L.

1. See: Castonguay, Thomas T. 1.
2. See: Castonguary, Thomas T. 2.

Ferry, Q. B.

Notes on Cestoda of poultry found in and around Douglas County, Kansas: V. 36, p. 218–219, 1933.

Fickel, Ruth

Analysis of several insectan hemolymphs that agglutinate human erythrocytes: V. 65, no. 3, p. 294–297, 1962.

Fincke, John K.

See: Taft, Robert 8.

Finch, Jack N.

See: Choguill, Harold S. 2.

Findley, James S.

1. (and Jones, J. Knox, Jr.; and Vaughan, Terry A.) Records of mammals from southwestern Iowa: V. 57, no. 2, p. 212–213, 1954.
2. See: Jones, J. Knox, Jr. 3.

Finerty, John C.

See: Saffry, Olga B. 2.

Firchein, L. Lester

See: Reese, Robert W. 1.

Fish, Maxine Corrine

Differential effect of presence or absence of glaciation upon the Pteropsida of three adjacent Kansas counties: V. 56, no. 2, p. 203–219, plate 1–2, tables 1–2, 1953.

Fishel, V. C.

Ground water resources of Kansas: V. 50, no. 2, p. 105–114, fig. 1–3, 1947.

Fishburn, Maurice D.

(and Davis, John C.) Geology of celestite deposits of Brown County, Kansas: V. 65, no. 1, p. 47–60, fig. 1–7, 1962.

Fitch, Henry S.

1. (and Tanner, Wilmer W.) Remarks concerning the systematics of the collared lizard (*Crotaphytus collaris*) with a description of a new subspecies: V. 54, no. 4, p. 548–559, fig. 1–2, 1951.
2. (and Packard, Robert L.) The coyote on a natural area in northeastern Kansas: V. 58, no. 2, p. 211–221, fig. 1–3, 1955.
3. (and Lokke, Donald H.) The molluscan record of succession on the University of Kansas Natural History Reservation: V. 59, no. 4, p. 442–454, fig. 1–2, tables 1–2, 1956.
4. See: Shantz, H. L.

Flannagin, Vernon L.

A report on starch storage in separate fibers of *Polygonum coccineum* var. *Pratincola*: V. 64, no. 4, p. 304–310, fig. 1–6, 1961.

Fleenor, B. H.

1. The self-instructor method in correspondence courses: V. 36, p. 166–171, tables 2, 1933.
2. A more extensive study of the chemo-self instructional method in correspondence study: V. 39, p. 227–229, 1937.

Fleming, David G.

(and Olmsted, James M. D.) Eye movements from stimulation of the cortex of puppies with prematurely opened eyes: V. 57, no. 4, p. 493–494, 1954.

Fletcher, Hazel

See: Houston, Mariam Hill.

Fletcher, Worth A.

1. (and Lewis, Kenneth) Nitro compounds as oxidizing agents: V. 35, p. 146–148, table 1, 1932.
2. See: Daniel, Charles M. 1.
3. See: Dunn, J. T., Jr. 1.
4. See: Martin, Elmore L. 1.

Flora, S. D.

1. Some common fallacies about Kansas weather: V. 28, p. 55–60, 1934.
2. Kansas weather and its effect on crops: V. 37, p. 161–168, 1934.
3. Kansas weather, 1945: V. 48, p. 394–409, 13 unnumbered maps, 1946.
4. Kansas weather, 1946: V. 49, p. 367–377, 13 unnumbered maps, 1947.
5. Kansas weather, 1947: V. 51, no. 1, p. 1–13, 13 unnumbered maps, 1948.
6. Kansas weather, 1948: V. 52, no. 1, p. 1–12, 13 unnumbered diagrams, 1949.

Floyd, Willis W.

1. The use of the quinhydrone electrode in the determination of the activity of the hydrogen ion in a solution of sucrose which is undergoing catalytic inversion by hydrochloric acid at 25°: V. 36, p. 118, 1933.
2. The contribution of secondary school chemistry courses to proficiency in general inorganic chemistry and qualitative analysis in the University of Kansas: V. 37, p. 127–128, table 1, 1934.
3. See: Brewster, R. Q. 2.

Foard, Castle W.

Electron-atom collision effects in mercury vapor: V. 33, p. 74–77, table 1, 1930.

Foltz, V. D.

See: McCalla, T. M. 1.

Ford, Helen W.

A study of birthweights with relation to the age of mother and season of birth: V. 31, p. 103–105, 1938.

Foster, Mark A.

See: Johnson, George E. 3.

Fox, Roy L.

See: Younkin, Russell J. 1.

Franklin, Edward Curtis

1. Reactions in liquid ammonia: V. 19, p. 74–77, 1905.
2. See: Bailey, E. H. S. 8.

Franklin, W. S.

1. A new method of studying absorption spectra: V. 9, p. 98–100, fig. 1–2, 1885.
2. On the classification of the sensations of smell: V. 12, p. 7–8, 1890.
3. See: Nichols, Edward L. 5.
4. See: Blake, L. I. 2.

Franks, James W.

(and Hopkins, Harold H.) Upland depressions in a mixed prairie: V. 57, no. 1, p. 48–54, fig. 1, tables 1–2, 1954.

Franzen, Dorothea S.

1. (and Leonard, Byron) A preliminary survey of the mollusca of Kingman County, Kansas: V. 45, p. 334–343, plate I, fig. 1–17; plate II, fig. 18–27; unnumbered map 1, 1942.

2. New state records of mollusca from Kansas: V. 47, no. 2, p. 261–273, plate I, fig. 1–13, fig. 1, 1944.
3. Living and fossil pupillidae (Gastropoda) of the Sanborn area, northwestern Kansas: V. 49, no. 4, p. 407–419, plate I, fig. 1–11; plate II, fig. 1–11, 1947.
4. The pocket gopher, *Geomy quinni* McGrew, in the Rexroad fauna, Blancan Age, of southwestern Kansas: V. 50, no. 1, p. 55–59, table 1, plate A, fig. 1–6, 1947.

Fraser, S. V.

1. The flora of Cloud County: V. 34, p. 220–230, 1931.
2. *Allium perdulce*, a new allium from Kansas: V. 42, p. 123–126, unnumbered fig., p. 126, 1939.

Frazier, John C.

1. Influence of time of cultivation on bindweeds: V. 44, p. 167–169, tables 1–2, plate 1, 1941.
2. Report of the Kansas Academy delegate to the Academy Conference at Boston: V. 50, no. 2, p. 239–240, 1947.
3. An anomalous development in a hard winter wheat plant tiller: V. 57, no. 4, p. 447–448, fig. 1–2, 1954.

Frazier, Ralph P.

1. See: Breukleman, John 13.
2. See: Breukleman, John 14.

Freiburg, Richard D.

An ecological study of the narrow-mouthed toad (*Microhyla*) in northeastern Kansas: V. 54, no. 3, p. 374–386, tables 1–6, 1951.

Frydendall, Merrill

Occurrence of *Peromyscus leucopus aridulus* in Ellis County, Kansas with some notes on their activities: V. 64, no. 1, p. 36–40, fig. 1, 1961.

Frye, John C.

1. (and Kaiser, Charles P.) Geology in the present war: V. 46, p. 290–293, 1943.
2. The High Plains surface in Kansas: V. 49, no. 1, p. 71–86, plate I–III, fig. 1, 1946.
3. (and Swineford, Ada) The Plains Border physiographic section: V. 52, no. 1, p. 71–81, plate 1 (A–D); plate 2 (A–E); plate 3 (A–C) 1 figure, 1949.
4. Use of fossil soil in Kansas Pleistocene stratigraphy: V. 52, no. 4, p. 478–482, 1949.
5. Importance of Pleistocene studies for ground-water investigations in Kansas: V. 54, no. 3, p. 226–232, fig. 1–2, 1951.
6. (and Schoewe, Walter H.) The basis for physiographic subdivision of Kansas: V. 56, no. 2, p. 246–252, fig. 1–2, 1953.
7. (and Leonard, A. Byron) Reinterpretation of supposed late Tertiary chert gravels north of Atchison, Kansas: V. 57, no. 3, p. 366–367, 1954.
8. The erosional history of the Flint Hills: V. 58, no. 1, p. 79–86, fig. 1, 1955.
9. See: Swineford, Ada 2.

Fulton, John H.

Spectral response of molybdenite in vacus under influence of heat: V. 34, p. 248–254, fig. 1–7, 1931.

Furumoto, H. H.

See: Ackert, J. E. 7.

Gaafar, S. M.

(and Ameel, D. J.) Incidence of helminths in some Kansas dogs: V. 53, no. 3, p. 328–330, 1950.

Gaeddert, Emil

See: Kroeker, E. H. 1.

Gainey, P. L.

1. See: Green, Mary M. 1.
2. See: Liao, Y. S. 2.

Galbreath, Edwin C.

1. Triangles in the teeth of the mammalian genus *Ondatra*: V. 48, no. 4, p. 457–458, 1946.
2. Additions to the flora of the late Pleistocene deposits at Ashmore, Illinois: V. 50, no. 1, p. 60–61, 1947.
3. An additional specimen of the rodent dikkomys from the Miocene of Nebraska: V. 51, no. 3, p. 316–317, 1 fig., 1948.
4. Growth and development of teeth in the muskrat: V. 57, no. 2, p. 238–241, fig. 1, table 1, 1954.
5. A new eomyid rodent from the lower Oligocene of northeastern Colorado: V. 58, no. 1, p. 75–78, fig. 1, 1955.
6. *Cynarctoides arcidens* from northeastern Colorado: V. 59, no. 3, p. 373–378, 1956.
7. A saber-tooth cat from south-central Kansas: V. 61, no. 3, p. 328–329, 1958.
8. Collecting fossils from harvester ant mounds: V. 62, no. 2, p. 173–174, 1959.
9. The skull of *Heliscomys*, an Oligocene heteromyid rodent: V. 64, no. 3, p. 225–230, fig. 1, 1961.
10. The deciduous premolars of the Oligocene heteromyid rodent *Helyiscomys*: V. 65, no. 3, p. 263–265, fig. 1, 1962.
11. A new myotid bat from the Middle Oligocene of northeastern Colorado: V. 65, no. 4, p. 448–451, fig. 1, 1962.

Gallemore, Isabel

(and Kramer, Martha M.) Calcium intake of college women as indicated by the calcium output: V. 35, p. 106, 1932.

Gallup, G. A.

1. (and Gilkerson, W. R.; and Jones, M. M.) A theoretical formulation of the Hammett equation: V. 55, p. 232–236, tables 1–3, 1952.
2. See: Gilkerson, W. R. 1.
3. See: Gilles, Paul W. 1.

Gardner, F. V.

An outline of semantics for the psychologist: V. 52, no. 3, p. 381–385, 1949.

Garlock, Mary

A study of the blood pictures of rabbits subjected to tobacco and other smokes: V. 38, p. 307–310, table 1, 1935.

Garrett, A. O.

1. A provisional list of the Uredineae of Bourbon County, Kansas: V. 18, p. 147–150, 1903.
2. Additions to the list of Uredineae of Bourbon County: V. 24, p. 239, 1910.

Garrett, R. A.

1. Kansas weather, 1949: V. 53, no. 1, p. 1–12, fig. 1–13 unnumbered, 1950.
2. Kansas weather, 1950: V. 54, no. 1, p. 1–11, 14 unnumbered fig., 1951.
3. Kansas flood producing rains of 1951: V. 54, no. 3, p. 346–355, fig. 1–4, 1951.
4. Kansas weather, 1951: V. 55, no. 2, p. 147–158, fig. 1–13, 1952.
5. Kansas weather, 1952: V. 56, no. 4, p. 387–394, fig. 1–13 unnumbered, 1953.
6. Kansas weather, 1953: V. 57, no. 3, p. 269–277, fig. 1–13, 1954.
7. The weather of 1954 in Kansas: V. 59, no. 1, p. 1–8, 1956.

Garrigues, Ned. W.

Placement of internal organs in snakes in relation to ventral scalation: V. 65, no. 3, p. 297–300, 1962.

Garrison, R. G.

(and Harris, John O.) The preliminary description of a cellulose digesting micrococcus: V. 57, no. 1, p. 81–84, fig. 1, 1954.

Gates, David M.

1. A deposit of mammal bones under Sleeping Bear Dune: V. 42, p. 337–338, unnumbered diagram, 1939.
2. Notes on the evaporation of the thin metallic films: V. 45, p. 263–266, fig. 1–2, 1942.

Gates, Frank C.

1. Kansas botanical notes, 1923–1928: V. 31, p. 49–50, summary papers, 1924, 1925, 1926, 1927, 1928.
2. (and Cashon, Dorothy J.) Star-thistle (*Centaurea pieris* Pall) a new weed in Kansas: V. 31, p. 50, 1922.
3. Botanical notes, 1928–1929: V. 33, p. 26–27, 1930.
4. *Ranunculus abortivus f. giganteus*, a new form from eastern Kansas: V. 33, p. 28, 1930.
5. Kansas botanical notes, 1930: V. 34, p. 136–137, 1931.
6. Kansas botanical notes, 1931: V. 35, p. 63, 1932.
7. Kansas botanical notes, 1932: V. 36, p. 87–88, 1933.
8. Kansas botanical notes, 1933: V. 37, p. 73–74, 1934.
9. Kansas botanical notes, 1934: V. 38, p. 99–100, 1935.
10. Kansas botanical notes, 1935: V. 39, p. 85–87, fig. 1–2, 1937.
11. A preserve unhampered by man: V. 39, p. 89–93, fig. 1–11, 1937.
12. Kansas botanical notes, 1936: V. 40, p. 67–68, 1938.
13. Kansas botanical notes, 1937: V. 41, p. 97–98, 1938.
14. Kansas botanical notes, 1938: V. 42, p. 133–134, unnumbered table, 1939.
15. Kansas botanical notes, 1939: V. 43, p. 97, 1940.
16. Kansas botanical notes, 1940: V. 44, p. 170–171, 1941.
17. Kansas botanical notes, 1941: V. 45, p. 92–93, 1942.
18. Kansas botanical notes, 1942: V. 46, p. 100–101, 1943.
19. Kansas botanical notes, 1943: V. 47, no. 2, p. 257–258, 1944.
20. Kansas botanical notes, 1944: V. 48, no. 2, p. 165–168, 1945.
21. (and Prince, S. Fred) *Taraxacum laevigatum f. scapifolium*, a new form of dandelion: V. 41, p. 119–120, fig. 1–7, plate 1, 1938.
22. Woody plants, native and naturalized, in Kansas: V. 41, p. 99–118, fig. 1–208, unmarked, 1938.
23. New forms and nomenclatorial combinations in the Kansas flora: V. 42, p. 135–138, 1939.
24. Trends of tree migration in Kansas: V. 42, p. 127, fig. 1–30, plates I–III, 1939.
25. Recent migrational trends in the distribution of weeds in Kansas: V. 43, p. 99–117, charts 1–2, plates 1–3, fig. 1–61, 1940.
26. No. 1 Plant succession: V. 45, p. 27–35, fig. 1–9, 1942.
27. *Amphiachyris dracunculoides* as a poisonous plant: V. 48, no. 1, p. 87–89, 1945.
28. Kansas botanical notes, 1945, including species new to the state: V. 49, no. 2, p. 195–196, 1946.
29. Kansas botanical notes, 1946, including species new to the state: V. 50, no. 1, p. 72–74, 1947.
30. Kansas botanical notes, 1947, including species new to the state: V. 51, no. 2, p. 201–202, 1948.
31. Report of the Academy Conference at the Washington meeting of the American Association for the Advancement of Science: V. 51, no. 4, p. 490–492, 1948.

32. Report of the delegate to the Academy Conference: V. 51, no. 2, p. 235–236, 1948.
33. Kansas botanical notes, 1948: V. 52, no. 2, p. 259–260, 1949.
34. Hat Island, Lake Michigan—Its revegetation after bombing: V. 53, no. 2, p. 217–228, fig. 1–9.
35. Kansas botanical notes, 1949, including species new to Kansas: V. 53, no. 2, p. 176–177, 1950.
36. Report of the Academy delegate: V. 53, no. 1, p. 101–102, 1950.
37. (and McGregor, R. L.) *Rumex alluvius*, a new species of duck from Kansas: V. 53, no. 2, p. 186–189, fig. 1–4, unnumbered, 1950.
38. Report of Academy Conference delegate: V. 54, no. 1, p. 112–113, 1951.
39. Kansas botanical notes, 1950, including species new to Kansas: V. 54, no. 2, p. 209–211, 1951.
40. Kansas botanical notes, 1951, including species new to Kansas: V. 55, no. 3, p. 280–281, fig. 1, 1952.
41. Kansas botanical notes, 1952, including species new to Kansas: V. 56, no. 3, p. 308–309, 1953.
42. Kansas botanical notes, 1953: V. 57, no. 2, p. 147–148, 1954.
43. Kansas botanical notes, 1954: V. 58, no. 3, p. 324–325, 1955.

Gates, Gerald O.

A study of the herpetofauna in the vicinity of Wickenburg, Maricopa County, Arizona: V. 60, no. 4, p. 403–418, 1957.

Gaumer, Geo. F.

1. Observations on the habits of certain larvae: V. 4, p. 23–24, 1875.
2. Notes on the habits of certain Momotidae: V. 8, p. 63–66, 1883.
3. Notes on *Meleagris ocellata*, Cuvier: V. 8, p. 60–62, 1883.

Gehlbach, Frederick R.

Annotated records of southwestern amphibians and reptiles: V. 59, no. 3, p. 364–372, 1956.

Geldreich, Edward W.

1. Skin conductance changes occurring during mental fatigue: V. 42, p. 393–395, 1939.
2. Skin conductance changes occurring during mental fatigue and amoxemia: V. 43, p. 343–344, 1940.
3. Studies of galvanic skin response as a deception indicator: V. 44, p. 346–351, tables 1–2, 1941.
4. Further studies of the use of the galvanic skin response as a deception indicator: V. 45, p. 279–284, tables I–III, 1942.
5. Mental work blocks the galvanic skin response: V. 46, p. 198–203, 2 unlabeled graphs, 1943.
6. Possible use of entry occupational classification, dictionary of occupational titles, part IV, by high school counselors: V. 49, no. 2, p. 210–216, table 1, 1946.
7. See: Ingram, Clena V. 1.

Gemmell, George

Relation of the awn to yield in Kansas wheat: V. 36, p. 89–90, 1933.

Gentry, A. N.

A survey of biology teaching in Kansas high schools: V. 43, p. 357–361, tables 1–5, 1940.

Gerundo, Michele

1. (and Gold, Allen) On the nature of Forssman antigen-antibody complexes present in rabbit blood: V. 46, p. 70–74, tables I–II, 1943.
2. (and Gold, Allen) Some investigations on the probable enzymatic nature of complement: V. 46, p. 75–79, tables I–III, 1943.

Gibbens, E. Elliott

1. (and Zinszer, H. A.) Raman effect of 2-chloro-2 nitro propane: V. 55, no. 4, p. 472–476, fig. 3, 1952.
2. (and Zinszer, H. A.) Transitivity curves of the new chemical compounds: V. 55, no. 4, p. 477–478, fig. 1–2, 1952.

Gibbens, Robert

Root and top development of five native Kansas legumes during first season of growth: V. 57, no. 1, p. 23–40, fig. 1–9, 1954.

Gibson, Hilden

Atomic energy—progress or distaster: V. 53, no. 2, p. 133–140, 1950.

Gibson, William W.

(and Painter, R. H.) The occurrence of wheat curl mites, *Aceria tulipae* (K.), (Eriophyidae), a vector of wheat streak mosaic on winter wheat seedlings grown on infested kernels: V. 59, no. 4, p. 492–494, table 1, 1956.

Gier, H. T.

1. The gross abnormal anatomy of a two-headed calf: V. 34, p. 132–135, diagram 1, 1931.
2. See: Haines, John M. 1.
3. (and Bradshaw, G. V. R.) Five-year report on the Kansas small mammal census: V. 60, no. 3, p. 259–272, fig. 1–3, tables 1–2, 1957.

Gier, Leland J.

1. A preliminary key to the herbaceous dicotyledons of the Cherokee strip of southeast Kansas: V. 34, p. 255–267, 1931.
2. Study of peridermium gall on western yellow pine: V. 37, p. 75–76, 1934.
3. Effects of ultrashort radio waves and ultraviolet light on microorganisms: V. 40, p. 55–57, 1938.
4. Flora of Crawford County, Kansas, State Park—Mosses: V. 43, p. 119, 1940.
5. (and Burress, R. M.) Anatomy of *Taraxacum officinal* 'Weber': V. 45, p. 94–97, fig. A–E, 1942.
6. Development of adventitious roots inside the trunks of trees: V. 48, no. 2, p. 198, 1945.
7. Shoot root ratio and moisture relations: V. 48, no. 2, p. 205–218, plate I, fig. A–B, 1945.
8. Observations on abnormal anatomy two-headed calf: V. 48, no. 4, p. 445–447, fig. 1–2, 1946.
9. (and Ponder, Wanda) Flowering plants of Clay County, Missouri: V. 50, no. 2, p. 194–199, 1947.
10. (and White, J. A.) Histological study of the duodenum of the white rat: V. 50, no. 3, p. 318–319, 1947.
11. (and Stigers, C. C.) Spermatogenesis in *Pseudacris triseriata*: V. 50, no. 3, p. 320–321, 1947.
12. Bryophytes of Kansas: V. 52, no. 1, p. 58–65, tables I–III, fig. 1, 1949.
13. (and Johnson, Martha) Algae of Missouri: V. 57, no. 1, p. 78–80, 1954.
14. (and Jones, Don C.) Missouri lichens: V. 57, no. 1, p. 73–77, 1954.
15. *Physcomitrium collenchymatum*: V. 58, no. 3, p. 330–333, plate 1, fig. 1–9, table 1, 1955.
16. (and Kennedy, Ellen) *Thelia lescurrii*—an environmental form: V. 58, no. 3, p. 334–336, fig. 1–4, 1955.
17. (and Huggins, George F.) Flora of Clay County, Missouri: Polyporaceae: V. 61, no. 2, p. 163–164, 1958.

Gilkerson, W. R.

1. (and Gallup, G. A.; and Jones, M. M.) A special case of the Hammett equation: V. 57, no. 3, p. 391–396, tables 1–2, fig. 1–2, 1954.
2. See: Gallup, G. A. 1.

Gilles, Paul W.

(and Gallup, G. A.) Free energy and entropy of translation tables: V. 56, no. 4, p. 465–468, tables 1–2, 1953.

Gillum, Isabelle

1. (and Kramer, M. M.) Some effect of experimental diets upon the vitamin C content of certain organs of the guinea pig (Cavia Cobayo): V. 38, p. 205–208, 1935.
2. See: Harman, Mary T. 10.
3. See: Harman, Mary T. 13.

Gish, C. L.

Supplementing broiler rations with distillers solubles: V. 52, no. 4, p. 466–467, 1949.

Gladfelter, C. F.

Milkweed floss collection in Kansas: V. 49, no. 2, p. 217–218, 1946.

Gladfelter, Robert E.

(and Cram, S. Winston) Micro-wave phenomena: V. 51, no. 3, p. 328–332, fig. 1–8, 1948.

Glaser, Adelaide E.

(and Kramer, Martha M.) A method for comparing the relative economy of various foods as sources of dietary essentials: V. 32, p. 27–30, charts 1–3, 1929.

Glendening, B. L.

See: Schrenk, W. G. 1.

Gloyd, Howard

The amphibians and reptiles of Franklin County, Kansas: V. 31, p. 115–141, tables 1–26, 1926.

Goff, Richard

The effects of increased atmospheric pressure on the developing embryo of zebra fish, *Brachydanio rerio* (Hamilton): V. 43, p. 401–410, tables 1–3, 1940.

Gold, Allen

1. The purification of curare: V. 44, p. 221–226, fig. 1, 1941.
2. See: Gerundo, Michele 1.
3. See: Gerundo, Michele 2.

Good, C. M., Jr.

The genetics of the grouse locust *Tettigidea parvipennis* Harris: V. 44, p. 234–237, tables 1–3, 1941.

Goodman, Donald Charles

Quantitative studies on the distribution of lipids in the bone marrow of the rat, pig, and cat: V. 55, no. 2, p. 214–222, tables 1–2, fig. 1–8, 1952.

Goodrich, Arthur L.

1. Crevecouer's notes on birds in Pottawatomie County, Kansas: V. 35, p. 85–92, tables 1–3, 1932.
2. Species of birds added to the Kansas faunal list since 1900, with reference to the first record: V. 49, no. 4, p. 420–432, 1947.

Gordon, Glen H.

1. A recent sink hole near Potwin, Kansas: V. 41, p. 207–210, fig. 1–2, 1938.
2. A subsurface study of the black shales of western Kansas: V. 41, p. 201–215, 1938.

Gordon, Ira J.

The Kansas wheat farm culture and implications for guidance at the Kansas State College: V. 55, no. 1, p. 54–61, 1952.

Goss, James A.

In vitro germination of *Ornithogalum caudatum* pollen: V. 65, no. 3, p. 310–317, fig. 1–7, 1962.

Goss, N. S.

1. Observation of the nesting habits of the guillemots at Bird Rock: V. 8, p. 59–60, 1883.
2. Birds new to the fauna of Kansas, and birds rare in the state: V. 9, p. 26–27, 1885.
3. Notes on the nesting habits of the yellow-throated vireo: V. 9, p. 33–34, 1885.
4. Observation of the breeding habits of the American eared grebes: V. 9, p. 31–32, 1885.
5. Additions to the catalogue of Kansas birds: V. 10, p. 28–31, 1887.
6. Additions to the catalogue of the birds of Kansas: V. 10, p. 77–80, 1887.
7. Additions to the catalogue of the birds of Kansas, with notes in regard to their habits, etc.: V. 11, p. 60–62, 1889.
8. The Anhinga (*Anhinga anhinga* Linn): V. 11, p. 58–59, 1889.
9. The double crested cormorant: V. 11, p. 59–60, 1889.
10. Feeding habits of *Pelecanus erythrorhynchos*: V. 11, p. 11–12, 1889.
11. *Ictinia mississippiensis* and *Aegialitis nivosa*, nesting in south-central Kansas: V. 11, p. 11, 1889.
12. Notes on the yellow-tailed cassigue: V. 11, p. 12–13, 1889.
13. Additions to Kansas birds: V. 12, p. 24, 1890.
14. Second occurrence of the white-faced glossy ibis—*Plegadis guarauna* in Kansas: V. 12, p. 61, 1890.
15. Correction: V. 12, p. 60–61, 1890.

Gottlieb, Selma

1. Fluorides in Kansas waters and their relation to mottled enamel: V. 37, p. 129–132, 1934.
2. See: Crain, Frank T. 1.
3. See: Crum, L. A. 1.

Gould, C. H.

1. Prehistoric mounds in Cowley County: V. 15, p. 79–80, 1898.
2. The timbered mounds of the Kaw reservation: V. 15, p. 78–79, 1898.
3. Additional notes on the timbered mounds of the Kaw reservation: V. 16, p. 282, 1899.
4. On the finding of fossil insects in the Comanche Cretaceous of Kansas: V. 16, p. 284, 1899.
5. Natural history possibilities of Belvidere, Kansas and vicinity: V. 16, p. 283, 1899.
6. The Dakota Cretaceous of Kansas and Nebraska: V. 17, p. 122–178, plate 4–12, 1901.
7. The Oklahoma salt plains: V. 17, p. 181–184, 1901.
8. Southern extension of the Marion and Wellington formations: V. 17, p. 179–181, 1901.
9. Notes on trees, shrubs and vines in the Cherokee Nation: V. 18, p. 145–146, 1903.

Goyette, Lewis E.

Studies on the extracellular starch production by species of *Torulopsis*: V. 54, no. 1, p. 28–35, tables 1–2, 1951.

Graber, Richard and Jean

Notes on the birds of southwestern Kansas: V. 54, no. 2, p. 145–174, 1951.

Graffham, Allen
1. Notes on basalt artifacts found in the Pleistocene gravels of Kansas: V. 47, p. 259–260, 1944.
2. See: Hibbard, Claude W. 16.

Graham, A. A.
1. One of the first millstones: V. 27, p. 117–118, 1915.
2. The origin of cyclones: V. 29, p. 100, 1920.

Graham, I. D.
1. Heredity in stock breeding: V. 21, p. 263–265, 1908.
2. Some factors in agricultural cost production: V. 30, p. 225–232, 1922.

Grant, A. A.
See: Ackert, J. E. 1.

Gray, Joseph L.
Effects of five diets on the growth and mortality of fry to fingerling channel catfish (*Ictalurus punctatus*): V. 61, no. 3, p. 288–298, 1958.

Green, Morton
1. The cranial and appendicular osteology of *Aplodinotus grunniens* Rafinesque: V. 44, p. 400–413, plate 1–2, fig. 1–17, 1941.
2. A study of the Oligocene Leporidae in the Kansas University Museum of Vertebrate Paleontology: V. 45, p. 229–247, plate I, fig. 1–11; plate II, fig. 12–15; plate III, fig. 16–27; 4 unnumbered tables, 1942.
3. A malformed skull of *Aplodinotus grunniens* Rafinesque: V. 47, no. 3, p. 355–357, fig. 1, 1945.
4. A cynarctine from the Upper Oligocene of South Dakota: V. 57, no. 2, p. 218–220, fig. 1, 1954.

Green, Mary M.
(and Garney, P. L.) The quality of Riley County rural school drinking water: V. 52, no. 4, p. 511–517, tables I–III, 1949.

Greenbaum, Nathan
See: Ekstein, Rudolf 3.

Greene, J. S.
Chemistry in the war effort: V. 46, p. 280–285, 1943.

Greenhut, Ann
See: Lichlyter, Dean E. 1.

Greer, J. K.
(and Cross, Frank B.) Fishes of El Dorado City Lake, Butler County, Kansas: V. 59, no. 3, p. 358–363, 1956.

Gregory, Francis
Where theory and practice should meet: V. 49, no. 4, p. 437–440, 1947.

Griffin, E. L.
See: Dains, F. B. 4.

Grimsley, G. P.
1. Gypsum in Kansas: V. 15, p. 122–127, 1898.
2. The study of natural palimpsests: V. 15, p. 127–130, 1898.
3. Kansas mines and minerals: V. 17, p. 200–207, 1901.
4. Economic geology of Iola and vicinity: V. 18, p. 78–82, plate 1, 1903.
5. The Kansas mineral exhibit at St. Louis: V. 19, p. 129–137, plate 14, 1905.
6. Necrology; Peter McVicar: V. 19, p. 435–436, 1905.
7. Origin of gypsum with special reference to the origin of the Michigan deposits: V. 19, p. 110–117, plates 10–11, 1905.

Griswold, Sherwin B.

A study of the woody plants along the streams which cross Ellis County, Kansas: V. 45, p. 98–106, tables I–II, fig. I–VI, 1942.

Groner, O. S.

Recent methods in elementary organic analysis: V. 23, p. 43–48, 1909.

Grote, A. R.

1. New western Noctuidae: V. 7, p. 61–66, 1881.
2. On the moths collected by Professor Snow in New Mexico: V. 8, p. 45–57, 1883.

Groverman, Lester J.

A modified quadruple stain for animal tissues: V. 44, p. 414–417, plate 1, fig. 1–8, 1941.

Grundmann, A. W.

(and Boles, H. P.; and Ackert, J. E.) Plague flea, *Xenopsylla cheopsis* in Kansas: V. 44, p. 238–240, 1941.

Gugliemelli, L. A.

(and Mitchell, H. L.; and Silker, Ralph E.) The xanthophylls of alfalfa: V. 57, no. 3, p. 368–373, fig. 1–3, table 1, 1954.

Guhl, A. M.

1. Some observations and experiments on social behavior in the domestic fowl: V. 47, no. 3, p. 337–341, 1945.
2. Unisexual mating in a flock of white leghorn hens: V. 51, no. 2, p. 107–111, 1948.
3. Report of Academy Conference delegate: V. 55, no. 1, p. 146, 1952.
4. (and Atkenson, F. W.) Social organization in a herd of dairy cows: V. 62, no. 1, p. 80–87, 1959.
5. Psycho-physiological factors and social behavior related to sexual behavior in birds: V. 63, no. 2, p. 85–95, 1960.

Gurwell, Bill

A behavioristic study of the American opossum and its relationship to illumination: V. 61, no. 1, p. 35–36, fig. 1, 1958.

Haas, H. F.

(and Yantzi, M. F.; and Bushnell, L. D.) Microbial utilization of hydrocarbons: V. 44, p. 39–45, tables 1–6, 1941.

Habermann, Robert T.

See: Menges, Robert W.

Haines, John M.

(and Gier, H. T.) Distribution of microtine rodents in Kansas: V. 54, no. 1, p. 58–63, fig. 1–2, 1951.

Hale, Mason E., Jr.

1. A survey of upland forests in the Chautuaqua Hills, Kansas: V. 58, no. 2, p. 165–168, fig. 1, table I, 1955.
2. 2, 4-Dihydroxy depsides in North American lichens: V. 59, no. 2, p. 229–232, table 1, 1956.
3. Corticolous lichen flora of the Ozark Mountains: V. 60, no. 2, p. 155–160, 1957.

Hall, E. Raymond

1. Dental caries in wild bears: V. 48, p. 79–85, plate I, plate II, fig. 1–5; plate III, fig. 1–3; plate IV, fig. 1–6, 1945.

2. State administration of wildlife, a natural resource: V. 53, no. 2, p. 295–301, 1950.
3. A westward extension of known geographic range for the timber rattlesnake in southern Kansas: V. 56, p. 89, 1953.
4. Prairie National Park: V. 64, no. 3, p. 265–266, 1961.
5. See: Bee, James W. 1.
6. See: Dalquest, Walter W. 1.
7. See: Park, Helen 1.

Hall, Harry H.

1. An ecological study of the fishes of Mineral Lake, Kansas: V. 37, p. 225–234, fig. 1–2, 1934.
2. The birds of southeastern Kansas, with migration dates: V. 38, p. 311–315, 1935.
3. The romance and reclamation of the coal lands of southeastern Kansas: V. 43, p. 57–68, fig. 1–6, 1940.
4. The geological history of the coal lands of southeastern Kansas: V. 46, p. 179–184, 1943.
5. (and Smith, Hobart M.) Selected records of reptiles and amphibians from southeastern Kansas: V. 49, no. 4, p. 447–454, 1947.
6. See: Ross, Bennington 1.
7. See: Travis, Gerald 1.

Hall, J. Lowe

1. The sodium-calcium balance as a function of nerve excitability and cell permeability (abstract): V. 32, p. 26, 1929.
2. See: Caldwell, M. J. 1.
3. See: Mackintosh, David 1.

Hall, Luther A. R.

(and Vanderwerf, Calvin A.) A new commercial synthesis of the insecticide parathion: V. 55, no. 1, p. 131–137, tables 1–5, 1952.

Hall, Mina G.

See: Nelson, Esther Bruner 1.

Hamersley, Jonathan

See: Hershey, J. Willard 14.

Hamilton, Tom R.

See: Sherwood, Noble P. 2.

Hammatt, T. D.

See: Graham, I. D.

Hampton, Raymond

Intergradation of the bullhead minnow: V. 57, no. 4, p. 480–481, 1954.

Hancin, John

Flora of Saline County; ferns and flowering plants: V. 42, p. 139–149, 1939.

Haney, Paul D.

The use of activated carbon in water purification: V. 38, p. 153–156, 1935.

Hansen, M. F.

See: Lyons, E. T.

Hansing, E. D.

1. (and Melchers, L. E.) Further studies on the occurrence and distribution of physiologic races of *Tilletia foetida* in Kansas: V. 48, no. 1, p. 71–78, tables I–II, fig. 1, 1945.

2. (and Johnston, C. O.) Kansas phytopathological notes; 1947: V. 51, no. 3, p. 318–323, 1 table, 1948.
3. (and Johnston, C. O.; Melchers, L. C.; and Fellows, H.) Kansas phytopathological notes, 1948: V. 52, no. 3, p. 363–369, table 1, 1949.
4. (and Melchers, L. E.; Fellows, H.; and Johnston, C. O.) Kansas phytopathological notes, 1949: V. 53, no. 3, p. 344–354, table 1, fig. 1–2, 1950.
5. (and Johnston, C. O.; King, C. L.; Rogerson, C. T.; and Fellows, H.) Kansas phytopathological notes, 1951: V. 56, no. 4, p. 425–431, fig. 1, table 1, 1953.
6. (and Sill, W. H., Jr.; Johnston, C. O.; Rogerson, C. T.) Kansas phytopathological notes, 1956: V. 61, no. 3, p. 259–272, 1958.
7. (and Sill, W. H., Jr.; Johnston, C. O.; Duffield, P. C.; Kramer, C. L.; and King, C. L.) Kansas phytopathological notes, 1959: V. 64, no. 3, p. 198–204, 1961.
8. See: Johnston, C. O. 1.
9. See: Johnston, C. O. 2.
10. See: Johnston, C. O. 3.
11. See: Johnston, C. O. 25.
12. See: Pady, Stuart M. 4.
13. See: Pady, Stuart M. 5.
14. See: Schmidt, J. W. 1.
15. See: Sill, W. H., Jr. 3.
16. See: Sill, W. H., Jr. 6.
17. See: Sill, W. H., Jr. 7.
18. See: Sill, W. H., Jr. 6.
19. See: Swarup, Gopal.

Harbaugh, M. J.

The occurrence of *Phrynosoma coronatum frontale* in Montana: V. 38, p. 317, 1935.

Harman, Mary T.

1. A probable case of superfetation in the cow: V. 29, p. 98, 1928.
2. Heat as a factor in producing abnormalities during incubation in the chick: V. 31, p. 66–67, tables 1–2, chart 1–2, 1922.
3. (and Prickett, Marjorie) The development of the external form of the guinea pig (*Cavia cobaya*) between 15 days and 21 days of gestation: V. 33, p. 64, 1930.
4. (and Prickett, Marjorie) The development of the external form of the guinea pig (*Cavia cobaya*) between the ages of 11 and 20 days of gestation: V. 34, p. 232–233, 1931.
5. (and Prickett, Marjorie) The fetal membranes of the guinea pig (*Cavia cobaya*): V. 34, p. 231, 1931.
6. (and Prickett, Marjorie) Observations on the breeding of the guinea pig: V. 34, p. 231, 1931.
7. (and Dobrovolny, Marjorie Prickett) The development of the external form of the guinea pig (*Cavia cobaya*) between the ages of 21 days and 35 days of gestation: V. 35, p. 98, 1932.
8. Two pigs within a single chorion with some considerations concerning monochorionic twins: V. 36, p. 220–223, 1933.
9. Parthenogenesis in the ovaries of guinea pigs: V. 38, p. 319–320, 1935.
10. (and Gillum, Isabelle) Some effects of experimental diets upon the reproduction and growth of the guinea pig (*Cavia cobaya*): V. 38, p. 321, 1935.
11. (and Smith, Arlene) Some observations on the development of the teeth of *Cavia cobaya*: V. 38, p. 323, 1935.
12. (and Herbertson, James E.) Concerning the postnatal obliteration of the umbilical vein and arteries, the vitelline vein and artery and the ductus arteriosus in the guinea pig: V. 41, p. 369–377, fig. 1–6, 1938.

13. (and Gillum, Isabelle) Further observations on reproduction in guinea pigs fed vitamin C at different levels: V. 40, p. 369–376, fig. 1, tables 1–3, 1938.
14. (and Miller, Abbie) Some effects on guinea pigs of feeding vitamin C intermittently: V. 42, p. 445–449, 1939.
15. (and Alsop, Annette) Pigment production in the guinea pig: V. 42, p. 443–444, 1939.
16. (and Case, Annette Alsop) The influence of certain genetic factors upon eye color in the guinea pig: V. 45, p. 344–357, fig. A–N, 1942.
17. (and Kordisch, Mary Schroller) Some experiments with vitamin C and its effect on the blood of guinea pigs: V. 47, no. 3, p. 367–373, 1945.
18. Some effects of vitamin C deficiency upon the male guinea pig: V. 53, no. 3, p. 310–327, tables 1–5, fig. 1–2, 1950.
19. (and Warren, Leonard Earnest) Some embryological aspects of vitamin C deficiency in the guinea pig (*Cavia cobaya*): V. 54, no. 1, p. 42–57, plate 1, fig. 1–6; plate 2, fig. 7–12; plate 3, fig. 13–18; plate 4, fig. 19–20; tables 1–2, charts 1–2, 1951.
20. (and Bascom, John Upton) An investigation into the possible relationship between vitamin C and the adrenal cortex of the guinea pig: V. 54, no. 2, p. 193–206, fig. 1–4, tables 1–6, 1951.
21. Some effects on the cortex of the adrenal glands of guinea pigs deprived of vitamin C in their diet: V. 57, no. 4, p. 461–470, plate 1–3, fig. 1–6, 1954.
22. See: Saffry, Olga.

Harms, C. E.

Checklist of parasites from catfishes of northeastern Kansas: V. 62, no. 4, p. 262, 1959.

Harned, C. H.

(and Chelikowsky, J. R.) The stratigraphic range of the Pennsylvanian-Permian disconformity in Pottawatomie County: V. 48, no. 3, p. 355–358, fig. 1, 1945.

Harnly, H. J.

1. "Cone-in-cone" (an impure calcite): V. 15, p. 22, 1898.
2. A provisional list of the flowering plants of McPherson County: V. 15, p. 75–78, 1898.
3. Double-tailed earthworm: V. 35, p. 99, 1932.
4. Vertebrate fossils from McPherson Equus beds: V. 35, p. 209, 1932.
5. Two pairs of testes in a white leghorn rooster: V. 36, p. 224, fig. 1, 1933.
6. Longevity in McPherson County: V. 37, p. 171, 1934.
7. Vertebrate fossils from McPherson *Equus* beds: V. 37, p. 151–152, 1934.

Harris, J. A.

Annotated catalogue of the cray fishes of Kansas: V. 17, p. 115, 1901.

Harris, John O.

1. The combination of dyes with growing, resting, and killed bacterial cells: V. 52, no. 3, p. 375–380, tables I–III, 1949.
2. The relationship between stage of growth and pigment production by *Pseudomonas aeruginosa*: V. 53, no. 4, p. 494–499, fig. 1–3, 1950.
3. See: Garrison, R. G.
4. (and Hein, R. E.; and McFarland, R. H.) Phosphate turnover studies with soil bacteria: V. 54, no. 4, p. 560–564, tables 1–4.
5. See: Peniston, Francis L. 1.
6. (and Kline, R. M.; and Crumpton, Carl F.) A study of the presence of hydrocarbon utilizing bacteria at the soil-asphalt interface of Kansas highways: V. 59, no. 4, p. 495–499, tables 1–2, 1956.
7. (and Worley, H. E.; McCaskill, G. A.; and Baldwin, L. K.) Preliminary studies of the effect of micro-organisms on physical properties of asphalts: V. 61, no. 1, p. 110–113, 1958.

8. Pipeline protective coating materials as growth substrates for soil microorganisms: V. 62, no. 1, p. 42–46, tables 1–3, 1959.
9. See: Kline, R. M.

Harshbarger, W. A.

1. Address of the retiring president: V. 27, p. 30–40, 1915.
2. The Kansas Academy of Science: V. 29, p. 35–51, 1920.

Hartman, Emily L.

The taxonomy and ecology of the *Equisetum laevigatum* complex: V. 61, no. 2, p. 125–148, 1958.

Hartman, Frank

1. The reaction of animal cells to chemical stimuli: V. 20, p. 43–49, graph 1, 1906.
2. Food habits of Kansas lizards and batrachians: V. 20, p. 226–229, 1907.
3. Collecting in Arkansas: V. 21, p. 215–218, 1908.

Hartman, Irene W.

See: Herrick, E. H. 5.

Hartnett, Andy

Theories and practice in very high frequency propagation, construction, and communication: V. 62, no. 1, p. 12–15, 1959.

Hase, Cecil L.

The effect of clipping weed competition upon the spread of pasture grass seedlings: V. 44, p. 104–115, tables 1–4, fig. 1–11, 1941.

Haskett, W. C.

1. (and Sill, W. H., Jr.; Johnston, C. O.; Hanson, E. D.; and Fellows, Hurley) Kansas phytopathological notes for 1954: V. 59, no. 1, p. 51–70, 1956.
2. See: Sill, W. H., Jr. 3.

Hastings, Claude E.

See: Cross, Frank B. 5.

Havenhill, L. D.

1. Relations of the new food and drug act to official preparations: V. 20, p. 44–47, 1907.
2. (and Hunter, O. W.) The influence of the separator upon the distribution of bacteria in milk and cream: V. 28, p. 61–69, tables 1–8, 1918.
3. Stramonium: V. 28, p. 181–183, 1918.
4. The cultivation of medicinal plants: V. 30, p. 33–39, 1922.
5. Kansas grown digitalis: V. 31, p. 47, 1926.
6. (and Blair, F. I.) An assay of stranomium: V. 52, p. 470–471, 1949.
7. See: Wedel, M. N. 1.

Hawkins, Paul W.

A comparative study of character and conduct among scouts and nonscouts in El Dorado, Kansas: V. 39, p. 159–163, table 1, 1937.

Hawley, J. E.

See: Shrenk, W. G. 2.

Haworth, Erasmus

1. Are there igneous rocks in Cherokee County: V. 8, p. 18–20, 1883.
2. The coal fields of Cherokee County: V. 8, p. 7–11, fig. 1 unnumbered, 1883.
3. Notes on Kansas minerals: V. 8, p. 25–26, 1883.
4. Octahedral limonite: V. 9, p. 25, 1885.

5. (and Bennett, John) The nomenclature of Kansas Coal—Measures employed by the Kansas State Geological Survey: V. 22, p. 71–85, 1908.
6. The life history of a river: V. 22, p. 51–70, 1909.
7. (and Young, C. M.) Preliminary report on an investigation of coal mine explosions: V. 22, p. 88–94, fig. 1–6, 1909.

Hay, Robert

1. Fossil wood: V. 8, p. 20–22, 1883.
2. The igneous rocks of Kansas: V. 8, p. 14–18, 1883.
3. In the Dacotah: V. 9, p. 109–113, 1885.
4. Notes on the fossil jaw of bison, from the Pliocene of Norton County: V. 9, p. 98, 1885.
5. Preliminary report on the geology of Norton County, Kansas: V. 9, p. 17–24, plates 1–2 unnumbered.
6. A geological section in Wilson County, Kansas: V. 10, p. 6–8, plates 1–2, unnumbered, 1887.
7. (and Thompson, A. H.) Historical sketch of geological work in the state of Kansas: V. 10, p. 45–52, 1887.
8. Natural gas in eastern Kansas: V. 10, p. 57–62, fig. 1 unnumbered, 1887.
9. Note on a habit of red ants: V. 10, p. 27–28, 1887.
10. Note on a remarkable fossil: V. 10, p. 128–219, plate unnumbered, 1887.
11. Report on geology: V. 10, p. 21–22, 1887.
12. Horizon of the Dacotah lignite: V. 11, p. 5–8, 1889.
13. The Triassic rocks of Kansas: V. 11, p. 38–39, 1889.
14. Artesian wells in Kansas and the causes of their flow: V. 12, p. 24–25, 1890.
15. Notes on some Kansas salt marshes: V. 12, p. 97–100, fig. 1 unnumbered, 1890.
16. Additional note on the Brenham meteorite: V. 13, p. 75, 1893.
17. Some characteristics of the glaciated area of northeastern Kansas: V. 13, p. 104–106, 1893.
18. Great Plains Academy of Science: V. 13, p. 3–6, 1893.
19. In Memoriam—Joseph Savage: V. 13, p. 64–68, 1893.
20. Note on the occurrence of granite in a deep boring in eastern Kansas: V. 13, p. 75–76, 1893.
21. Notes on some new species of fossil cephalopods: V. 13, p. 37–47, fig. 1–12, 1893.
22. Bibliography of Kansas geology with annotation: V. 13, p. 261–278, 1896.
23. On the eastern extension of Cretaceous rocks in Kansas and the formation of certain sandhills: V. 14, p. 227–229, 1896.
24. The river counties of Kansas, some notes of their geology and mineral resources: V. 14, p. 230–260, 1896.

Hayes, Wm. P.

1. A preliminary list of insects of the sorghum field: V. 30, p. 235–239, 1922.
2. Kansas Rhyncophora in the collection of the Kansas State Agricultural College: V. 30, p. 205–212, 1922.

See: McColloch, J. W. 1.
See: McColloch, J. W. 3.

Hays, Horrace A.

1. The effect of microclimate on the distribution of small mammals in a tall-grass prairie plot: V. 61, no. 1, p. 40–63, 1958.
2. See: Long, C. A.
3. See: Stockinger, N. F.

Heilbron, Richard

Learning by reward and punishment: V. 64, no. 2, p. 157–159, 1961.

Hein, R. E.

1. See: Harris, John O. 4.
2. Description and application of activation analysis: V. 60, no. 3, p. 320–323, table 1, 1957.

Hellmer, Leo A.

The effect of temperature on the behavior of the white rat: V. 44, p. 352–353, 1941.

Hempler, Sharon

The effect of darkness on the stomata of leaves: V. 65, no. 4, p. 470–472, fig. 1–2, 1962.

Hendrickson, Robert L.

(and Miller, W. A.) Some observations on the bacteria in frozen pork sausage: V. 53, no. 1, p. 70–74, fig. 1–2, 1950.

Hennes, John H.

See: Kundiger, Donald G.

Henry, Robert W.

(and Leonard, Guy William, Jr.) Hydrogen peroxide oxidation of tellurium dioxide: V. 59, no. 1, p. 28–31, table 1, 1956.

Hensley, M. Max

1. Notes on the natural history of *Heoderma suspectum*: V. 53, no. 2, p. 268–269, 1950.
2. Results of a herpetological reconnaissance in extreme southwestern Arizona and adjacent Sonora, with a description of a new subspecies of the Sonoran whipsnake, *Masticophis billineatus*: V. 53, no. 2, p. 270–288, 1951.
3. See: Smith, Phillip W.

Herbertson, James E.

See: Harman, Mary T. 12.

Hermanson, Joe L.

1. (and Thoson, John; and Sheets, John) Laboratory synthesis of 2,3 dichlorophenoxyacetic acid from urea: V. 51, no. 3, p. 333–339, 1948.
2. (and Olson, Robert) A laboratory synthesis of isopropyl phenyl carbonate from benzoyl chloride: V. 64, no. 3, p. 231–232, 1961.

Herrick, C. Judson

Recent advances in the study of the nervous system: V. 13, p. 70–73, 1893.

Herrick, Earl H.

1. Transplantation of ovaries in guinea pigs for reproduction and the endocrine effect during pregnancy: V. 31, p. 51–52, 1927.
2. Studies in human biology: V. 42, p. 451–455, graphs 1–5, 1939.
3. (and Lockhart, Charles H.) Comparison of the effects of two gonadotrophic hormones on immature fowl gonads: V. 44, p. 418–419, 1941.
4. (and Christensen, Bernice) Gonadotropic effects of capon and normal male blood serum: V. 46, p. 224–225, 1943.
5. (and Hartman, Irene W.) Reduced pituitary activity from the influence of sex hormones: V. 47, no. 2, p. 187–189, tables 1–3, fig. 1, 1944.
6. (and Elton, Richard L.) Desoxycorticosterone acetate in scorbutic guinea pigs: V. 59, no. 3, p. 339–342, 1956.
7. (and Storer, Richard S.) Work capacity of muscles from animals treated with male sex hormone: V. 51, no. 2, p. 203–206, 2 fig., 1 unnumbered table, 1948.
8. Another cat anomaly: V. 54, no. 4, p. 546–547, 1951.
9. Failure of ACTH to maintain the testes of hypophysectomized rats: V. 54, no. 2, p. 207–208, 1951.
10. (and McCormack, Shirley D.) The occurrence and nature of cysts in the pituitary glands of fowls and rats: V. 55, no. 2, p. 178–183, fig. 1–4, 1952.

11. (and Lockhard, C. H.; Martin, E. P.; and Nusser, W. L.) Influence of sex hormones on blood cell counts and hemoglobin levels in fowls: V. 57, no. 4, p. 483–492, fig. 1–8, table 1, 1954.
12. (and Vatne, R. D.) Influence of diethylstilbestrol, estradiol, and progesterone on Cowper's gland and seminal vesicles on wether sheep: V. 64, no. 3, p. 205–209, 1961.

Hershey, J. W.

1. A study of the components of air in relation to animal life: V. 31, p. 101–102, 1924–1928.
2. Physiological effects of oxygen atmospheres diluted by nitrogen: V. 32, p. 51–52, 1929.
3. Synthetic diamonds: V. 32, p. 52–54, 1929.
4. Animal life in synthetic mixtures of nitrogen and oxygen: V. 33, p. 133–135, fig. 1–2, 1930.
5. The effects of synthetic atmosphere upon animal life: V. 34, p. 240–243, fig. 1–3, 1931.
6. Synthetic atmospheric mixtures of carbon dioxide and oxygen in relation to animal life: V. 35, p. 141–143, 1932.
7. The effects of synthetic atmospheres of hydrogen and oxygen upon animal life: V. 36, p. 225–227, 1933.
8. Sex and the relative duration of white mice in pure oxygen: V. 36, p. 228–229, 1933.
9. The historical development of the relationship of gases to animal life: V. 37, p. 33–38, fig. 1, 1934.
10. (and Enberg, L. A.; and Devor, Arthur) The effects of synthetic atmospheres of nitrous oxid and oxygen upon animal life: V. 38, p. 157–162, 1935.
11. (and Assistants) Length of life for animals with food, but without water, and with water, but without food: V. 39, p. 275–276, 1937.
12. Recent work on synthetic diamonds: V. 40, p. 109–111, fig. 1, 1938.
13. (and Wagoner, Charles) Animal life in synthetic mixtures of nitrogen and oxygen under different conditions of relative humidity: V. 42, p. 217–219, 1939.
14. (and Hamersley, Jonathan; and Owen, LaRue) Notes on diamonds from McPherson College: V. 43, p. 213, 1940.
15. (and Achilles, Leland; Doll, Glenny; and Ebbert, Bernadine) Animal life in synthetic mixtures of nitrogen, oxygen, and water vapor: V. 45, p. 170–172, 4 unnumbered tables, 1942.

Hess, Robert H.

(and Taft, Robert) The electrodeposition of tin from solutions of its complex salts: V. 41, p. 171–173, tables 1–2, 1938.

Hetzer, William A.

1. (and Eaton, Theodore H.) Notes on the soil fauna of Cowley County, Kansas: V. 51, no. 2, p. 207–211, tables 1–4, 1948.
2. (and Volle, L. D.) Stomatal counts of Kansas species in certain genera of the Compositae: V. 53, no. 3, p. 370–371, 1950.
3. (and McGregor, R. L.) An ecological study of the prairie and pasture lands in Douglas and Franklin counties, Kansas: V. 54, no. 3, p. 356–369, 1951.
4. See: Volle, L. D. 1.

Heyne, E. G.

1. See: Schmidt, J. W. 1.
2. See: Jones, Elmer T. 6.
3. Earl G. Clark, Kansas farmer wheat breeder: V. 59, no. 4, p. 391–404, fig. 1–3, table 1, 1956.
4. See: Johnston, C. O. 10.

Hibbard, Claude W.

1. A revised check list of Kansas mammals: V. 36, p. 230–249, 1933.
2. Notes on some cave bats of Kansas: V. 37, p. 235–238, 1934.
3. Two new genera of Felidae from the Middle Pliocene of Kansas: V. 37, p. 239–256, fig. 1–5, plate IV–VI, tables 1–2, 1934.
4. The amphibians and reptiles of Mammoth Cave National Park proposed: V. 39, p. 277–281, 1937.
5. An Upper Pliocene fauna from Meade County, Kansas: V. 40, p. 239–265, plate I, fig. 3–9; plate II, fig. 10–14b; plate III, fig. 15–20; plate IV, fig. 21a–21e; plate V, fig. 22a–22c; fig. 1, 2, 1938.
6. Notes on some vertebrates from the Pleistocene of Kansas: V. 40, p. 233–238, fig. 1–4, plate 1, 1938.
7. Notes on additional fauna of Edson Quarry of the Middle Pliocene of Kansas: V. 42, p. 457–462, fig. 1–6, 1939.
8. Notes on some mammals from the Pleistocene of Kansas: V. 42, p. 463–470, fig. 1–22, plates I–V, table 1, 1939.
9. A new Pleistocene fauna from Meade County, Kansas: V. 43, p. 417–425, plates 1–3, fig. 1–11, 1940.
10. The occurrence of *Cervalces scotti* Lydekker in Kansas: V. 43, p. 411–415, plate 1, fig. 1–2; plate 2, fig. 1–2, 1940.
11. Mammals of the Rexroad fauna from the Upper Pliocene of southwestern Kansas: V. 44, p. 265–313, plate 1, fig. 1–4; plate 2, fig. 1–8; plate 3, fig. 1–4; plate 4, fig. 1–5, 1941.
12. A new fossil ground squirrel *Citellus* (*Pliocitellus*) *fricki* from the Pliocene of Clark County, Kansas: V. 45, p. 253–257, plate I, fig. 1–5; plate II, fig. 1–3, 1942.
13. The occurrence of *Eucastor tortus* Leidy in Phillips County, Kansas: V. 45, p. 248–252, plate I, 1942.
14. *Etadonomys*, a new Pleistocene heteromyid rodent, and notes on other Kansas mammals: V. 46, p. 185–191, plate I, fig. 1–9, 1943.
15. A check list of Kansas mammals, 1943: V. 47, no. 1, p. 61–88, 1944.
16. (and Graffham, Allen) *Micropycnodon*, new name of *Pycnomicrodon* Hibbard and Graffham not Hay: V. 47, no. 3, p. 404, 1945.
17. An antilocaprid from the lower Pliocene from Beaver County, Oklahoma: V. 54, no. 3, p. 387–390, fig. 1, 1951.
18. A contribution to the Rexroad fauna: V. 55, no. 2, p. 196–208, fig. 1–3, 1952.
19. *Equus* (*Asinus*) *calobatus* Troxell and associated vertebrates from the Pleistocene of Kansas: V. 56, no. 1, p. 111–126, fig. 1–3, 1953.
20. Second contribution to the Rexroad fauna: V. 57, no. 2, p. 221–237, 1954.
21. Notes on Late Cenozoic shrews: V. 60, no. 4, p. 327–336, fig. 1–3, 1957.

Hiebert, Erwin N.

See: Taft, Robert 9.

Higginbottom, H. H.

See: Peterson, J. C. 4.

Hill, Bruce V.

Determination and comparison of sound intensities: V. 20, p. 88–91, 1907.

Hill, J. W.

1. Theories of Liesegang's rings: V. 34, p. 303–310, tables 1–3, 1931.
2. See: Taft, Robert 4.

Hill, Mrs. Noblesse DeMoss

Biological and taxonomic observations on the mosquitoes of Kansas: V. 42, p. 255–269, table I, 1939.

Hillman, Hoyt

Separation of the chlorophyll pigments: V. 64, no. 2, p. 162–164, 1961.

Hills, Jack

The rotational period of Jupiter: V. 64, no. 3, p. 269–273, fig. 1–4, 1961.

Hilton, H. R.

The rainfall in its relation to Kansas farming: V. 7, p. 37–46, 1881.

Hinckley, H. V.

Atlantic vs. Pacific elevations in Kansas: V. 10, p. 53–57, 1887.

Hitchcock, A. S.

1. The distribution of the genus *Vitis* in Kansas: V. 13, p. 79–80, 1893.
2. The relations of the composite flora of Kansas: V. 13, p. 89–91, 1893.
3. The grasses of Kansas: V. 14, p. 135–149, fig. 1–26, 1896.
4. Additions to "The Grasses of Kansas": V. 15, p. 59–60, 1898.
5. List of plants in my Florida herbarium: V. 16, p. 108–157, 1899.
6. A brief outline of ecology: V. 17, p. 28–34, 1901.
7. Plants in my herbarium, part II: V. 17, p. 79–105, 1901.

Hoad, W. C.

1. Effect of clay and loam on strength of Portland cement mortars: V. 19, p. 81–85, fig. 1–2, tables 1–3, 1905.
2. (and Mann, A. H.) Gagings of sewage flow at Lawrence, Kansas: V. 20, p. 281–283, 1907.

Hoag, Leverett P.

Physical factors of environment in relation to cash crop areas in the Midwest: V. 60, no. 3, p. 316–319, 1957.

Hodge, Harold Carpenter

1. The color record of qualitative analysis in the laboratory: V. 34, p. 38, 1931.
2. The project method in advanced inorganic chemistry: V. 34, p. 38, 1931.
3. The properties of strontium-cadmium alloys: V. 34, p. 39, 1931.
4. See: Homan, T. B. 1.
5. See: Homan, T. B. 2.

Hoecker, Frank E.

See: Wilkerson, Paul N. 1.

Hoffmeister, Donald F.

1. Early observations on the elk in Kansas: V. 50, no. 1, p. 75–76, 1947.
2. (and Kennedy, Charles D.) The *nutria*, a South American rodent, in Kansas: V. 49, no. 4, p. 445–446, fig. 1, 1947.
3. See: Dalquest, Walter W. 2.

Hogue, Mary Evelyn

The sweet potato, stem or root? V. 34, p. 107–108, 1931.

Hollingsworth, Irene

See: Ekstein, Rudolf 3.

Holman, Myrna

See: McCammon, Ruth 1.

Holmes, F. O.

(and Cady, H. P.) A study of liquid junction potentials: V. 43, p. 215–225, fig. 1, tables 1–3, 1940.

Homan, T. B.

1. (and Hodge, Harold Carpenter) Further studies of the reliability of examination marks in general chemistry: V. 34, p. 39, 1931.

2. (and Hodge, Harold C.) A study of the reliability of examination marks in general chemistry II, an objective examination: V. 37, p. 133–134, table 1, 1934.

Hood, George J.

An autographic recording instrument for tension tests: V. 19, p. 86–89, fig. 3–4, plate no. 7, 1905.

Hooper, W. H.

The industrial therapy program at Topeka State Hospital: V. 55, no. 1, p. 87–91, 1952.

Hopka, Erich

Correlation of college freshman chemistry marks with some California mental maturity test scores: V. 55, no. 4, p. 465–467, tables 1–2, 1952.

Hopkins, Harold H.

1. Variations in the growth of sideoats grama grass at Hays, Kansas, from seed produced in various parts of the Great Plains Region: V. 44, p. 86–95, tables 1–6, fig. 1–7, 1941.
2. (Albertson, F. W.; and Riegel, Andrew) Some effects of burning upon a prairie in west-central Kansas: V. 51, no. 2, p. 131–141, tables I–III, fig. 1–7, 1948.
3. (Albertson, F. W.; and Riegel, D. A.) Ecology of grassland utilization in a mixed prairie: V. 55, no. 4, p. 395–418, fig. 1–9, 1952.
4. Native vegetation of the Loess Hills–Sandhills ecotone in central Nebraska: V. 55, no. 3, p. 267–277, tables 1–2, fig. 1–3, 1952.
5. Wind injury to trees at Hays, Kansas: V. 55, no. 1, p. 98–100, table 1, 1952.
6. Literature of the vegetation of Kansas: V. 58, no. 2, p. 171–195, 1955.
7. Effects of mulch on yield and cover in mixed prairie: V. 59, no. 1, p. 71–75, tables 1–3, 1956.
8. (and Tomanek, G. W.) A study of the woody vegetation at Cedar Bluff Reservoir: V. 60, no. 4, p. 351–359, table 1, 1957.
9. See: Lippert, Robert D.
10. See: Riegel, Andrew 8.
11. See: Dodd, J. D.
12. See: Knoll, G.

Horn, C. H.

See: LeConte, J. L. 1.

Horn, Elsa

1. Some aspects of hay fever: V. 32, p. 85–87, 1929.
2. A summer hay fever plant survey of Manhattan, Kansas: V. 36, p. 91–97, 1933.

Horne, LeRoy

See: Perkins, Alfred T. 6.

Horner, Sister Agnes Marie

See: Brewster, R. Q. 3.

Horning, Edward J.

(and Marsi, Kenneth L.) 1-phenyl-3-(p-chlorophenyl)-2-propanol and derivatives: V. 65, no. 1, p. 44–46, 1962.

Horr, W. H.

1. The flora of "Rock City": V. 40, p. 193–194, 1938.
2. A rapid plant dryer: V. 50, no. 2, p. 191–193, plate 1A–1B, 1947.
3. (and McGregor, R. L.) Kansas plants new to Kansas herbaria II: V. 50, no. 2, p. 200–201, 1947.

4. (and McGregor, R. L.) A raised marsh near Muscotah, Kansas: V. 51, no. 2, p. 197–200, fig. 1, 1948.
5. (and McGregor, R. L.) Kansas plants new to Kansas herbaria IV: V. 52, no. 3, p. 346–349, 1949.
6. Techniques in preparing herbarium specimens: V. 52, no. 2, p. 258, 1949.
7. (and McGregor, R. L.) Kansas plants new to Kansas herbaria VI, including a new form of *Liatris punctata*: V. 54, no. 2, p. 212–217, 1951.
8. (and McGregor, R. L.) Kansas plants new to Kansas herbaria VII, including a new form of *Zinnia grandiflora* and *Petalostemum purpureum*: V. 55, no. 2, p. 172–175, 1952.
9. See: McGregor, R. L. 4.
10. See: McGregor, R. L. 7.
11. See: McGregor, R. L. 8.

Hortleder, Alma

Some anatomical features of *Sorbopyrus auricularis*: V. 33, p. 29–30, 1930.

Houston, Mariam Hill

(and Fletcher, Hazel) The effect of light and of heat on the breaking strength, color, and copper number of viscose, cellulose acetate, and cuprammonium rayon fabrics: V. 43, p. 309–311, fig. 1–3, 1940.

Hovey, Horace C.

Brachiospongia: V. 3, p. 111–113, fig. 1–2, unnumbered, 1874.

Howieson, John L.

(and Roofe, Paul G.) Some effects of X-radiation on intestinal photophatase in the mouse: V. 56, p. 330–340, table 1, 1953.

Hoyle, William Luther

1. Notes on faunal collecting in Kansas: V. 39, p. 283–293, 1937.
2. Drought in Cowley County, Kansas: V. 31, 1936, V. 40, p. 211–214, charts 4 unnumbered, 1938.
3. Transmission of poultry parasites by birds with special reference to the "English" or house sparrow and chickens: V. 41, p. 379–384, 1938.
4. See: Burt, Charles E. 2.

Hoyt, W. F.

1. Recent advances in astronomy: V. 19, p. 365–373, 1905.
2. The use and care of reflecting telescopes: V. 19, p. 360–364, plate 30, 1905.
3. Scientific fallacies and frauds: V. 21, p. 229–236, 1908.

Hubbard, A. K.

Note on certain formulas for the design of reenforced concrete beams: V. 20, p. 217–227, fig. 1–2, 1906.

Hubbs, Carl L.

Identification of cyprinid fish reported from Kansas as *Squalius elongatus*: V. 54, no. 2, p. 190–192, 1951.

Hudiburg, Leo E.

Investigation of resonance curve with respect to variation of capacity: V. 34, p. 276–281, fig. 1–10, 1931.

Huffman, Elmo W.

Relationship of barometric pressures to fishing condition: V. 45, p. 358–362, tables 1–4, charts 1–2, 1942.

Huffman, M. D.

(and Johnston, C. O.) Prevalence and distribution of physiologic races of the leaf rust of wheat in Kansas: V. 55, p. 419–426, fig. 1–4, tables 1–4, 1952.

Huggins, George F.
See: Gier, L. J. 17.

Hughbangs, Leroy
The Earth-Moon theory: V. 30, p. 214–220, 1922.

Hughes, J. S.
Discoveries in physical sciences having social significance: V. 51, p. 453–463, fig. I–III, 1948.

Huheey, James E.
See: Smith, H. M. 22.

Hulett, Gary K.
(and Tomanek, G. W.) Effects of some environmental factors on germination of salt cedar (*Tamarix pentandra* Pall.): V. 64, no. 2, p. 96–101, fig. 1, 1961.

Hulicka, Irene Macintosh
(and Davis, Kendall; Edwards, Phillip; and Locke, Billy J.) Spontaneous recovery: V. 61, no. 1, p. 118–124, 1958.

Humphreys, Herbert
Semiotic and psychology: V. 44, p. 354–357, 1941.

Hungerford, H. B.
1. Relation of entomology to the war effort: V. 46, p. 303–308, 1943.
2. (and Spangler, Paul J.; and Walker, Neil A.) Subaquatic light traps for insects and other animal organisms: V. 58, no. 3, p. 387–407, charts 1–3, fig. 1–2.

Hunter, O. W.
1. (and Bushnell, L. D.) The microbial flora of graded cream: V. 28, p. 69–76, tables 1–13, 1918.
2. See: Havenhill, L. D. 2.

Hunter, S. J.
1. Notes on the corn-root worm: V. 13, p. 131–133, 1893.
2. Notes on injurious insects: V. 15, p. 50–53, 1898.

Hutchinson, C. C.
The climate of Kansas, 1871: V. 51, no. 1, p. 16, 1948.

Hyde, Ernest B., Jr.
See: Taft, Robert 44.

Imler, Ralph H.
An annotated list of the birds of Rooks County, Kansas, and vicinity: V. 39, p. 295–312, fig. 1–3, 1937.

Ingram, Clena V.
(and Geldriech, Edward W.) Fascist attitudes of K.S.T.C. students at Emporia: V. 46, p. 204–211, tables I–IV, fig. 1, 1943.

Ingram, I. D.
Preliminary list of Kansas fishes: V. 9, p. 69–78, 1885.

Irvine, R.
Technique, interpretation, and a practical application of nuclear emulsions: V. 62, no. 4, p. 236–244, table 1, 1959.

Isely, F. B.
Notes on Kansas Orthoptera: V. 19, p. 238–249, 1905.

Jackson, D. C., Jr.

(and Farber, L. M.) A high-voltage electrostatic generator Van de Graaff type: V. 38, p. 225–229, fig. 1 unnumbered, 1935.

Jackson, H. L.

See: Bailey, E. H. S. 33.

Jacobson, Leone

An evaluation of Beck's Rorschach norms as applied to children: V. 41, p. 257–258, 1938.

Jakeway, George E.

Pleistocene Lagomorpha and Rodentia from the San Josecite Cave, Nuevo Leon, Mexico: V. 61, no. 3, p. 313–328, 1958.

James, Louis F.

See: Smith, Hobart M. 17.

Jameson, E.

Geology of the Leavenworth prospect well: V. 11, p. 37–38, 1889.

Janes, D. W.

Echo-location failure and a late seasonal record for the red bat in Kansas: V. 62, no. 4, p. 263–264, 1959.

Jenks, G. F.

1. See: Kollmorgen, Walter M. 1.
2. See: Kollmorgen, Walter M. 2.

Jennings, Dolf

1. Fall food habits of the bobwhite quail in eastern Kansas: V. 44, p. 420–426, tables 1–3, 1941.
2. The food of twenty-two mourning doves taken during the 1940 hunting season: V. 44, p. 427–428, tables 1–2, 1941.
3. Kansas fish in the Kansas State College Museum at Manhattan: V. 45, p. 363–366, table I, 1942.

Jennings, T. B.

1. A preliminary study of "hot winds": V. 12, p. 10–12, 1890.
2. Review of the crop season of 1902: V. 18, p. 234–239, 1903.
3. The climatology of Kansas: V. 20, p. 273–276, 1907.

Jewell, Mrs. E. C.

A list of some of the larger fungi in the Blue River Valley: V. 7, p. 128–129, 1881.

Jewell, Minna E.

The genera of North American fresh-water sponges *Paramcyenia*, new genus: V. 55, no. 4, p. 445–457, 1952.

Jewett, J. J.

1. The Spanish Peaks: V. 18, p. 73–77, 1903.
2. Notes on the topography and geology of New Mexico: V. 19, p. 141–149, plate 15, 1905.
3. The modulus of lunar influence not in a lifting, but in a falling movement: V. 20, p. 56–62, 1907.

Jewett, John M.

1. Evidence of cyclic sedimentation in Kansas during the Permian period: V. 36, p. 137–140, fig. 1–2, 1933.
2. Some details of the stratigraphy of the Bronson Group of the Kansas Pennsylvanian: V. 36, p. 131–136, fig. 1–2, 1933.

3. A newly found locality of glacial striae south of the Missouri River: V. 37, p. 153–154, 1934.
4. Some measurements at the Sun City natural bridge: V. 38, p. 189–190, 1935.
5. (and Williams, Chas. C.) Water resources of Johnson County during the drought of 1934: V. 38, p. 191–198, fig. 1–11, 1935.
6. Shallow aquifers in eastern Kansas: V. 42, p. 339, 1939.
7. The geologic making of Kansas (Presidential address, 1961): V. 64, no. 3, p. 175–197, fig. 1–7, table 1, 1961.
8. (and Schoewe, W. H.) Conference on Science and Industry—explanatory remarks: V. 65, no. 1, p. 1–3, 1962.
9. Concept of time in stratigraphic classification: V. 65, no. 2, p. 97–109, 1962.

Johnson, Donald M.

A suggestion for the analysis of intellectual ability: V. 44, p. 358–362, 1941.

Johnson, E. W.

See: Myers, H. E. 1.

Johnson, Geo. E.

1. Early life of the thirteen-lined ground squirrel: V. 34, p. 282–290, fig. 1–14, tables 1–2, 1931.
2. A study of financing Academies of Science: V. 35, p. 34–37, 1932.
3. (and Foster, Mark; and Coco, Russell M.) The sexual cycle of the thirteen-lined ground squirrel in the laboratory: V. 36, p. 250–269, fig. 1–16, tables 1–2, 1933.

Johnson, H. B.

1. See: Andrews, A. C. 1.
2. See: Andrews, A. C. 4.

Johnson, Irving S.

The demonstration of a "Host-Factor" in commensal crabs: V. 55, no. 4, p. 458–464, fig. 1, tables 1–3, 1952.

Johnson, Martha

See: Gier, L. J. 13.

Johnson, Otis

A preliminary report on the thermo- and actino-electric properties of molybdenite: V. 33, p. 65–71, fig. 1–7, 1930.

Johnson, Sam H.

(and Brewster, Ray Q.) The bromination of phenol and the cresols in various solvents: V. 53, no. 3, p. 398–403, fig. 1–2, tables 1–5, 1950.

Johnson, W. J.

(and Shrenk, W. G.) The effect of fertilizer treatment on the composition of wheat at different stages of growth in southeastern Kansas: V. 56, no. 4, p. 456–464, fig. 1–2, tables 1–4, 1953.

Johnston, C. O.

1. (and Parker, John H.) *Aegilops cylindrica* Host., a wheat field weed in Kansas: V. 32, p. 80–84, fig. 1, 1929.
2. Some new unusual disease developments on wheat in Kansas: V. 33, p. 31–40, table 1, 1930.
3. (Lefebvre, C. L.; and Hansing, E. D.) Kansas mycological notes, 1936: V. 40, p. 69–74, 1938.
4. (and Brooks, Travis E.) Kansas mycological notes, 1937: V. 41, p. 121–123, 1938.
5. Some species of triticum and related grasses as hosts for the leaf rust of wheat, *Puccinia triticina* Eriks: V. 43, p. 121–132, 1940.

6. Notes on plant diseases in Kansas in 1941: V. 45, p. 107–110, 1942.
7. (and Hansing, E. D.; Melchers, L. E.; and Fellows, H.) Kansas phytopathological notes, 1950: V. 55, p. 104, 112, 1952.
8. (and Hansing, E. D.) Kansas phytopathological notes, 1952: V. 57, no. 1, p. 69–72, 1954.
9. (and Hansing, E. D.; Sill, W. H.; Haskett, W. C.; and Rogerson, C. T.) Kansas phytopathological notes, 1955: V. 60, no. 2, p. 148–154, 1957.
10. (and Heyne, E. G.) Distribution of jointed goatgrass (*Aegilops cylindrica* Host.) in Kansas: V. 63, no. 4, p. 239–242, 1960.
11. (and Hansing, E. D.; Sill, W. H., Jr.; Duffield, P. C.; Kramer, C. L.; and King, C. L.) Kansas phytopathological notes, 1958: V. 64, no. 2, p. 102–109, 1961.
12. See: Hansing, E. D. 2.
13. See: Hansing, E. D. 3.
14. See: Hansing, E. D. 4.
15. See: Hansing, E. D. 5.
16. See: Hansing, E. D. 6.
17. See: Hansing, E. D. 7.
18. See: Huffman, M. D. 1.
19. See: Lefebvre, C. L. 1.
20. See: Lefebvre, C. L. 2.
21. See: Lefebvre, C. L. 3.
22. See: Pady, Stuart M. 4.
23. See: Pady, Stuart M. 5.
24. See: Reitz, L. P. 2.
25. See: Schmidt, J. W. 1.
26. See: Sill, W. H., Jr. 3.
27. See: Sill, W. H., Jr. 6.

Johnston, Milford W.

(and Dress, Linus S.; and Zinszer, H. A.) Radioactivity of oil-well drilling fluid with depth of well: V. 54, no. 1, p. 88–93, fig. 1–3, 1951.

Jones, A. W.

1. The Mentor beds: V. 15, p. 111–112, 1898.
2. New developments in the Mentor beds: V. 16, p. 65–66, 1899.
3. Further studies in the Mentor beds: V. 18, p. 104–105, 1903.
4. The fauna of the Mentor: V. 19, p. 122, 1905.
5. The flood of 1903 in central Kansas: V. 19, p. 138–140, 1905.

Jones, Don C.

See: Gier, L. J. 14.

Jones, Elmer T.

1. Differential resistance to chinch-bug attack in certain strains of wheat: V. 40, p. 135–142, fig. 1, 1938.
2. Parasite emergence holes as an aid in determining Hessian fly infestation in mature wheat plants: V. 41, p. 181–182, fig. 1, 1938.
3. A discussion of Hessian fly resistance in certain wheat varieties: V. 43, p. 234–265, plate 1–7, fig. 1–22, tables 1–4, 1940.
4. (and Piper, Perry A.) Insect photography with limited equipment: V. 47, no. 2, p. 275–282, plate I, fig. A–K; plate II, fig. 1–13, 1944.
5. A simplified percentage table of whole number 1–100: V. 47, no. 3, p. 359, unnumbered illustration, 1945. See also Appendix A.
6. (Heyne, E. D.; and Schmidt, J. W.) A new source of wheat jointworm resistance in wheat: V. 55, no. 4, p. 427–430, fig. 1, table 1, 1952.

Jones, Frank E.

The medullary ray as an element of strength in structural timber: V. 22, p. 386–388, 1909.

Jones, J. Russell

See: Lowen, S. L. 3.

Jones, J. Knox, Jr.

1. (and Loomis, Richard B.; Krutzsch, Philip H.; and Webb, Olin L.) New records of bats from northeastern Kansas, with notes on the bat chigger, *Euschongastia pipistrelli* (Acarina, Trombiculidae): V. 55, no. 3, p. 312–314, 1952.
2. (and Loomis, Richard B.) Additional records of the spotted ground squirrel and black-footed ferret in Kansas: V. 56, no. 1, p. 107, 1953.
3. (and Findley, James S.) Geographic distribution of the short-tailed shrew, *Blarina brevicauda*, in the Great Plains: V. 57, no. 2, p. 208–211, fig. 1, table 1, 1954.
4. Checklist of mammals of Nebraska: V. 60, no. 3, p. 273–282, 1957.
5. A dental abnormality in the shrew, *Crocidura lassiura*: V. 60, no. 1, p. 88–89, fig. 1, 1957.
6. (and Cortner, G. L.) The subspecific identity of the gray squirrel (*Sciurus carolinensis*) in Kansas and Nebraska: V. 63, no. 4, p. 285–288, 1960.
7. See: Findley, James S. 1.
8. See: Russell, Robert J. 1.

Jones, Lanny D.

(and Sullivan, Eugene) Studies of food plot utilization by prairie chickens: V. 65, no. 3, p. 266–274, fig. 1–2, 1962.

Jones, M. M.

1. See: Gallup, G. A. 1.
2. See: Gilkerson, W. R. 1.

Kaiser, Charles P.

See: Frye, John C. 1.

Kaplanis, John N.

(and Louloudes, S. J.; and Roan, C. C.) The distribution and excretion of P^{32} labeled diazinon in guinea pigs: V. 65, no. 1, p. 70–75, fig. 1–3, 1962.

Kass, Walter

1. (and Ekstein, Rudolf) Thematic apperception test diagnosis of Nazi war criminal: V. 51, no. 3, p. 344–350, tables 1–2, 1948.
2. Wechsler's mental deterioration index in the diagnosis of organic brain disease: V. 52, no. 1, p. 66–70, tables I–II, 1949.
3. When psychological tests do not detect test-detectable brain damage—a case report: V. 58, no. 3, p. 424–429, tables 1–2, 1955.

Kedzie, W. K.

1. On the tin "salting" enterprises in the United States: V. 3, p. 106–111, 1874.
2. The Nebraska hot bluff: V. 4, p. 10–13, 1875.
3. Ozone in Kansas atmosphere: V. 4, p. 4–10, 1875.
4. The Iola (Kansas) mineral well: V. 6, p. 58–61, 1878.
5. Ozone in Kansas atmosphere: V. 6, p. 18–25, fig. 1–5 unnumbered, 1878.

Keith, B. Ashton

1. Relationships of certain recognized lines of weakness in Kansas to the giant zones of epeirogenic activity, the megashears: V. 42, p. 341–343, 1939.
2. The Arizona jay, *Aphelocoma sieberri arizonae*, found in Kansas: V. 43, p. 427, 1940.
3. Notes on mental and physical control observed in birds: V. 45, p. 367–368, 1942.
4. A suggested classification of Great Plains dust storms: V. 47, no. 1, p. 95–110, fig. 1–4, 6–11, 1944.

Kellerman, W. A.

1. A partial list of the Kansas parasitic fungi, together with their host-plants: V. 9, p. 79–86, 1885.
2. (and Kellerman, Mrs. W. A.) The Kansas forest trees identified by leaves and fruit: V. 10, p. 99–111, 1887.
3. (and Carleton, A. M.) Second list of Kansas parasitic fungi, together with their host-plants: V. 10, p. 88–99, fig. 1–27, 1887.
4. An artificial key to Kansas grasses: V. 11, p. 87–101, 1889.
5. On the germination of Indian corn after immersion in hot water: V. 12, p. 134–140, table 1 unnumbered, 1890.
6. Notes on the distribution and ravages of the hackberry branch knot: V. 12, p. 101–104, fig. 1–2 unnumbered, 1890.
7. (and Swingle, W. T.) Notes on sorghum smuts: V. 12, p. 158–159, plate 1 unnumbered, 1890.
8. Observations on the mutations of sunflowers: V. 12, p. 140–158, fig. 1–40, 1890.

Kellerman, Mrs. W. A.

1. Evolution in leaves: V. 12, p. 168–173, fig. 1–38.
2. See: Kellerman, W. A. 2.

Kellogg, V. L.

1. (and Slosson, E. E.) A comparison of preservative fluids for museum use: V. 12, p. 83, 1890.
2. Notes on some summer birds of Estes Park, Colorado: V. 12, p. 86–90, 1890.
3. Some notes on the Mallophaga: V. 12, p. 46–48, 1890.
4. Insect notes: V. 13, p. 112–115, fig. A–D, 1893.
5. Notes on the elementary comparative external anatomy of insects: V. 13, p. 111–112, 1893.
6. Additions to Goss's revised catalogue of the birds of Kansas: V. 15, p. 15–18, 1893.
7. See: Sayre, L. E.

Kelly, D. S.

1. Coal measures of Lyon County: V. 10, p. 45, 1887.
2. Science in the public schools: V. 15, p. 42–45, 1898.

Kelly, E. G.

1. See: Smith, Roger C. 5.
2. See: Smith, Roger C. 6.
3. See: Smith, Roger C. 10.
4. See: Smith, Roger C. 11.

Kelly, F. J.

Scientific measurements of the achievements of pupils: V. 30, p. 139–142, 1922.

Kennedy, Charles D.

See: Hoffmeister, Donald F. 2.

Kennedy, Ellen

See: Gier, L. J. 16.

Kenoyer, Leslie A.

Winter conditions of lenticels: V. 22, p. 323–326, 1909.

Keroher, Grace C.

1. Preliminary report on insoluble residues of the Missouri series in eastern Kansas: V. 42, p. 345–355, fig. 1–2, plate I with unnumbered figures; plate II with three unnumbered figures; unnumbered chart, 1939.
2. See: Schoewe, W. H. 15.

Keroher, R. P.
See: Schoewe, W. H. 15.

Kester, F. E.
The Whittaker quantum mechanism: V. 38, p. 231–232, 1935.

Keurst, Arthur John
The knowledge of the scientific method among college students: V. 42, p. 407–415, tables I–IV, 1939.

Keys, Charles E.
Observations on the seed and germination of *Setaria italica* (L.) Beauv.: V. 52, no. 4, p. 474–477, plate I, fig. 1–8; plate II, fig. 9–11, 1949.

Kidman, Roy L.
See: Lokke, D. H. 2.

Killian, Edward A.
Observations on the divining-rod: V. 11, p. 114–115, 1889.

Kimbell, Bertha S.
Conorhinus sanguisugus—habits and life history: V. 14, p. 128–131, fig. 1 unnumbered, 1896.

Kimpel, Ben F.
The function of feeling in adjustment: V. 40, p. 315–317, 1938.

Kinfi, C. L.
See: Sill, W. H., Jr. 6.

King, Claude L.
1. See: Hansing, E. D. 5.
2. See: Hansing, E. D. 15.
3. See: Johnston, C. O. 25.
4. See: Sill, W. H., Jr. 6.
5. See: Sill, W. H., Jr. 7.

King, Harold C.
Cover restoration in Kansas: V. 52, no. 3, p. 360–362, 1949.

King, H. H.
1. See: Caldwell, M. J. 1.
2. See: Perkins, A. T. 3.
3. See: Perkins, A. T. 4.
4. See: Perkins, A. T. 6.
5. See: Perkins, A. T. 7.
6. See: Smith, F. M. 1.

King, Otis M.
An ecological study of the Norway rat and the house mouse in a city block in Lawrence, Kansas: V. 53, no. 4, p. 500–528, tables 1–9, fig. 1–10, 1950.

Kingsley, Eunice L.
The relation of certain morphological characters of the host fungus to the identification of the loose and covered smuts of oats: V. 36, p. 98–104, 1933.

Kinney, E. D.
Gold prospects in Kansas: V. 37, p. 155–156, 1934.

Kinsley, A. T.

See: Willard, J. T. 10.

Kline, R. M.

(and Harris, J. O.) A study of adsorption of calcium and hydrogen ions by Azotobacter agile: V. 64, no. 1, p. 16–22, plates 1–2, fig. 9, 1961.

Klopper, John H.

A most wonderful tool: V. 20, p. 52–55, 1907.

Knaus, Warren

1. Additions to the catalogue of Kansas Coleoptera for 1883 and 1884: V. 5, p. 57–61, 1885.
2. On some salt marsh Coleoptera: V. 9, p. 64–65, 1885.
3. Additions for 1885–1886, to the list of Kansas Coleoptera: V. 10, p. 86–88, 1887.
4. Sand-dune collecting: V. 14, p. 126–127, 1896.
5. Additions to the list of Kansas Coleoptera: V. 15, p. 18–20, 1898.
6. Collecting notes on Kansas Coleoptera: V. 16, p. 197–199, 1899.
7. Additions to the list of Kansas Coleoptera for the years 1899 and 1900: V. 17, p. 109–114, 1901.
8. Additions to the list of Kansas Coleoptera for 1901 and 1902: V. 18, p. 187–190, 1903.
9. Additions to the list of Kansas Coleoptera for 1903–1904: V. 19, p. 218–220, 1905.
10. Additions to the list of Kansas Coleoptera, 1905: V. 20, p. 106–107, 1906.
11. Additions to the list of Kansas Coleoptera, 1906: V. 20, p. 233–234, 1907.
12. Additions to the list of Kansas Coleoptera, 1907: V. 21, p. 150–151, 1908.
13. Coleoptera of New Mexico: V. 21, p. 152–154, 1908.
14. Additions to the list of Kansas Coleoptera, 1908: V. 22, p. 351–352, 1909.
15. Additions to the list of Kansas Coleoptera, 1909: V. 23, p. 108, 1909.
16. Additions to the list of Kansas Coleoptera for 1910–1912: V. 26, p. 89–93, 1914.
17. Additions to the list of Kansas Coleoptera, 1913–1915: V. 28, p. 261–263, 1918.

Knerr, E. B.

1. An astronomical lantern: V. 13, p. 58, 1893.
2. All energy is kinetic: V. 13, p. 30–33, 1893.
3. *Erythronium mesochoreum*, n. sp.: V. 13, p. 20–21, 1893.
4. The formation of Doniphan Lake, in the spring and early summer of 1891: V. 13, p. 47–48, fig. 13, 1893.
5. An inexpensive reagent bottle, of service in microscopic work: V. 13, p. 23–25, fig. 1–2, 1893.
6. Notes on a pink barite from Atchison limestone: V. 13, p. 76, 1893.
7. Notes on "Mountain Leather" from Red Rock Canon, Colorado: V. 13, p. 70, 1893.
8. A variety of *Ampelopsis quinquefolia*: V. 13, p. 69–70, 1893.
9. Coal in Atchison County, Kansas: V. 14, p. 216–217, 1896.
10. Atchison and Nemaha county mineral waters: V. 15, p. 88–89, 1898.
11. Barite nodules in wood: V. 15, p. 80–81, 1898.
12. The propogation of erythroniums: V. 15, p. 73–75, 1898.
13. Concretions: V. 16, p. 44–46, 1899.
14. Relativity in science: V. 16, p. 35–37, 1899.
15. Silico-barite nodules from near Salina, Kansas: V. 16, p. 43–44, fig. 1 unnumbered, 1899.
16. The Muscotah artesian wells: V. 17, p. 53, 1901.
17. A theory of the cosmos: V. 17, p. 20–27, 1901.
18. Distinguishing red and white oak lumber by chemical analysis of their ash: V. 18, p. 61, 1903.
19. Coal mining in Atchison County: V. 19, p. 105–106, 1905.

Knight, G. L.

Volcanic ash in Norton County, Kansas: V. 34, p. 166–167, 1931.

Knoll, George

(and Hopkins, H. H.) The effects of grazing and trampling upon certain soil properties: V. 62, no. 4, p. 221–231, tables 1–4, 1959.

Knox, M. V. B.

1. Calamites: V. 4, p. 17–18, 1875.
2. Kansas Mammalia: V. 4, p. 19–22, 1875.
3. Additions to Kansas Mammalia: V. 5, p. 65, 1877.
4. Climate and brains: V. 5, p. 5–10, 1877.

Kobler, Arthur

See: Ekstein, Rudolf 3.

Kolling, Orland W.

1. (and Schultz, P. Daniel) The diffusion of organic dyes in gelatin gel: V. 50, no. 1, p. 87–88, 1 unnumbered table, 1947.
2. Preparation of some chlorine compounds of rhenium: V. 56, no. 3, p. 378–381, 1953.
3. Reduction of perrhenate by stannous tin: V. 57, no. 4, p. 520–524, fig. 1, 1954.
4. Thiocyanate complexation of molybdenum in solution of reduced molybdate: V. 58, no. 3, p. 430–434, fig. 1, 1955.
5. Influence of water on titrations in glacial acetic acid: V. 59, no. 4, p. 422–426, fig. 1–2, table 1, 1956.
6. Potentiometric evidence for solvolysis of salts in glacial acetic acid: V. 62, no. 1, p. 62–66, tables 1–2, 1959.
7. The effects of salts on acid-base indicators in glacial acetic acid: V. 63, no. 2, p. 67–71, 1960.
8. A review of organosulfur derivatives of hydrogen sulfide as reagents for inorganic quantitative analysis: V. 64, no. 4, p. 335–343, plate 1, 1961.

Kollmorgen, Walter M.

1. (and Jenks, George F.) A geographic study of population and settlement changes in Sherman County, Kansas: V. 54, p. 449–494, fig. 1–16, tables 1–11, 1951.
2. (and Jenks, George F.) A geographic study of population and settlement changes in Sherman County, Kansas, Part II, Goodland, Part IV: V. 55, no. 1, p. 1–36, fig. 1–26, tables 1–18, 1952.

Koopman, R. J. W.

1. Mapping of electric fields in curvilinear squares: V. 41, p. 233–236, fig. 1–16, 1938.
2. The use of complex numbers in field mapping: V. 42, p. 377–379, fig. 1–9, 1939.

Kordisch, Mary Schroller

See: Harman, Mary T. 17.

Kramer, C. L.

1. Distribution of leaf spot of elm (*Taphrina ulmi*) in Kansas: V. 56, no. 3, p. 310–312, maps 1–2, 1953.
2. Lichens of the University of Kansas Natural History Reservation: V. 58, no. 4, p. 519–524, 1955.
3. (and Wagenknecht, B. L.) The habitat of *Aplectrum hyemale* in Kansas: V. 60, no. 4, p. 376–378, fig. 1, 1957.
4. (and Mix, A. J.) Deep freeze storage of fungus cultures: V. 60, no. 1, p. 58–64, tables 1–4, 1957.
5. Kansas myxomycetes, I: V. 59, no. 1, p. 49–50, 1956.

6. Notes on Kansas fungi, I: V. 59, no. 2, p. 233–235, 1956.
7. Notes on Kansas fungi, II: V. 59, no. 4, p. 483–484, 1956.
8. (and Pady, S. M.; Rogerson, C. T.; and Ouye, L. A.) Kansas aeromycology, II; materials, methods, and general results: V. 62, no. 3, p. 184–199, 1959.
9. (and Pady, S. M.; and Rogerson, C. T.) Kansas aeromycology, III; *Cladosporium*: V. 62, no. 3, p. 200–207, table 1, 1959.
10. (and Pady, S. M.; and Rogerson, C. T.) Kansas aeromycology, IV; *Alternaria*: V. 62, no. 4, p. 252–256, 1959.
11. (and Pady, S. M.; and Rogerson, C. T.) Kansas aeromycology, VIII; *Phycomycetes*: V. 63, no. 1, p. 19–23, table 1, 1960.
12. (and Pady, S. M.) Kansas aeromycology, IX; *Ascomycetes*: V. 63, no. 2, p. 53–60, tables 1–2, 1960.
13. (and Pady, S. M.) Kansas aeromycology, XI; *Fungi imperfecti*: V. 63, no. 4, p. 228–238, 1960.
14. (and Pady, S. M.) Inhibition of growth of fungi on rose Bengal media by light: V. 64, no. 2, p. 110–116, fig. 1, 1961.
15. See: Hansing, E. D. 15.
16. See: Johnston, C. O. 25.
17. See: Pady, S. M. 7.
18. See: Sill, W. H., Jr. 7.

Kramer, Martha M.

1. See: Evers, Helen 1.
2. See: Gallemore, Isabel 1.
3. See: Gillum, Isabel 1.
4. See: Glaser, Adelaide E. 1.
5. See: Kunerth, Bernice L. 4.
6. See: Potter, Myra T. 1.
7. See: Saffry, Olga 1.

Krishnan, V. R.

See: Taft, Robert 24.

Kroeker, E. H.

(and Gaeddert, Emil; and Unruh, Earl) Varietal and seasonal differences in the mineral content of sweet clovers: V. 40, p. 113–116, tables 1–3, 1938.

Krutzsch, Philip H.

See: Jones, J. Knox, Jr.

Kuchler, A. W.

Some considerations concerning the mapping of herbaceous vegetation: V. 57, no. 4, p. 449–452, 1954.

Kundiger, Donald G.

(and Hennes, John H.) A study of synthesis of propionitrile from ethyl bromide: V. 56, no. 1, p. 127–130, table 1, 1953.

Kunerth, Bernice L.

1. Comparison of total nitrogen analysis of urine for one- and four-day periods: V. 36, p. 157–158, 1933.
2. (Framer, M. M.; and Riddell, W. H.) A preliminary study of the vitamin A content of milk and colostrum: V. 38, p. 209–212, fig. 1 unnumbered, 1935.
3. (Leuschen, Sister) New methods of vitamin A determination applied to a sample of commercial butter: V. 39, p. 191–195, tables 1–2, 1937.
4. (and Kramer, M. M.; Dickman, Sister Regina; and Whitnah, C. H.) Biological assay of milk with lacto flavin as a standard for vitamin C: V. 40, p. 297–299, fig. 1, 1938.
5. (and Riddell, W. H.) Milk as a source of riboflavin (vitamin G): V. 41, p. 231, 1938.

Kuntz, James

The influence of separate answer sheets on the reliability and norms of standardized achievement tests: V. 41, p. 259–261, tables 1–3, 1938.

Lacey, Marvin L.

The effect of climate and different grazing and dusting intensities upon the yield of the short-grass prairies in western Kansas: V. 45, p. 111–123, tables 1–5, fig. 1–10, 1942.

Lahr, E. L.

Pineal implants in rats: V. 35, p. 103, 1932.

Landes, Kenneth K.

1. Unusual surface features of Kansas: V. 34, p. 40, 1931.
2. An unusual type of sink in Mitchell County, Kansas: V. 35, p. 210, 1932.
3. Kansas mineral industries during the depression: V. 38, p. 199–200, fig. 1, 1935.

Landrum, R. D.

The manufacture of enameled ware: V. 22, p. 76–80, 1909.

Lane, H. H.

1. A survey of the fossil vertebrates of Kansas: V. 47, no. 2, p. 129–176, plate 1, fig. 1–5; plate 2; plate 3, fig. 1–3; plate 4; plate 5, fig. 1–2; plate 6; plate 7; fig. A–B, 1944.
2. New Mid-Pennsylvanian reptiles from Kansas: V. 47, no. 3, p. 381–390, fig. 1–3, 1945.
3. A survey of the fossil vertebrates of Kansas: V. 48, no. 3, p. 286–315, fig. 1–7, 1945.
4. A survey of the fossil vertebrates of Kansas, Part III, the reptiles: V. 49, no. 3, p. 289–332, fig. 1–7, 1946.
5. A survey of the fossil vertebrates of Kansas, Part IV, birds: V. 49, no. 4, p. 390–400, 1 unnumbered figure, 1947.
6. Survey of the fossil vertebrates of Kansas, Part V, Mammalia: V. 50, no. 2, p. 130–163, fig. 1–5, 1947.
7. Survey of the fossil vertebrates of Kansas, Part V, the mammals: V. 50, no. 3, p. 273–314, fig. 1–9, 1947.
8. Survey of the fossil vertebrates of Kansas, Part V, Mammalia: V. 51, no. 1, p. 29–76, fig. 1–15, 1948.

Lange, Kenneth I.

The jaguar in Arizona: V. 63, no. 2, p. 96–101, 1960.

Langworthy, A. E.

The Atchison diamond-drill prospect hole: V. 17, p. 45–51, fig. 1–5, unnumbered, 1901.

Lanning, F. C.

1. The effectiveness of silicones as water repellents when applied to various types of limestone: V. 57, no. 3, p. 374–385, 1954.
2. Further studies of the effectiveness of sodium methyl siliconate as a water repellent when applied to limestone: V. 58, no. 1, p. 115–120, 1955.
3. (and Barham, N. H.) Pyrolysis of cornstarch in various solvents: V. 58, no. 1, p. 125–129, tables 1–6, 1955.
4. The effectiveness of silicones as water repellents when applied to various types of brick: V. 58, no. 4, p. 439–445, fig. 1–15, 1955.
5. The effectiveness of silicone of type R Si Y_3 as a water repellent on limestone: V. 58, no. 3, p. 545, fig. 1–6, 1955.
6. The effectiveness of silicones as water repellents when applied to sandstone: V. 59, no. 4, p. 427–431, table I, fig. 1–5, 1956.

7. The effectiveness of silicones as water repellents when applied to concrete: V. 61, no. 3, p. 334–344, 1958.
8. The durability and function of silicones on masonry materials: V. 64, no. 1, p. 63–71, fig. 1–14, 1961.
9. See: Mitchell. H. L.

Lantz, D. E.

1. An annotated list of birds found near Manhattan, Kansas: V. 14, p. 115–123, 1896.
2. Notes on *Loxia curvirostra* Strickland Ridge: V. 14, p. 124–125, 1896.
3. Notes on the frosted poor will: V. 15, p. 14, 1898.
4. A bird review of Kansas ornithology: V. 16, p. 224–276, 1899.
5. The Kansas Academy of Science: V. 16, p. 24–33, 1899.
6. A list of birds collected by Col. N. S. Goss in Mexico and Central America: V. 16, p. 218–224, 1899.
7. A list of birds seen in Dickinson County, Kansas, from August, 1898 to August, 1900: V. 17, p. 116–121, 1901.
8. Statistics about Kansas birds: V. 18, p. 151–153, 1903.
9. A list of Kansas mammals: V. 19, p. 171–178, plate 21, 1905.
10. Notes on collecting Cicindelidae: V. 19, p. 252–260, 1905.
11. Additions and corrections to list of Kansas mammals: V. 20, p. 214–217, 1907.
12. Notes on the Kansas bird list: V. 20, p. 211–213, 1907.
13. Notes on Kansas mammals: V. 22, p. 336–337, 1909.
14. Notes on Kansas mammals: V. 28, p. 241–242, 1918.

Larmour, R. K.

The effect of environment on wheat quality: V. 42, p. 81–89, table 1, 1939.

Larson, Iva

See: Sabrosky, C. W.

Larson, Sara

Soybeans in midwestern farming: V. 53, no. 1, p. 28–43, fig. 1–3, table 1, 1950.

Latimer, Homer B.

1. (and Brown, Jerry W.) An unusual course of cervical nerve fibers to the infrahyoid muscles: V. 55, no. 3, p. 297–299, 1952.
2. The weights of the parts of the brain in several species of animals: V. 59, no. 4, p. 432–441, fig. 1, tables 1–3, 1956.
3. See: Orr, Tom G., Jr. 1.
4. See: Stoland, O. O. 1.

Latshaw, W. L.

See: Sewall, M. C. 1.

Laude, Hilmer H.

1. The fruitful plains: V. 61, no. 1, p. 14–31, fig. 1–7, 1958.
2. See: Evans, W. F.

Laufe, Leonard E.

See: Smith, H. M. 9.

Lawson, P. E.

1. A list of the Cicadellidae of Kansas: V. 30, p. 331–336, 1922.
2. A list of the grasses of Douglas County: V. 30, p. 336–339, 1922.

Learned, Geo. R.

(and Metcalf, Theodore G.) A study of the hemagglutinative behavior of the lipid antigens of *Corynebacterium deptheriae*: V. 55, no. 4, p. 431–438, chart 1, tables 1–3, 1952.

LeConte, Jon. L.

(and Horn, Geo. H.) Descriptions of new species of North American Coleoptera: V. 7, p. 71–74, 1881.

Lee, Floyd M.

See: Brennan, L. A. 1.

Leeper, Robert

The relation between gestalt psychology and the behavioristic psychology of learning: V. 34, p. 268–273, 1931.

Lefebvre, C. L.

1. (and Johnston, C. O.) Kansas mycological notes, 1934: V. 38, p. 101–104, 1935.
2. (and Johnston, C. O.) Kansas mycological notes, 1935: V. 39, p. 95–101, 1937.
3. See: Johnston, C. O. 3.

Legler, John M.

1. A social relation between snapping and painted turtles: V. 59, no. 4, p. 461–462, 1956.
2. Distributional records of amphibians and reptiles in Kansas: V. 63, no. 1, p. 40–43, 1960.

Lehmann, Glenn A.

See: Dains, F. B. 5.

Leisman, Gilbert A.

A new species of *Cardiocarpus* in Kansas coal balls: V. 64, no. 2, p. 117–122, fig. 1–3, 1961.

Leist, Claude

1. See: Burner, Charles C. 1.
2. See: Maupin, James K. 1.

Lenahan, Thomas

See: Schoewe, W. H. 8.

Lentz, Carl F.

See: Schrenk, W. G. 1.

Leonard, Alice A.

1. See: Leonard, A. B. 2.
2. The Mollusca of Meade and Clark counties, Kansas: V. 46, p. 226–240, plate I, fig. 1–21; plate II, fig. 22–23; fig. 1–2, 1943.

Leonard, A. B.

1. Notes on larvae of *Cuterebra* sp. (Diptera: Oestridae) infecting the Oklahoma cottontail rabbit: V. 36, p. 270–274, 1933.
2. (and Leonard, Alice A.) The cellular proliferation associated with cysticercus infestations in the cottontail rabbit: V. 43, p. 429–432, fig. 1–4, 1940.
3. (and Beahm, Edgar H.) Studies on the distribution of trichinealla larvae in the albino rat: V. 44, p. 429–433, table 1, fig. 1–4, 1941.
4. (and Ponder, Luke H.) Crustacea in eastern Kansas: V. 52, no. 2, p. 168–204, plates I–V, fig. 1–38, 1949.
5. Freedom for whom?: V. 55, no. 3, p. 247–252, 1952.
6. See: Franzen, Dorothea S. 1.
7. See: Frye, John C. 7.

Leonard, Guy William, Jr.

See: Swim, Leroy E. 1.

Leone, Charles A.

1. Genetics—Lysenko versus Mendel: V. 55, no. 4, p. 369–380, 1952.
2. Effects of X-irradiation on chickens as revealed by serological analysis I. Whole plasma comparisons: V. 60, no. 3, p. 301–315, 1957.
3. (and Perry, Kenneth) Paper electrophoretic studies on γ-irradiated lyophilized ovalbumin: V. 63, no. 1, p. 44–52, fig. 1–2, 1960.
4. A turbidimetric analysis of a hemocyanin-antihemocyanin precipitin reaction: V. 63, no. 3, p. 147–155, fig. 1–3, 1960.
5. (and Simon, John F., Jr.) Effects of antisera against rabbit tissual proteins on rabbit electrocardiograms and guinea pig anaphylaxis: V. 64, no. 4, p. 321–334, fig. 1–5, 1961.
6. (and Redstone, Marion) Some physiochemical and biological properties of pH_5 protein: V. 65, no. 2, p. 138–142, fig. 1, 1962.
7. See: Dolyak, F. 1.
8. See: Martin, E. P. 1.

Lesher, Samuel W.

See: Roofe, Paul G. 2.

Leuschen, Sister Ethelburg

See: Kenerth, B. L. 3.

Lewis, Kenneth

See: Fletcher, Worth A. 1.

Liao, Y. S.

1. (and Bushnell, L. D.; and Eisenstark, A.) A simplified technique for virus inoculation in chick embryos: V. 56, no. 1, p. 74–77, fig. 1–2, 1953.
2. (and Bushnell, L. D.; and Gainey, P. L.) Concerning the structure of the Newcastle disease virus: V. 56, no. 3, p. 227–233, tables 1–4, 1953.

Lichlyter, Dean E.

(Greenhut, Ann; and Croley, Hugh T.) Psychological problems of mental difficiency: V. 57, no. 4, p. 495–500, 1954.

Lichtenstein, Ivan

(and Reynolds, Charles A.) Spectrophotometric determination of keytones by borohydride reduction: V. 64, no. 4, p. 315–320, 1961.

Liese, Dale H.

1. See: Taft, Robert 48.
2. See: Taft, Robert 50.
3. See: Taft, Robert 52.

Lighton, W. R.

Notes on circulation of sap: V. 11, p. 18–19, 1889.

Linder, Allan D.

Behavior and hybridization of two species of *Etheostoma* (Percidae): V. 61, no. 2, p. 195–212, plates 1–2, 1958.

Linnell, Lyle D.

Soil-vegetation relationships on a chalk-flat range site in Gove County, Kansas: V. 64, no. 4, p. 293–303, fig. 1–2, 1961.

Lippert, Robert D.

(and Hopkins, Harold H.) Study of viable seeds in various habitats in mixed prairie: V. 53, no. 3, p. 355–364, fig. 1, tables 1–3, 1950.

Lippert, Verne

Radioactive properties of the subterranean waters of Ellis County, Kansas: V. 40, p. 309–312, 1938.

Lockhart, C. H.

See: Herrick, E. H. 3.

Lockart, Charles H.

See: Herrick, E. H. 11.

Loehwing, W. F.

Recent advances in the plant sciences: V. 48, no. 2, p. 119–133, fig. 1–4, 1945.

Loewen, S. L.

1. A new cestode from a bat: V. 37, p. 257–262, fig. 1–3, plate VII, 1934.
2. Taste differences in a family: V. 39, p. 165–167, 1937.
3. (and Jones, J. Russell) An anomalous lamb: V. 40, p. 377–383, plate 1, fig. A–B; plate 2, fig. A–H, 1938.
4. A new host record for the cestode *Bothridium pithonis* de Blainville, 1828: V. 48, no. 1, p. 107–108, 1945.

Lokke, Donald H.

1. Meteorological education in Kansas: V. 60, no. 1, p. 1–4, 1957.
2. (and Kidman, Roy L.) Bibliography of Kansas meteorology: severe local storms: V. 64, no. 1, p. 42–48, 1961.
3. Clouds and climate of Kansas: V. 64, no. 3, p. 233–236, fig. 1, 1961.

Long, Charles A.

1. (and Hays, Horrace A.) Some effects of colchicine on transverse fission in the planarian, *Dugesia dorotocephala*: V. 62, no. 4, p. 257–261, 1959.
2. (and Wiley, Martin L.) Contents of pellets of the short-eared owl, *Asio flammeus*, in a prairie habitat in Missouri: V. 64, no. 2, p. 153–154, 1961.

Long, John H.

A new method of determining the wind's velocity: V. 6, p. 87–89, 1878.

Long, Sam

See: Bogart, Ralph I.

Long, Walter S.

1. The adulteration of jams and jellies: V. 28, p. 168–172, 1918.
2. The composition of commercial fruit extracts: V. 28, p. 157–161, tables 1–3, 1918.
3. A method for the determination of starch: V. 28, p. 172–174, 1918.
4. The relation between the quantities for tin and hydrogen in "Springers": V. 28, p. 162–168, 1918.
5. On the preparation of chemically stable and bacteriologically hypochlorite solutions: V. 34, p. 164–165, tables 1–3, 1931.
6. On the constitution of certain di-substituted thiazolidones: V. 36, p. 119–124, 1933.
7. A checklist of Kansas birds: V. 43, p. 433–456, 1940.

Loomis, Richard B.

1. See: Jones, J. Knox, Jr. 1.
2. See: Jones, J. Knox, Jr. 2.

Louloudes, S. J.

See: Kaplanis, John N.

Lovewell, J. T.

1. On sound transmission by electricity: V. 6, p. 25–29, 1878.
2. Kansas weather service: V. 7, p. 83–85, 1881.
3. Gold in Kansas: V. 18, p. 134–137, fig. unnumbered, plate 1 unnumbered, 1903.

4. Gold in Kansas shales: V. 18, p. 129–133, 1903.
5. Minutes, Thirty-eighth Annual meeting, Kansas Academy of Science, Dec. 1–2, 1905: V. 20, part 1, p. 13–18, 1905.
6. Secretary's Report, 1905: V. 20, p. 10–12, 1905.
7. The genesis of gold in mineral veins and placers: V. 20, p. 205–207, 1906.
8. The Foucault experiment: V. 20, p. 230–233, 1906.
9. The spectrum and spectrum scales: V. 20, p. 63–66, fig. 1, unnumbered, 1907.
10. Fireless cooking: V. 21, p. 60–63, 1908.
11. The economy of heat in cooking: V. 22, p. 81–83, 1909.
12. Necrology: James Richard Mead: V. 24, p. 330–331, 1910.
13. Future of the Kansas Academy Library and book collections in the State House: V. 24, p. 321–324, 1910.
14. The longevity of Yale graduates: V. 25, p. 164–166, 1913.
15. Necrology: James C. Cooper: V. 25, p. 179–181, 1913.
16. Witching for water and other things: V. 26, p. 101–103, 1914.

Lowe, Charles H., Jr.

The salamanders of Arizona: V. 58, no. 2, p. 237–251, fig. 1–3, tables 1–2, 1955.

Luft-Zurakowski, Ludwig

An apparatus for the experimental exploration of the high temperature–high pressure region: V. 56, no. 3, p. 382–386, fig. 1, 1953.

Lungstrom, Leon G.

1. Biological studies on *Culex tarsalis* (Diptera Culicidae) in Kansas: V. 57, no. 1, p. 86–96, tables 1–4, fig. 1–3, 1954.
2. Additional observations on the recognition features of the *Culex tarsalis* larva and pupa (*Culicidae*: Diptera): V. 58, no. 1, p. 68–74, tables 1–4, plate 1, fig. 1–8; plate 2, fig. 1–3, 1955.
3. (and Sooter, Clarence A.) Mosquito light-trap collections made in conjunction with the encephalitis investigation in southeastern Kansas in 1949 and 1950: V. 64, no. 2, p. 133–143, fig. 1–5, 1961.

Lunsford, William Alan

The relation of depth of planting to the morphology of the wheat seedling: V. 45, p. 124–128, fig. 1–2, 1942.

Lyon, Eric R.

1. Electrostatic inductor alternator: V. 34, p. 244–247, 1931.
2. Electrons moved by interference between their waves: V. 39, p. 197, 1937.
3. Simple wave equation showing barrier: V. 39, p. 199, 1937.

Lyons, E. T.

(and Hansen, M. F.; and Tiemeier, O. W.) Helminth parasites of black-tailed jack rabbit in southwestern Kansas: V. 63, no. 3, p. 135–140, fig. 1–3, 1960.

Lyons, Thomas D.

(and Andrews, A. C.) A spectrophotemetric method for the quantitative determination of histamine: V. 58, no. 3, p. 435–438, fig. 1–2, table 1, 1955.

MacDougal, D. T.

Darwinism and experimentation in botany: V. 22, p. 389–392, 1909.

MacElwane, James B.

The structure of the interior of the earth: V. 51, no. 2, p. 143–161, 19 figures, 1 unnumbered fig., 1948.

MacFarquhar, Wm. K.

The chert gravels of the Kansas River Valley between Lawrence and Kansas City: V. 41, p. 211, 1938.

MacKintosh, D. L.

1. (and Hall, J. L.) Fat as a factor in palatability of beef: V. 39, p. 53–58, fig. 1–4, table 1, 1937.
2. See: Bray, Robert W. 1.
3. See: Watt, Desmond B.
4. See: Wellington, G. H. 1.

MacKintosh, Irene

1. Acquisition latencies for responses acquired under conditions of total and partial reinforcement: V. 58, no. 4, p. 557–560, fig. 1, 1955.
2. The relationship between hypnotizability and two tests of suggestibility: V. 58, no. 4, p. 549–556, tables 1–3, fig. 1, 1955.
3. A theoretical examination of an experiment on differential resistance to extinction: V. 58, no. 3, p. 414–418, 1955.

Malin, James C.

1. Professor W. Foster, an identification: V. 58, no. 1, p. 22–23, 1955.
2. Wheat, geology, and "Professor" W. Foster: V. 59, no. 2, p. 240–248, 1956.

Mallory, B. F.

(and Crown, G.) Shell repair in the gastropod *Marisa rotula*: V. 63, no. 4, p. 258–261, 1960.

Malm, Lloyd E.

1. See: Taft, Robert 3.
2. See: Taft, Robert 5.
3. See: Taft, Robert 6.

Mann, A. H.

See: Hoad, W. C. 2.

Mann, Robert J.

See: Miller, Halsey W. 5.

Mannoni, Socrates A.

A survey of the green algae of Crawford County: V. 35, p. 179–189, plates 1–2, table 1, map 1, 1932.

Marlatt, C. L.

1. Notes on the oviposition of the buffalo tree-hopper: V. 10, p. 84–85, fig. 4–5, 1887.
2. Notes on a red cedar saw-fly: V. 10, p. 80–83, fig. 1–3, 1887.
3. Notes on the early stages of three moths: V. 11, p. 110–114, fig. 1–3, unnumbered, 1889.

Marlatt, F. A.

Preliminary studies on the moon: V. 21, p. 259–262, fig. 1 unnumbered, 1908.

Marsh, D. L.

Relationship of phlox *Oklahomensis* to phlox *Bifida* complex: including a new subspecies of phlox *Bifida*: V. 63, no. 1, p. 12–18, fig. 1–2, 1960.

Marsi, Kenneth L.

1. See: Schmidt, Gene W.
2. See: Horning, Edward J.

Martin, Elmore L.

(and Fletcher, Worth A.) Nitro compounds as oxidizing agents II: V. 37, p. 135–138, table 1, 1934.

Martin, Edwin P.

1. (and Leone, Charles A.) Serological relationships among domestic fowl as shown by comparisons of protein preparations from corresponding organ systems: V. 55, no. 4, p. 439–444, tables 1–2, fig. 1, 1952.
2. (and Sternberg, George F.) A swift fox, *Vulpes velox velox* (Say), from western Kansas: V. 58, no. 3, p. 345–346, fig. 1, 1955.
3. (and Tomanek, Gerald W.; and Albertson, F. W.) Use of regression line to estimate basal cover of sod-forming grasses: V. 58, no. 4, p. 526–527, fig. 1, 1955.
4. See: Herrick, E. H. 11.

Martin, H. T.

1. A collecting trip to Patagonia, South America: V. 19, p. 101–104, plates 8–9, 1905.
2. Notice of some new elements in *Uintacrinus*: V. 20, p. 202, 1907.

Martin, James B.

(and Davidson, Arthur W.) Factors determining the structure of the alkali polysulfides: V. 43, p. 227–234, tables 1–3, fig. 1–2, 1950.

Marvin, F. O.

1. Notes on magnetic declination in Kansas: V. 12, p. 8–10, 1890.
2. Note on the precision of the solar attachment to the engineer's transit: V. 12, p. 164, 1890.
3. Water supply from a sanitary standpoint: V. 17, p. 54–66, 1901.
4. Notes on some Kansas paving brick: V. 19, p. 90–98, fig. 5–8, tables 1–4, 1905.
5. Notes on Kansas road metal: V. 20, p. 70–73, 1907.
6. Recent growth of engineering colleges: V. 20, p. 23–32, fig. 1–3, unnumbered, 1907.
7. Memorial, Scientific papers of Dr. Snow: V. 22, p. 28–34, 1909.
8. See: Dalton, B. J.

Marx, Hymen

See: Reed, C. A.

Mason, Harry

A concept of gradient of personality integration as a substitute for Freudian concepts in problems of mental hygiene: V. 40, p. 319–322, 1938.

Mason, S. C.

Preliminary list of fossils found in Riley County: V. 8, p. 12–13, 1883.

Matheny, William Guy

1. The effectiveness of aptitude testing in the Civilian Pilot Training Program: V. 44, p. 363–365, 1941.
2. Further studies of learning aptitude in pilots, a prediction of flying aptitude: V. 45, p. 285–286, 1942.

Matthews, L.

The Simson Line and its relation to the Nine Point Circle: V. 62, no. 1, p. 9–12, 1959.

Matthews, R.

1. *Antrostomus carolinensis*: V. 16, p. 277, 1899.
2. The black duck in Kansas: V. 17, p. 114, 1901.

Matthews, W. H.

1. The optical properties of Joplin calcite: V. 35, p. 118–119, 1932.
2. Some uses of storage battery compound in the physics laboratory: V. 36, p. 162–163, 1933.
3. Scientific development and investigation in southeast Kansas: V. 38, p. 37–42, 1935.

Matthewson, W. E.

1. Properties and composition of some typical flours: V. 19, p. 78–80, plate 6, 1905.
2. Reagents for the detection and estimation of aliphatic amines and nitroparaffins: V. 58, no. 2, p. 282–287, tables 1–3, 1955.

Maupin, James K.

(and Wells, James R., Jr.; and Leist, Claude) A preliminary survey of food habits of the fish and physico-chemical conditions of the water of three strip mine lakes: V. 57, no. 2, p. 164–171, tables 1–3, 1934.

Maus, Pearl M.

Flora of Wabaunsee County, Kansas: V. 32, p. 88–104, 1929.

Mayberry, M. W.

1. Origin and development of the crop in the chick: V. 38, p. 325–335, fig. 1–20, plates 1–4, 1935.
2. An anatomical study of *Asclepias pumila, A. incarnata* and *A. quadrifolia*: V. 41, p. 127–137, fig. 1–19, 1938.
3. Some anatomical features of *Amsonia tabernaemontana*: V. 40, p. 75–82, fig. 1–11, plates 1–2, 1938.
4. Some examples of proterogyny and proterandry of our native flora: V. 43, p. 133–141, plates 1–3, fig. 1–7, 1940.
5. *Martynia louisiana* Mill, an anatomical study: V. 50, no. 2, p. 164–171, plate I, fig. 1–4; plate II, fig. 1–9; plate III, fig. 1–8, 1947.

Mayer, Alfred Goldsborough

1. Radiation of heat from foliage: V. 12, p. 61–62, 1890.
2. Selective absorption of heat by leaves: V. 13, p. 48–49, 1893.

Mayman, Martin

An analysis of scatter in intelligence test results; a review of the literature: V. 48, no. 4, p. 429–444, 1947.

McCain, James A.

Keynote address of the Conference on Science and Industry: V. 65, no. 1, p. 5–9, 1962.

McCalla, T. M.

1. (and Foltz, V. D.) The uptake of ions by bacteria: V. 44, p. 46–47, 1941.
2. Microbiological studies of the effect of straw used as mulch: V. 46, p. 52–56, tables 1–3, fig. 1–2, 1943.
3. The stability of soil structure against falling water drops containing different dissolved materials: V. 50, no. 3, p. 349–355, tables 1–6, 1947.
4. Micro-organisms and soil structure: V. 53, no. 1, p. 91–100, tables 1–7, 1950.
5. Influence of soil conditioner (HPAN) on nitrification: V. 62, no. 1, p. 53–57, tables 1–3, 1954.

McCammon, Ruth

1. (and Holman, Myrna) Effect of human diets upon development of phosphorus content of albino rats: V. 35, p. 107–109, 1932.
2. (and Caulfield, W. J.) Relative economy of various types of cheese as determined by analysis: V. 36, p. 159–161, fig. 1, 1933.

McCartney, W. P.

History of catalysis and its utility in systemicphthisis: V. 24, p. 299–316, table 1, 1910.

McCaskill, G. A.

See: Harris, J. O. 7.

McClung, G. E.

1. The fossil bison of Kansas: V. 19, p. 156–159, fig. 10, 1905.
2. The U. of K. expedition in the John Day region of Oregon: V. 20, p. 67–70, 1906.

McClung, Norvel M.

1. Actinomycetes in local soils: V. 54, no. 2, p. 218–220, tables 1–2, 1951.
2. Morphological studies in the genus *Nocardia IV*, bright phase contrast observations of living cells: V. 58, no. 1, p. 50–57, fig. 1–64, 1955.

McCluskey, Michael

The effects of Hypexia on the embryos of pregnant mice: V. 61, no. 3, p. 254–258, 1958.

McColloch, J. W.

1. (and Hayes, Wm. P.) An annotated list of some Kansas *Pleurosticti* (Scarabaeidae): V. 30, p. 345–351, 1922.
2. The eleodes of Riley County, Kansas: V. 30, p. 182–183, 1922.
3. (and Hayes, W. P.) Lachnosterna in the vicinity of Manhattan, Kansas: V. 30, p. 184–195, 1922.

McCollum, E. V.

1. See: Bartow, Edward 3.
2. See: Bartow, Edward 5.

McCormack, Shirley D.

See: Herrick, E. H. 10.

McCormick, C. T.

See: Shults, M. G. 1.

McCullough, A. W.

1. Notes of the behavior of small amoeba of the genus *Naegleria*: V. 38, p. 337–340, fig. 1–5 unnumbered, 1935.
2. Some reactions of *Naegleria bistodialis* to light intensity patterns: V. 40, p. 385–388, 1938.

McDonald, Clinton C.

A yeast like organism isolated from the human scalp: V. 41, p. 125, 1938.

McEwen, W. E.

See: Popp, F. D.

McFarland, Alie K.

See: Woods, H. I. 2.

McFarland, D. F.

1. Composition of gas from a well at Dexter, Kansas: V. 19, p. 60–62, 1905.
2. See: Cady, H. P. 3.
3. See: Cady, H. P. 4.

McFarland, R. H.

See: Harris, John O. 4.

McGregor, R. L.

1. First year invasion of plants on an exposed lake bed: V. 51, no. 3, p. 324–327, 1948.
2. The flora of Douglas County, Kansas: V. 51, no. 1, p. 77–106, 1 fig., 1948.
3. (and Volle, L. D.) First year invasion of plants on the exposed bed of Lake Fegan, Woodson County, Kansas: V. 53, no. 3, p. 372–377, 1950.
4. (and Horr, W. H.) Kansas plants new to Kansas herbaria V: V. 53, no. 3, p. 365–369, 1950.
5. (and Sperry, K. L.) Variation of *Ceratophyllum demersum* in eastern Kansas: V. 54, no. 4, p. 536–539, tables 1–2, 1951.
6. *Riccia frostii* after the Kansas floods of 1951: V. 55, no. 2, p. 176–177, 1952.
7. (and Horr, W. H.) Kansas plants new to Kansas herbaria VIII: V. 56, no. 2, p. 200–202, 1953.
8. (and Horr, W. H.) Kansas plants new to Kansas herbaria IX: V. 58, no. 2, p. 169–170, 1955.
9. Additions to the Kansas flora: V. 59, no. 3, p. 327–332, 1956.
10. (and Lathrop, Earl W.) Additions to the Kansas flora for 1956: V. 60, no. 1, p. 65–70, 1957.
11. New forms and nomenclatorial combinations in the Kansas flora: V. 60, no. 2, p. 161–162, 1957.
12. Variation in *Sisyrinchium campestre*, Bickn.: V. 63, no. 3, p. 121–124, 1960.
13. See: Gates, Frank C. 36.
14. See: Hetzer, W. A. 3.
15. See: Horr, W. H. 3.
16. See: Horr, W. H. 4.
17. See: Horr, W. H. 5.
18. See: Horr, W. H. 7.
19. See: Horr, W. H. 8.
20. See: Mix, A. J. 3.
21. See: Mix, A. J. 4.
22. See: Yokoyama, K. 1.

McKinley, Lloyd

See: Nibarger, Agnes 1.

McKinney, H. H.

See: Melchers, L. E. 9.

McMahon, K. J.

1. (and Harris, John O.) A study of the effect of surface-active agents on the agglutination reaction: V. 60, no. 1, p. 43–49, tables 1–3, 1957.
2. See: Bowen, Richard E.

McMillen, J. Howard

Relation of physics to the war effort: V. 46, p. 272–275, 1943.

McNaught, James B.

1. The algae of Kansas reservoirs: V. 28, p. 121–128, 1918.
2. Algae of Kansas reservoirs: V. 29, p. 142–177, fig. 1–38, 1920.

McReynolds, S. A.

See: Curtis, R. W. 1.

McWarf, J. M.

1. Physical development and school life: V. 19, p. 353–359, 1905.
2. Sanitary science: V. 19, p. 345–350, 1905.
3. Noise—its relation to health, disease, and longevity: V. 20, p. 237–240, 1907.
4. Man abnormal: V. 21, p. 191–198, 1908.
5. Cancer—thoughts on: V. 22, p. 376–383, 1909.

6. Thoughts on tuberculosis: V. 24, p. 317–320, 1910.
7. Worth and dignity of the teacher's vocation: V. 25, p. 6–15, 1913.
8. Malignant tumors—cancer: V. 27, p. 123–128, 1915.
9. Echinacea—its combination and use: V. 28, p. 179–180, 1918.
10. The early history of medicine: V. 29, p. 46–48, 1920.
11. The banana as a food product: V. 30, p. 124–125, 1922.
12. Education—physical and mental: V. 30, p. 341–343, 1922.
13. Public baths and their hygienic or sanitary value: V. 30, p. 369–370, 1922.

Mead, J. R.

1. Results of some explorations among the Pueblo ruins in New Mexico: V. 10, p. 73–77, 1887.
2. Camps of prehistoric people in Sedgwick County, Kansas: V. 12, p. 64–65, 1890.
3. Notes on the occurrence of gold in Montana: V. 12, p. 5–6, 1890.
4. A dying river: V. 14, p. 111–112, 1896.
5. How the pheasant "drums": V. 14, p. 113–114, 1896.
6. The drill hole at Wichita: V. 14, p. 20–22, 1898.
7. *Felis concolor*: V. 16, p. 278–279, 1899.
8. Some natural history notes of 1859: V. 16, p. 280–281, 1899.
9. Some notes on the birds of southern Kansas: V. 16, p. 216–217, 1899.
10. Were quails native to Kansas?: V. 16, p. 277–278, 1899.
11. Archeology of Catalina Island: V. 17, p. 215–216, 1901.
12. The Flint Hills of Kansas: V. 17, p. 207–208, 1901.
13. Origin of names of Kansas streams: V. 18, p. 215–216, plate 1 unnumbered, 1903.
14. Notes on the archaeology of Butler County, Kansas: V. 19, p. 328–330, plate 29, fig. 1–7, 1905.

Mead, S. G.

The drying-up of pools and streams in central Kansas: V. 18, p. 213–214, 1903.

Meeker, Grace R.

1. Native plants of Kansas adapted to cultivation: V. 17, p. 105–109, 1901.
2. A little experiment in flower making: V. 20, p. 188–189, 1906.
3. Nature photography in Kansas—the work of Mr. and Miss McColm: V. 20, Part II, p. 277–280, photographs 1–3, unnumbered, 1907.

Megee, Mary C.

A briefly annotated bibliography of the Polar regions: V. 58, no. 1, p. 87–110, 1955.

Melcher, Newell C.

See: Cornelius, D. R. 1.

Melchers, L. E.

1. Physoderma (zeae-maydis) in Kansas: V. 29, p. 131, 1920.
2. Plant disease report for Kansas, 1917: V. 29, p. 132–138, 1920.
3. Plant disease heretofore unreported in Kansas—reported in 1914, 1915, 1916, 1917: V. 30, p. 196–197, 1922.
4. Plant disease survey report for Kansas, 1918: V. 30, p. 197–201, 1922.
5. The wheat foot-rot disease in Kansas: V. 32, p. 138–140, 1929.
6. A check list of plant diseases and fungi occurring in Egypt: V. 34, p. 41–106, 1931.
7. Plant disease problems in Egypt: V. 35, p. 38–61, tables 1–2, 1932.
8. Climate in relation to plant diseases: V. 44, p. 172–183, table 1, fig. 1, 1941.
9. (and McKinney, H. H.) Studies of foot-rot of wheat (Take-All) in Kansas—second report of progress: V. 32, p. 142–143, 1929.
10. Sorghum kernel smut infection in relation to temperature: V. 59, no. 4, p. 485–491, tables 1–2, 1956.

11. Sorghum kernel smut infection in relation to seed germination: V. 59, no. 3, p. 320–326, 1956.
12. Uncommon symptoms of smut infection in sorghum: V. 59, no. 2, p. 223–227, 1956.
13. See: Hansing, E. D. 1.
14. See: Hansing, E. D. 3.
15. See: Hansing, E. D. 4.
16. See: Johnston, C. O. 7.
17. See: Stiles, Elsa Horn 1.
18. See: White, R. P. 1.

Menges, Robert W.

(and Habermann, Robert T.; and Stains, H. J.) A distemper-like disease in raccoons and isolation of *Histoplasma capsulatum* and *Haplosporagium parvum*: V. 58, no. 1, p. 58–67, table 1, plate 1, fig. 1–4, 1955.

Mennemeyer, Paul

Design of a three-stage mouse-carrying rocket: V. 63, no. 4, p. 299–304, 1960.

Menninger, C. F.

Gastric ferments: V. 21, p. 49–52, 1908.

Mentzer, Loren

Preliminary study of freshwater algae of Lyon County, Kansas: V. 43, p. 143–145, 1940.

Merkel, Daniel L.

(and Hopkins, Harold H.) Life history of salt cedar (*Tarmarix gallica* L.): V. 60, no. 4, p. 360–369, fig. 1–7, 1957.

Merriam, Daniel F.

1. (and Mann, John C.) Sinkholes and related geologic features in Kansas: V. 60, no. 3, p. 207–243, fig. 1–9, 1957.
2. History of Precambrian studies in Kansas: V. 65, no. 4, p. 433–447, fig. 1–8, 1962.

Merrill, C. D.

Notes on Giant's Causeway and Fingal's Cave: V. 6, p. 6–10, 1878.

Merrill, J. R.

See: Perkins, A. T. 5.

Messmore, Harold E.

See: Taft, Robert 2.

Metcalf, Artie L.

1. (and Distler, Donald A.) New distributional records for two species of crayfish: V. 64, no. 4, p. 353–356, 1961.
2. Gastropods of Couley County, Kansas: V. 65, no. 3, p. 275–289, 1962.

Metcalf, Theodore G.

See: Learned, George R. 1.

Metzger, W. H.

1. (and Anderson, Kling L.) Plant succession on land in continuous alfalfa culture as influenced by fertilizer treatments: V. 44, p. 184–189, 1941.
2. See: Perkins, A. T. 7.

Metzler, Dwight F.

1. (and Stoltenberg, Howard A.) The public health significance of high nitrate waters as a cause of infant cyanosis and methods of control: V. 53, no. 2, p. 194–211, fig. 1–4, tables 1–6, 1950.
2. Use, misuse, and future use of water in Kansas: V. 59, no. 1, p. 111–117, 1956.

Michaelson, Louis

Terrace sands of eastern Sedgwick County, Kansas: V. 41, p. 213–217, fig. 1, 1938.

Michener, Charles D.

Problems in the development of social behavior and communication between insects: V. 56, no. 1, p. 1–15, tables 1–2, 1953.

Mikesell, W. H.

The effect of configuration upon contrast: V. 40, p. 323–325, 1938.

Miller, Abbie

See: Harmon, Mary T. 14.

Miller, E.

1. Differentials of the second and higher orders: V. 12, p. 65–67, 1890.
2. The periods of rotation of Mercury and Venus and the satellites of the solar system: V. 14, p. 94–97, 1896.
3. A new theory of the surface markings of the moon: V. 15, p. 10–13, 1898.
4. Where did Mars get its moons?: V. 15, p. 46–50, 1898.
5. The corona of the Sun: V. 17, p. 210–214, plate 1 unnumbered, 1901.
6. Science and the nineteenth century: V. 18, p. 27–35, 1903.
7. The non-Euclidean geometry: V. 19, p. 374–378, 1905.
8. Variations of latitude: V. 20, p. 199–204, 1906.
9. Memorial Address: Francis Huntington Snow: V. 22, p. 19–28, picture, 1909.

Miller, Edwin C.

Water relations of corn and sorghums: V. 29, p. 138–141, 1920.

Miller, H. D. Oliver

Observations on sod webworms (*Crambus* spp. Lepidoptera) in Kansas: V. 43, p. 267–281, plates 1–2, fig. 1–10, tables 1–2, 1940.

Miller, H. L.

Instinct: V. 19, p. 387–391, 1905.

Miller, Halsey W., Jr.

1. (and Sternberg, G. F.; and Walker, M. V.) *Uintacrinus* localities in the Niobrara formation of Kansas: V. 60, no. 2, p. 163–166, fig. 1–2, 1957.
2. Intestinal casts in *Pachyrhizodus*, an elopid fish, from the Niobrara formation of Kansas: V. 60, no. 4, p. 400–402, fig. 1, plate 1, 1958.
3. *Petalodus jewetti*, a new species of fossil bradyodont fish from Kansas: V. 60, no. 1, p. 82–85, fig. 1–2, table 1, 1957.
4. An elopid fish from the Codell sandstone (Cretaceous) of Kansas and the depositional environment of the sandstone: V. 61, no. 2, p. 213–215, plate 1, 1958.
5. (and Mann, Robert J.) *Petalodus* (bradyodont) from the Permian of Kansas and Oklahoma: V. 61, no. 1, p. 97–103, plates 1–2, 1958.

Miller, R. F.

1. The magnifying power of a telescope for objects at close range: V. 42, p. 381–383, unnumbered tables, 1939.
2. Bird photography with a reflecting telescope: V. 43, p. 325–328, plates 1–2, fig. 1–4, 1940.
3. A combination camera and telescope eyepiece: V. 44, p. 332–336, fig. 1–3, 1941.
4. A sky-projection chart for the astronomy class: V. 46, p. 66–69, table I, fig. 1, 1943.
5. (and Boyd, Ivan L.) Migration records of birds in east-central Kansas: V. 50, no. 1, p. 62–71, 1 unnumbered chart, 1947.

Miller, W. A.

See: Hendrickson, Robert L. 1.

Minckley, W. L.

1. Fish survey of the Pillsbury Crossing Area: V. 59, no. 3, p. 351–357, 1956.
2. (and Deacon, J. E.) New distributional records for three species of Kansas crayfish: V. 62, no. 2, p. 165, 1959.
3. (and Cross, F. B.) Taxonomic status of the shorthead redhorse *Moxostoma aureolum* (LeSueur) from the Kansas River Basin: V. 63, no. 1, p. 35–39, table 1, fig. 1, 1960.
4. See: Cross, F. B. 4.

Minter, Kenneth W.

(and Copeland, B. S.) Oxygen relationships in Lake Wooster, Kansas during wintertime conditions: V. 65, no. 4, p. 452–462, fig. 1–3, 1962.

Minton, Sherman A.

See: Smith, Hobart M. 10.

Mitchell, H. L.

1. (and Lanning, F. C.; and Silker, R. E.) Effect of dehydration and suncuring on the nitrogenous constituents of alfalfa: V. 53, no. 2, p. 190–193, table 1, 1950.
2. (and Silker, R. E.) Loss of carotene in dehydrated alfalfa during storage: V. 55, no. 4, p. 479–483, tables 1–4, 1952.
3. See: Gugliemilli, L. A. 1.
4. See: Wang, I. Cheng
5. (and Pauli, A. W.) A study of cold hardiness of winter barley: V. 64, no. 2, p. 91–95, fig. 1–4, 1961.
6. Some agricultural and industrial dividends of research: V. 65, no. 1, p. 32–33, 1962.

Mitchell, Ralph W.

See: Bowen, Richard E.

Mittleman, M. B.

1. (and Smith, Hobart M.) Remarks on the Mexican subspecies of the coral snake *Micrurus nigrocinctus*: V. 52, no. 1, p. 86–88, table 1, 1949.
2. See: Smith, Hobart M. 8.

Mittra, M. K.

(and Stickler, F. C.) Excess water effects on different crops: V. 64, no. 4, p. 275–286, 1961.

Mix, A. J.

1. Factors affecting the sporulation of *Phyllosticta solitaria* in artificial culture: V. 36, p. 105, 1933.
2. Some new species of *Taphrina*: V. 50, no. 1, p. 77–83, fig. 1 (8 types of fig.), 1947.
3. (and McGregor, R. L.) Species of *Taphrina* in Kansas: V. 52, no. 3, p. 352–354, 1949.
4. (and McGregor, R. L.) Notes on Kansas fungi, 1949: V. 53, no. 3, p. 340–343, fig. 1, 1950.
5. Additions and emendations to a monograph of the genus *Taphrina*: V. 57, no. 1, p. 55–65, fig. 1–2, 1954.
6. Notes on some species of *Taphrina*: V. 59, no. 4, p. 465–482, fig. 1, 1956.

Moggie, Maurice C.

A memory study employing a factorial experimental design and the analysis of variance: V. 46, p. 212–216, tables I–II, 1943.

Mohilner, Patricia

(and Reynolds, Charles A.) The standardization and application of dispersed sodium: V. 63, no. 2, p. 72–76, tables 1–4, 1960.

Mohler, R. E.

1. A new amebelodon for Kansas: V. 41, p. 219–221, fig. 1 unmarked, 1938.
2. (and Schmidt, R. H.) Bird studies: V. 52, no. 4, p. 472–473, 1949.
3. (and Dell, Carl) A study of longevity in McPherson County: V. 52, no. 4, p. 510, 1949.
4. (and Schmidt, R. H.) The whitetailed jackrabbit: V. 52, no. 4, p. 406, 1949.
5. Science for all of life: V. 57, no. 3, p. 255–260, 1954.

Monfort, Mrs. Edith

A layman looks at water: V. 59, no. 1, p. 118–123, 1956.

Montell, R. L.

See: Setzer, Henry W. 1.

Montgomery, Gerald Gene

Some aspects of the sociality of the domestic horse: V. 60, no. 4, p. 419–424, tables 1–3, 1957.

Moodie, Roy L.

1. The Carboniferous quadrupeds—those of Kansas, Ohio, Illinois, and Pennsylvania in their relation to the classification of the so-called Amphibia and Stegocephala: V. 22, p. 239–247, plate 1; plate 2, fig. 1–5; plate 3, 1909.
2. An embryonic plesiosaurian propodial: V. 23, p. 95–101, fig. 1–9, plate 1, 1909.

Moon, Eugene L.

Notes on hawk and owl pellet formation and identification: V. 43, p. 457–466, tables 1–2, 1940.

Moore, Kenneth

1. Scientific attitudes in relation to climatic fluctuations: V. 44, p. 366–368, 1941.
2. The effect of temperature changes upon the behavior of the white rat: V. 46, p. 217–219, 1943.

Moore, Ruth

See: Barton, Arthur W. 3.

Morin, Edmond A.

(and Choguill, Harold S.) Aldehyde derivatives of some metallic sulfamates: V. 53, no. 2, p. 212–216, tables 1–3.

Mosby, Larry D.

(and Lynn, William M.) Water birds resident in Kansas in summer, 1955: V. 59, no. 4, p. 455–458, map 1, 1956.

Moss, W. Glen

See: Branch, Hazel Elizabeth 6.

Mozley, Annie E.

List of Kansas snakes in the museum of the Kansas State University: V. 6, p. 34–35, 1878.

Mudge, B. F.

1. Geology of the Arkansas: V. 1, p. 50–53, 1872.
2. Red sandstone of central Kansas: V. 1, p. 37–39, 1872.
3. Recent discoveries of fossil footprints in Kansas: V. 2, p. 71–74, 1873.
4. Traces of the Mound Builders in Kansas: V. 2, p. 69–71, 1873.
5. A geological survey of Kansas: V. 3, p. 101–102, 1874.
6. Pliocene Tertiary of western Kansas: V. 3, p. 113–117, 1874.
7. Rare forms of fish in Kansas: V. 3, p. 121–122, 1874.
8. Bison *latifrons* in Kansas: V. 5, p. 10, 1877.
9. Cretaceous forests and their migrations: V. 6, p. 46–48, 1878.
10. Internal heat of the earth: V. 6, p. 49–51, 1878.
11. List of minerals found in Kansas: V. 7, p. 27–29, 1881.
12. Metamorphic deposits in Woodson County: V. 7, p. 11–13, 1881.

Mudge, Melville R.

Early Pleistocene geomorphic history of Wabaunsee, southeastern Riley and southern Pottawatomie counties, Kansas: V. 58, no. 2, p. 271–281, fig. 1–2, 1955.

Mueller, W. J.

Group interpretation of test results: V. 49, no. 4, p. 457–460, 1947.

Murphy, E. C.

1. Equation of the mean monthly 21-year temperature curve of Lawrence, Kansas: V. 12, p. 160–162, plate 1 unnumbered, 1890.
2. Some tests of cement manufactured in Kansas: V. 12, p. 12–15, tables 1–5, 1890.
3. Is the rainfall of Kansas increasing?: V. 13, p. 16–19, plates 1–2, unnumbered, tables 1–2, 1893.
4. Maximum bending moments for moving loads in a drawbeam: V. 13, p. 116–120, 1893.
5. Probable temperature of the summer in Lawrence, Kansas: V. 13, p. 58–60, 1893.
6. Seven-year periodicity in rainfall: V. 13, p. 60–62, tables 1–2, 1893.
7. The new water supply of the University of Kansas: V. 14, p. 98–99, 1896.

Murphy, Paul G.

The psychology of the individual: V. 53, no. 2, p. 103–118, 1950.

Murray, Agnes Anderson

Some experiments with the Mason fruit jar: V. 27, p. 131–132, 1915.

Murray, Harold D.

Unionid population of a one and one-half acre pond: V. 63, no. 4, p. 262–263, 1960.

Murrill, Rupert Ivan

1. On the use of IBM cards for large samples in human biology: V. 60, no. 1, p. 92–98, fig. 1–4, 1957.
2. Some aspects of human racial adaptation: V. 63, no. 3, p. 194–214, 1960.

Meyers, Charles W.

1. Amphibians and reptiles of Washington State Park, Washington County, Missouri: V. 60, no. 3, p. 288–294, 1957.
2. Amphibians and reptiles of Montauk State Park and vicinity, Dent County, Missouri: V. 62, no. 1, p. 88–90, 1959.

Meyers, H. E.

1. (and Johnson, E. W.) The cause and control of chlorosis in western Kansas: V. 36, p. 106–110, fig. 1–4, plates 1–2, 1933.
2. Soil moisture and winter wheat in Kansas: V. 43, p. 69–73, fig. 1–2, table 1, 1940.

Nabours, Robert K.

1. (and Stebbins, Florence M.) More or less potency of genes: V. 50, no. 3, p. 327–330, table 1, 1947.
2. See: Sabrosky, C. W. 1.

Nagge, J. W.

Seientific developments in psychology with implications for social change: V. 51, no. 4, p. 473–481, 1948.

Nakamura, Eugene L.

(and Smith, Hobart) A comparative study of selected characters in certain American species of watersnakes: V. 63, no. 2, p. 102–113, fig. 1–2, 1960.

Nelson, Bernard C.

See: Anderson, Sydney 1.

Nelson, Craig E.

Size and secondary sexual characters in the frog *Glossostoma alterrimum* Gunther: V. 65, no. 1, p. 87–88, fig. 1, 1962.

Nelson, Esther Bruner

(and Hall, Mina G.) The deterioration of silks by light of different wave lengths: V. 40, p. 301–303, 1938.

Newcomb, Margaret A.

A polygamous spirogyra: V. 40, p. 83–88, fig. 1–10, plate 1, 1938.

Newman, Edward B.

1. The validity of the just noticeable difference as a unit of psychological magnitude: V. 36, p. 172–175, tables 1–2, 1933.
2. See: Bartley, S. H. 1.

Newman, F. S.

(and Isenstark, A.) Comparison of chromatographic and microbiological assay methods for determination of nucleic acid in Newcastle virus: V. 64, no. 1, p. 7–15, 1961.

Newson, H. B.

Imaginary focal properties of conic: V. 12, p. 84–86, 1890.

Nibarger, Agnes

(and McKinley, Lloyd) Partial molal volumes of the binary systems—water cellasolve and water-carbitol: V. 41, p. 175, 1938.

Nichols, Edward L.

1. Experiments upon super-heated liquids and upon the super-saturation of vapors: V. 9, p. 91–95, 1885.
2. A classroom experiment on ebullition: V. 9, p. 27–38, 1885.
3. Statistics on color blindness in the University of Kansas: V. 9, p. 95–96, 1885.
4. On black and white: V. 10, p. 37–44, fig. 1–5, 1887.
5. (and Franklin, W. S.) On the destruction of passivity of iron in nitric acid by magnetization: V. 10, p. 13–19, fig. 1–3, 1887.
6. The sky: V. 10, p. 111–121, fig. 1–6, 1887.

Nininger, H. H.

1. A new Kansas meteorite: V. 31, p. 87–88, 1928.
2. Notes on Kansas meteorites, fall of December 17, 1923: V. 31, p. 88–91, 1928.
3. Pleistocene fossils from McPherson County, Kansas 1921–1924: V. 31, p. 96–97, 1928.

4. Another Kansas meteorite: V. 31, p. 91–94, 1928.
5. The bullock oriole in Kansas: V. 31, p. 99, 1928.
6. A new Kansas areolite referable to the fall of November 9, 1923: V. 31, p. 94–95, 1928.
7. The problematical hybrid grosbeak: V. 31, p. 98, 1928.
8. Notes on oxidation of certain meteorites and formation of meteorodes: V. 32, p. 63–67, fig. 1–6, 1929.
9. Kansas meteorites since 1925: V. 39, p. 169–183, fig. 1–7, 1937.
10. Kansas meteorite discoveries, 1873–1948: V. 52, no. 1, p. 110–112, 1949.
11. Significance of the Norton, Kansas meteorite: V. 52, no. 1, p. 113–115, 1949.
12. The Pierceville oxidized siderite: V. 56, no. 2, p. 255–256, 1953.

Nixon, C. William

See: Smith, Hobart M. 10.

Nixon, Earl K.

The petroleum industry in Kansas: V. 51, no. 4, p. 369–424, tables 1–20, 1948.

Nordin, Ivan C.

See: Burgstahler, Albert W.

Nordin, Phillip

Sorghum grain: the soluble sugars: V. 62, no. 3, p. 212–215, fig. 1–2, table 1, 1959.

Norton, J. B. S.

A bibliography of literature relating to the effects of wind on plants: V. 16, p. 103–105, 1899.

Novak, J. D.

See: Breukelman, J. 11.

Nusser, W. L.

See: Herrick, E. H. 11.

Oakes, Wm. F.

An alternative interpretation of "Absolute Pitch": V. 54, no. 3, p. 396–406, 1951.

Obee, D. J.

1. Noteworthy anatomical features from the wood of some indigenous Kansas shrubs and lianas: V. 37, p. 83–90, fig. 1–4, plate I, tables 1–3, 1934.
2. The occurrence of *Sclerotium delphinii* Welch in Kansas: V. 38, p. 105–106, 1935.
3. A note on the canker disease of gardenias: V. 39, p. 103–104, 1937.
4. Studies on the host range of *Sclerotium delphinii* Welch: V. 40, p. 89–94, fig. 1–4, 1938.

O'Connor, Howard G.

Notes on the ground-water resources of Chase County, Kansas: V. 52, no. 3, p. 399–405, table 1, fig. 1–2, 1949.

Oelrich, Thomas M.

A new testudo from the Upper Pliocene of Kansas with additional notes on associated Rexroad mammals: V. 55, no. 3, p. 300–311, fig. 1–4, 1952.

Older, Harry Jay

Personal experiences underlying the formulation of attitudes of liberalism and conservatism: V. 43, p. 345–347, 1940.

Olmsted, James M. D.
See: Fleming, David G. 1.

Olsen, Allen L.
1. (and Washburn, E. Roger) An interpolation table for refractive index-normality relationship for solutions of hydrochloric acid and sodium hydroxide: V. 40, p. 117–126, tables 1–2, 27 unnumbered, 1938.
2. (and Toomey, Rex F.) Surface structure and paint-adhesion mechanisms of softwoods: V. 42, p. 221–227, fig. 1–5, 1939.

Olson, Robert
See: Hermanson, Loe L. 2.

Oncley, Lawrence
The teaching of general chemistry: V. 40, p. 49–53, 1938.

Orazem, Frank
1. Mathematical programming—a new tool in agricultural economics research: V. 60, no. 4, p. 453–456, 1957.
2. See: Wearden, S.

O'Roke, Earl C.
1. Life cycles of certain trematodes: V. 28, p. 255, 1918.
2. Frogs and frogging: V. 30, p. 448–451, 1922.
3. Notes on larval trematodes from Laramie plains: V. 30, p. 195–196, 1922.

Orr, Tom G., Jr.
(and Latimer, Homer B.) The collateral circulation in the hind limb of the cat: V. 42, p. 481–482, 1939.

Osborn, Courtney D.
See: Palmer, Martin F. 1.

Osborn, W.
The cottonwood leaf beetle: V. 4, p. 25–26, 1875.

Otis, D. H.
Root tubercles and their production by inoculation: V. 16, p. 88–102, plates 6–8, tables 1–4, fig. 1–5, 1899.

Onye, L. G.
See: Kramer, C. L. 8.

Overman, Chauncey
Notes on some mosquitoes of Douglas County: V. 20, p. 133–135, 1906.

Owen, Don E.
See: Angino, Ernest E.

Owen, LaRue
See: Hershey, J. Willard 15.

Oyer, Earl R.
Identification of mammals from studies of hair structure: V. 49, no. 2, p. 155–160, plate 1, fig. I–IX; plate 2, fig. X–XIX, 1946.

Packard, Robert L.
1. Notes on the defensive behavior of gray and fox squirrels while moving their young: V. 57, no. 4, p. 471–472, 1952.
2. See: Fitch, Henry S. 2.
3. See: Stains, Howard J. 2.

Paddock, Winnifred

Spermatogenesis in *Chrysochus auratus*: V. 36, p. 275–282, fig. 1–18, plates 1–3, 1933.

Pady, S. M.

1. Variations in systemic infections of *Uromyces caladii*: V. 42, p. 151–155, fig. 1, plate unnumbered, table I, 1939.
2. Preliminary observation on the aecial hosts of *Melampsorella*: V. 43, p. 147–153, fig. 1–5, plate 1, 1940.
3. Further notes on the witches' brooms and the substomatal pycnic of *Melampsorella*: V. 44, p. 190–201, plates 1–3, fig. 1–14, 1941.
4. (and Johnston, C. O.; and Hansing, E. C.) Kansas mycological notes, 1945: V. 49, no. 2, p. 175–183, table 1, 1946.
5. (and Hansing, E. D.; and Johnston, C. O.) Kansas mycological notes, 1946: V. 50, no. 1, p. 45–54, tables 1–2, fig. 1–3, 1947.
6. An improved slit sampler for aerobiological investigations: V. 57, no. 2, p. 157–163, fig. 1–3, 1954.
7. (and Kramer, C. L.) Kansas aeromycology X: Basidiomycetes: V. 63, no. 3, p. 125–134, 1960.
8. See: Kramer, C. L. 8.
9. See: Kramer, C. L. 9.
10. See: Kramer, C. L. 10.
11. See: Kramer, C. L. 11.
12. See: Kramer, C. L. 12.
13. See: Kramer, C. L. 14.
14. See: Kramer, C. L. 15.

Painter, Reginald H.

1. Notes on type specimens and descriptions of new North American Bombyliidae: V. 42, p. 267–301, fig. 1 unnumbered on plate I; fig. 16 unnumbered on plate II, 1939.
2. The wheat stem sawfly in Kansas: V. 56, no. 4, p. 432–434, fig. 1–2, 1953.
3. See: Pathak, M. D.

Palmer, Martin

(and Osborn, Courtney D.) One thousand consecutive cases of speech defects: V. 41, p. 263–266, 1938.

Park, Helen

1. (and Hall, E. Raymond) The gross anatomy of the tongues and stomachs of eight New World bats: V. 54, no. 1, p. 64–72, fig. 1–34, 1951.
2. The heart and its vessels in some New World bats: V. 57, no. 2, p. 197–199, fig. 1–4, 1954.

Parker, John D.

1. Organization and history, Sept. 1, 1868: V. 1, p. 3–7, 1872.
2. The river bluffs: V. 5, p. 72–75, 1877.
3. Memorial of Professor Benjamin F. Mudge: V. 7, p. 7–11, 1881.
4. Mounds in Davis (Geary) County: V. 10, p. 72–73, 1887.

Parker, John H.

1. A review of the literature on the rusts of oats with notes on their distribution in the United States: V. 30, p. 71–118, table 14, 1922.
2. See: Johnston, C. O. 1.

Parker, J. S.

Notes on the photography of wild birds: V. 22, p. 369–375, photographs 1–3, 1909.

Parker, Ralph L.

1. The importance of honey production during war time: V. 47, no. 2, p. 191–193, 1944.
2. See: Rashad, Salah El-Din.

Parker, R. V.

See: Schoewe, Walter H. 7.

Parkert, C. W.

(and Perkins, A. T.; and Dragsdorf, R. D.) Decomposition of minerals by grinding: V. 53, no. 3, p. 386–397, fig. 1–9, 1950.

Parmalee, Paul W.

See: Smith, Philip W. 2.

Parmenter, C. S.

Fossil turtle cast from the Dakotah epoch: V. 16, p. 67, plate 4, 1899.

Parrish, D. B.

1. (and Caldwell, M. J.; and Schumacher, A. E.) The stability of vitamin A in an experimental poultry feed: V. 47, no. 3, p. 375–379, unlabeled chart, 1945.
2. (and Alm, O. W.; Shimer, E. Roberta; and Hughes, J. S.) The similar effect of rations containing butter fat or corn oil upon the maze-learning ability of rats: V. 50, no. 3, p. 331–337, tables 1–2, fig. 1, 1947.
3. See: Caldwell, M. J. 3.

Parrott, Percy J.

The elm twig-girdler (*Oncideras cingulatus* Say): V. 16, p. 200–202, fig. 1–4, 1899.

Paslay, Lucille A.

(and Brooks, Travis E.) Antibiotic production in the Gymnoascaceae with reference to the nitrogen source: V. 53, no. 1, p. 55–63, plate 1, tables 1–2, 1950.

Pathak, M. D.

(and Painter, R. H.) Geographical distribution of the four biotypes of corn leaf aphid, *Rhopalosiphum maidis* (Fitch) in Kansas: V. 62, no. 1, p. 1–8, fig. 1–5, 1959.

Patrick, G. E.

1. (and Aubert, Alfred B.) On determining the solubilities of metallic salts: V. 3, p. 117–120, fig. 1–2 unnumbered, 1874.
2. Kansas chalk: V. 4, p. 13–15, 1875.
3. Analysis of Kansas soils: V. 4, p. 15–16, 1875.
4. Analysis of salt: V. 4, p. 17, 1875.
5. The Waconda meteorite: V. 5, p. 13–14, 1877.
6. The Iola gas well: V. 5, p. 14–16, 1877.
7. The Great Spirit spring: V. 7, p. 22–26, 1881.
8. Protozoan remains in Kansas chalk: V. 8, p. 26–27, fig. A–G, 1883.

Patton, Helen M.

See: Taft, Robert 42.

Pattly, F. A.

(and Sayre, L. E.) A kitchen disinfectant: V. 30, p. 362–366, 1922.

Pauli, A. W.

1. See: Mitchell, H. L. 5.
2. See: Stickler, F. C. 2.

Payne, Sister M. Anthony

1. Are mitochondria dynamic cytoplasmic structures?: V. 36, p. 283–297, fig. 1–10, plates 1–2, 1933.
2. The third dimension in the teaching of biology: V. 41, p. 295–298, fig. 1, 1938.

Pelon, W.

See: Eisenstark, A. 1.

Peniston, Francis L.

(and Harris, John O.) A study of the respiration of *Micrococcus lysodeikticus* in the presence of lysozyme: V. 56, no. 1, p. 67–73, fig. 1, tables 1–2, 1953.

Peppler, H. J.

1. (and Twiehaus, M. J.) *Equine sporotrichosis*: V. 45, p. 40–46, fig. 1–7, 1942.
2. The heat resistance of *Streptococcus thermophilus* grown in mixed culture with caseolytic bacteria: V. 45, p. 36–39, tables I–III, 1942.
3. Acid liquid media for the isolation of fungi: V. 46, p. 80, 1943.

Perkins, Alfred T.

1. Symmetry in visual memory: V. 33, p. 48, 1930.
2. (and Barham, H. N.; and King, H. H.) Exchangeable bases by soxhlet extraction: V. 35, p. 144–145, table 1, 1932.
3. (and King, H. H.) Base exchange in soils: V. 38, p. 163–170, tables 1–4, 1935.
4. (and Merrill, J. F.) Comparative analyses of molasses: V. 40, p. 131–133, tables 1–2, 1938.
5. (and Horne, LeRoy; and King, H. H.) Humidity and specific gravity of soil particles: V. 40, p. 127–129, tables 1–2, 1938.
6. (and Metzger, W. H.; and King, H. H.) Phosphorous absorption by wheat as influenced by applications of lime and phosphorus: V. 42, p. 229–232, tables I–III, 1939.
7. Phosphate fixation by soil, minerals IV General: V. 48, no. 2, p. 209–217, 5 unnumbered graphs, 1945.
8. Structure of kaolin and related minerals: V. 50, no. 2, p. 208–215, fig. I–VI, 1947.
9. (and Schrenk, W. G.) The analysis and characteristics of selected Kansas soils: V. 51, no. 2, p. 215–223, tables I–VIII, graphs 1–2, 1948.
10. (and Mitchell, Howard L.) Differential thermal analysis of organic compounds: V. 60, no. 4, p. 437–440, plates I–X, 1957.
11. See: Parkert, C. W. 1.

Perry, Kenneth

See: Leone, Charles A. 5.

Peterka, H. E.

A study of the myology and osteology of tree sciurids with regard to adaptation to arboreal, glissant, and fossorial habits: V. 39, p. 313–332, 1937.

Peters, Kay

A physiological study of the effect of hibernation on the ornate box turtle: V. 62, no. 1, p. 15–20, 1959.

Peterson, H. J.

1. See: Peterson, J. C. 3.
2. See: Peterson, J. C. 4.

Peterson, J. C.

1. A new device for use in teaching, testing, and research in learning: V. 33, p. 31–47, fig. 1–3, 1930.
2. The value of guidance in reading for information: V. 34, p. 291–296, tables 1–3, 1931.
3. (and Peterson, H. J.) Reducing the cost of tests without impairment of their value: V. 35, p. 132–140, 1932.
4. (and Peterson, H. J.; and Higginbottom, H. H.) Further economics and new values in objective testing: V. 36, p. 176–180, 1933.

5. An economical method of scoring tests with differentially weighted items: V. 37, p. 187–188, 1934.
6. Further observations concerning centripetal drift: V. 43, p. 349–354, 1940.
7. (and Strickland, V. L.) The preparation and certification of workers in guidance and student counseling: V. 44, p. 369–371, 1941.
8. Some factors and pitfalls in the application of knowledge: V. 51, no. 4, p. 437–452, 1948.
9. A uniform test of mental performance: V. 58, no. 2, p. 259–264, tables 1–9, 1955.

Pettit, Edison

1. Observations on Jupiter at the opposition, 1915: V. 28, p. 49–50, 1916.
2. Celestial photography with the Washburn telescope: V. 28, p. 51–52, 1918.
3. Note on a device for settling a heliostat in the meridian: V. 28, p. 53, 1918.

Pettit, Robert M.

Vertebrate remains in barn owl pellets from Stanton County, Kansas: V. 54, no. 3, p. 395, table 1, 1951.

Piemeisel, R. L.

See: Shantz, H. L.

Pittman, Martha S.

See: Atkinson, Esther 1.

Plank, E. N.

A preliminary notice of the flora of Montgomery County, Kansas: V. 8, p. 33–34, 1883.

Plenert, M. L.

See: West, R. R.

Poindexter, Jerold D.

Natural hybridization among *Verbena stricta*, *V. hastata*, and *V. urticifolia* in Kansas: V. 65, no. 4, p. 409–419, fig. 1–6, 1962.

Pond, Karl S.

See: Carman, J. Neale 1.

Ponder, Luke H.

See: Leonard, A. Byron 4.

Ponder, Wanda

See: Gier, L. J. 9.

Pool, B. E.

(and Sayre, L. E.) The value of corn oil as a substitute for olive oil and cottonseed oil: V. 26, p. 41–42, 1914.

Popenoe, Edwin A.

1. A list of Kansas Coleoptera: V. 5, p. 21–40, 1877.
2. Additions to the catalogue of Kansas Coleoptera: V. 6, p. 77–86, 1878.
3. Contributions to a knowledge of the Hemiptera-fauna of Kansas: V. 9, p. 62–64, 1885.
4. List of Unionidae collected in Kansas rivers, with localities: V. 9, p. 78–79, 1885.
5. Note on the oviposition of a wood-borer: V. 12, p. 15–16, 1890.

Popp, Frank D.

(and McEwen, W. E.) Polyphosphoric acid as a reagent in organic chemistry, II: V. 63, no. 3, p. 169–193, 1960.

Porter, Fred B.

1. Analysis of the Mississippian (Subcarboniferous) limestone from the Atchison prospect well: V. 17, p. 52, 1901.
2. Crystalline liquids: V. 18, p. 54–56, 1903.

Portrum, Donald C.

A supplementary method of color-discrimination for the red-green color blind: V. 36, p. 181–185, table 1, 1933.

Potter, A. A.

Factors influencing the teaching of science and engineering: V. 30, p. 69–71, 1922.

Potter, Myra

(and Kramer, M. M.) Some observations of the effect of the addition of iron to an adequate diet: V. 32, p. 31–33, 1929.

Powell, Jackson O.

See: Cottle, Wm. C. 1.

Powell, L. M.

See: Bailey, E. H. S. 4.

Pownall, Jo. E.

See: Cottle, W. C. 3.

Price, John H.

Parasitism in *Aphyllon uniflorum*: V. 14, p. 132, 1896.

Price, John N., Jr.

Rock exposures about Atchison: V. 14, p. 218–219, fig. 1 unnumbered, 1896.

Prickett, Marjorie

1. See: Harman, Mary T. 3.
2. See: Harman, Mary T. 4.
3. See: Harman, Mary T. 5.
4. See: Harman, Mary T. 6.

Prince, S. Fred

See: Gates, Frank C. 13.

Prophet, Carl

A winter population of *Streptocephalus seali* Ryder inhabiting a roadside ditch in Lyon County, Kansas: V. 62, no. 2, p. 153–161, fig. 1–2, 1959.

Pronko, N. H.

1. (and Snyder, F. W.; and Allen, G. W.) Changing orientations toward the role of physiological factors in psychopathology: V. 52, no. 3, p. 386–395, 1949.
2. (and Bowles, J. W., Jr.) A progress report on some experiments with cola beverages: V. 52, no. 1, p. 82–85, tables I–VI, 1949.
3. (and Snyder, F. W.) Ethical reactions and socio-economic level: V. 53, no. 4, p. 544–547, tables I–II, 1950.
4. The organism in physiology and in psychology: V. 57, no. 4, p. 501–508, 1954.
5. See: Synolds, D. L. 1.

Puffinbarger, J. P.

See: Rizzo, Nicholas D. 2.

Radcliffe, H.

See: Blake, Lucien 3.

Rainey, Dennis G.

1. (and Stains, Howard J.) Early seasonal record of the red bat in Kansas: V. 57, no. 1, p. 85, 1954.
2. (and Robinson, Thane S.) Food of the long-eared owl in Douglas County, Kansas: V. 57, no. 2, p. 206–207, table 1, 1954.
3. Observations on the white-footed mouse in eastern Kansas: V. 58, no. 2, p. 225–228, 1955.

Randolph, Vance

1. A list of butterflies of Crawford County, Kansas: V. 30, p. 59–61, 1922.
2. A preliminary study of the life history and habits of *Dione vanillae*: V. 30, p. 351–360, 1922.

Rankin, Roy

1. See: Search, Herman 1.
2. An investigation of the composition of the mother liquor of the dimethyl acetal of alpha-hydroxy-beta-methoxy-beta-phenyl propiopheonone: V. 35, p. 158–160, 1932.
3. See: Runyon, H. Everett 1.
4. See: Runyon, H. Everett 3.

Rapaport, David

1. Recent developments in clinical psychology: V. 45, p. 290–293, 1942.
2. See: Reichard, Suzanne.

Rarick, Lawrence

The lime content of rocks of the Upper Cretaceous system of Ellis County, Kansas: V. 39, p. 121–126, fig. 1, tables 1–2, 1937.

Rashad, Salah El-Din

(and Parker, Ralph L.) Pollen as a limiting factor in brood rearing and honey production during drought years, 1954, 1955, and 1956: V. 61, no. 3, p. 237–248, fig. 1–2, 1958.

Raymond, H. L.

Ultramarine blue in sugars: V. 11, p. 25, 1889.

Read, B. W.

1. (and Read, W. G.; and Zinszer, H. A.) Proper mixtures of Ellis County soils for adobe construction and their physical properties: V. 52, no. 4, p. 422–437, tables I–V, fig. 1–3, 1949.
2. (and Read, W. G.; and Zinszer, H. A.) Proper mixtures of Ellis County soils for adobe construction, and their physical properties: V. 53, no. 4, p. 557–577, tables I–VI, fig. 1–9, 1950.

Read, W. G.

1. See: Read, B. W. 1.
2. See: Read, B. W. 2.

Reagan, Albert B.

1. Notes on the flora of the Rosebud Indian Reservation, South Dakota: V. 20, p. 190–196, 1906.
2. Dances of the Memez Pueblo Indians: V. 20, p. 241–272, fig. 1–9 unnumbered, 1907.
3. Some geological studies on northwestern Washington and adjacent British territory: V. 20, p. 95–121, maps 1–2, unnumbered, plates 1–2, fig. 1–19, 1907.
4. Animals, reptiles, and amphibians of the Rosebud Indian Reservation, South Dakota: V. 21, p. 163–164, 1908.
5. Sketches of Indian life and character: V. 21, p. 207–214, 1908.

6. Some sea shells from LaPush, Washington: V. 21, p. 168–177, plates 1–4, fig. 3, 5–10, 13–16, 18–19, 24–28, 32, 34, 37, 40–41, 43–46, 58–59c, 63, 64, 69, 71–93, 1908.
7. Summary of glacial literature relating to glacial deposits: V. 21, p. 86–110, 1908.
8. Sketches of Indian life and character: V. 23, p. 141–149, 1909.
9. Some notes on the Olympic Peninsula, Washington: V. 22, p. 131–238, plates 1–6, fig. 1–65, fig. 1–4 unnumbered, map 1 unnumbered, 1909.
10. Birds of the Olympic Peninsula, Washington: V. 24, p. 242–272, 1910.
11. The glacial epoch: V. 26, p. 70–83, 1914.
12. The marine Tertiary stratigraphy of the North Pacific coast of North America—a review: V. 27, p. 47–49, 1915.
13. A probable origin of the rings of Saturn: V. 27, p. 43–46, 1915.
14. Birds of the Bois Fort Indian Reservation and adjacent territory in Minnesota: V. 28, p. 232–240, 1918.
15. The Shoshoni-Goship Indians: V. 28, p. 227–232, 1918.
16. Correlation of the formations described in the Fort Apache region in Arizona with similar formations in other parts of the state: V. 29, p. 178–180, 1920.
17. The mine center mining district, Ontario, and adjacent territory in the United States: V. 29, p. 181–183, 1920.
18. A plague of cholera infantum at Nett Lake, Minnesota in the fall of 1913: V. 29, p. 185–186, 1920.
19. Archaeological notes on Pine River Valley, Colorado, and the Keyenta-Tuba region, Arizona: V. 30, p. 245–331, pictures 1–8, plates 1–2, 1922.
20. Archaeology of the Tuba-Kayenta region: V. 30, p. 394–429, plates 1–6, pictures 1–3, 1922.
21. Concluding report on the archaeology of the Tuba-Kayenta region: V. 31, p. 142–145, map 1, 1922.
22. Flood myths of the Bois Fort Chippewas: V. 30, p. 437–443, 1922.
23. The "Flu" among the Navajos: V. 30, p. 131–138, 1922.
24. Glacial deposits in the Pine River Valley, Colorado: V. 30, p. 129–130, 1922.
25. Hunting and fishing of various tribes of Indians: V. 30, p. 443–448, 1922.
26. Plague among chickens in central Iowa during the summer of 1918: V. 30, p. 130, 1922.
27. Probable Eocene glacial deposits in the Fort Apache region, Arizona: V. 30, p. 126–129, 1922.
28. Some notes of the Lumni-Noonsack Indians, Washington: V. 30, p. 429–437, 1922.
29. Some suggestions on climate: V. 30, p. 139, 1922.
30. Archaeology of the cornfields—Ganado region, Arizona: V. 31, p. 146–185, fig. 1–2, map 2, 1923.
31. Archaeology of the cornfields—Ganado region, Arizona, 1924 report: V. 31, p. 186–195, fig. 3, 1928.
32. Archaeology of the cornfields—Ganado region, Arizona, 1925 report: V. 31, p. 196–201, fig. 4, 1928.
33. Archaeology of the cornfields—Ganado region, Arizona, 1926 report: V. 31, p. 202–207, 1928.
34. Archaeology of the cornfields—Hopi Buttes field, Arizona, 1927 report: V. 31, p. 207–211, 1928.
35. Archaeology of the cornfields region, Arizona: V. 31, p. 211–216, 1928.
36. Pottery types in the cornfields—Hopi Buttes region, Arizona: V. 31, p. 217–279, plate A, fig. 1–4, tables 1–2; plate B, fig. 1–4; plate C, fig. 1–4; plate D, fig. 1–3; plate E, fig. 1–4, 1928.
37. Geology of the Deep Creek Reservation, Utah: V. 32, p. 104–116, maps 1–2, 1929.
38. Archaeological notes on the Fort Apache region: V. 33, p. 111–132, map 1, pictures 1–4, 1930.
39. The pictographs of Ashley and Dry Fork valleys in northeastern Utah: V. 34, p. 168–216, fig. 1–7, 1931.

40. Geological notes on the Fort Apache region, Arizona: V. 35, p. 260–273, map 1, 1932.
41. Some geological notes of the Upper Cretaceous of Black Mesa, Arizona: V. 35, p. 232–252, plate 1-F, 1932.
42. The Tertiary-Pleistocene of the Navajo country, Arizona with a description of some of its included fossils: V. 35, p. 253–259, plate 1, 1932.
43. Anciently inhabited caves of the Vernal (Utah) district, with some additional notes on Nine Mile Canyon, northeast Utah: V. 36, p. 41–70, fig. 1–20, plates 1–8, 1933.
44. Additional archaeological notes on the Uintah Basin in northwestern Utah: V. 37, p. 39–54, fig. 1–5, 1934.
45. Plants used by the Hoh and Quileute Indians: V. 37, p. 55–70, 1954.
46. Some myths of the Hoh and Quillayute Indians: V. 38, p. 43–87, 1935.

Reardon, Anna Joyce

The solarized latent photographic image: V. 42, p. 385–388, fig. 1–2, 1939.

Redstone, Marion

See: Leone, Charles A. 8.

Reed, Charles A.

(and Marx, Hymen) A herpetological collection from northeastern Iraq: V. 62, no. 1, p. 91–122, fig. 1–6, 1959.

Reed, Homer B.

1. Comparative achievement in high school of graduates from graded and ungraded elementary schools: V. 41, p. 267–270, tables 1–2, 1938.
2. Some contributions of psychology to the war effort: V. 46, p. 298–302, 1943.
3. Why do some colleges reach a higher level of achievement than others: V. 47, no. 1, p. 111–121, tables 1–5, fig. 1–2, 1944.
4. The influence of set on the learning and retention concepts: V. 47, no. 3, p. 391–403, tables I–III, 1945.
5. The number of exceptional children in Kansas: V. 49, no. 3, p. 333–345, tables 1–5, 1946.
6. Trends in science teaching in Kansas high schools for the years 1940–1950: V. 54, no. 4, p. 515–525, tables 1–12, 1951.

Reed, Minnie

1. Some notes on condensed vegetation in western Kansas: V. 13, p. 91–96, 1893.
2. Ferns of Wyandotte County, Kansas: V. 14, p. 150–151, 1896.
3. Kansas mosses: V. 14, p. 152–199, plates 1–35.
4. Long continued blooming of *Malvastrum coccineum*: V. 14, p. 132, 1896.

Reese, Robert W.

(and Firschein, I. Lester) Herpetological results of the University of Illinois field expedition, 1949: V. 53, no. 1, p. 44–54.

Rehn, James A. G.

Notes and descriptions of Orthoptera from the western United States in the entomological collections of the University of Kansas: V. 19, p. 221–231, plate 28, 1905.

Reichard, Suzanne S.

(and Schneider, Marion; and Rapaport, David) The development of concept formation in children: V. 46, p. 220–223, tables I–III, 1943.

Reinisch, E. F. A.

The weakening effect on a species of plants being continually reproduced by artificial means: V. 30, p. 62–63, 1922.

Reiser, Ralph

(and Tasch, Paul) Investigation of the viability of osmophile bacteria of great geology age: V. 63, no. 1, p. 31–34, 1960.

Reitz, Louis P.

1. Indications of hail resistance among varieties of winter wheat: V. 45, p. 128–137, tables 1–5, fig. 1–2, 1942.
2. (and Johnston, C. O.; and Anderson, K. L.) New combinations of genes in wheat × wheatgrass hybrids: V. 48, no. 2, p. 151–159, tables I–II, fig. 1–3, 1945.

Renich, Paul W.

(and Taft, Robert) The electrodeposition of lead in the presence of wetting agents: V. 48, no. 2, p. 169–185, 13 unnumbered tables, 1945.

Reynolds, Charles A.

1. See: Lichtenstein, Ivan.
2. See: Mohilner, P. R.

Reynolds, Floyd

Psychological problems involved in the private employment of non-school NYA young people in Ellis County: V. 42, p. 397–400, 1939.

Rice, Mary A.

1. See: Bailey, E. H. S. 18.
2. The inverse of conics and conicoids from the center: V. 14, p. 14–28, 1896.

Riddell, W. H.

1. See: Kunerth, Bernice L. 2.
2. See: Kunerth, Bernice L. 5.

Riedesel, Marvin

Serum magnesium levels in mammalian hibernation: V. 60, no. 2, p. 99–141, table XII, fig. 1–6, 1957.

Riegel, Andrew

1. A study of the variations in the growth of the blue grama grass from seed produced in various sections of the Great Plains region: V. 43, p. 155–171, tables 1–9, plates 1–2, fig. 1–5, 1940.
2. Life history and habits of blue grama: V. 44, p. 76–85, fig. 1–8, 1941.
3. Some coactions of rabbits and rodents with cactus: V. 44, p. 96–103, table 1, fig. 1–5, 1941.
4. Some observations of food coactions of rabbits in western Kansas during periods of stress: V. 45, p. 369–375, table I, 1942.
5. A source study of blue grama grass and the effect of different treatments on establishing stands of grass under field conditions at Hays, Kansas: V. 46, p. 102–109, tables I–III, fig. 1–3, 1943.
6. A comparative study of natural and artificial revegetation of land retired from cultivation at Hays, Kansas: V. 47, no. 2, p. 195–214, tables 1–3, fig. 1–12, 1944.
7. Forage yields (1945) of various native pasture grasses established artificially at Hays, Kansas, in 1941: V. 50, no. 2, p. 174–190, tables I–III, fig. 1–6, 1947.
8. (and Albertson, F. W.; and Hopkins, Harold H.) Yields and utilization of forage on a mixed prairie in west central Kansas: V. 53, no. 4, p. 455–472, tables 1–2, fig. 1–8, 1950.
9. See: Bugbee, Robert E. 4.
10. See: Hopkins, Harold 2.

Riegel, D. A.

See: Hopkins, Harold H. 3.

Riesen von, V. Lyle

Studies on bacteria-surface active agent relationships, I, decomposition of anionic SAA by bacteria: V. 58, no. 3, p. 337–344, table 1, fig. 1–5, 1955.

Riggs, E. S.

A rare cameloid from the late Pleistocene sands of southwestern Kansas: V. 48, no. 1, p. 101–104, fig. 1–2, 1945.

Riley, C. V.

Locust flights east of the Mississippi: V. 5, p. 62–64, 1877.

Rinker, George C.

Litter records of some mammals of Meade County, Kansas: V. 45, p. 376–378, 1942.

Rizzo, Nicholas D.

1. Relation between reading tests scores and freshman grades: V. 38, p. 247–257, 1935.
2. (and Puffinbarger, J. O.) A remedial program for probationary college students: V. 39, p. 231–235, 1937.

Roan, C. C.

See: Kaplanis, John N.

Robertson, George M.

1. Monument Rocks, Gove County, Kansas—geology: V. 42, p. 325–326, 1939.
2. An Upper Silurian vertebrate horizon, with description of a new species, *Cephalaspis oeselensis*: V. 42, p. 357–363, unnumbered plate, fig. 1–2, 1939.
3. I Geology—the Castle Rock area in Gove County, Kansas: V. 43, p. 301–302, 1940.
4. The sensory canal system in some early vertebrates: V. 43, p. 467–471, plate 1, fig. 1–3, 1940.
5. *Witaspis patteni*, a new ostracoderm from the Upper Silurian of Oesel: V. 43, p. 297–298, plate 1, 1940.
6. The ostracoderm order Anaspida, with description of some Upper Silurian material: V. 44, p. 314–317, fig. 1, 1941.
7. (and Sternberg, George F.) Fossil mammal tracks in Graham County, Kansas: V. 45, p. 258–261, fig. 1–5, 1942.

Robinson, Thane S.

1. (and Baker, Rollin H.) Climatic factors affecting the 1951 Kansas bobwhite population as shown by examination of wings from hunter-killed birds: V. 55, no. 3, p. 287–296, fig. 1–5, table 1, 1952.
2. (and Baker, R. H.) Climatic factors affecting Kansas bobwhites in 1952: V. 56, no. 3, p. 315–320, fig. 1–2, 1953.
3. (and Baker, R. H.) Climatic factors affecting Kansas bobwhites in 1953: V. 57, no. 3, p. 298–302, fig. 1–2, 1954.
4. (and Baker, R. H.) Climate and bobwhite quail in Kansas, 1951–1954: V. 58, no. 3, p. 353–359, fig. 1–2, 1955.
5. Climate and bobwhites in Kansas in 1956: V. 60, no. 3, p. 283–287, 1957.
6. Climate and bobwhites in Kansas in 1955: V. 59, no. 2, p. 206–212, tables 1–2, fig. 1, 1956.
7. Notes on the development of a brood of Mississippi kites in Barber County, Kansas: V. 60, no. 2, p. 174–180, fig. 1, table 1, 1957.
8. See: Rainey, Dennis G. 2.

Robinson, W. J.

Some factors affecting amount and nature of flora in central Kansas: V. 32, p. 55–59, 1929.

Roemer, Raymond F.

The effects of different intensities of grazing upon three varieties of wheat in western Kansas: V. 46, p. 110–114, 1943.

Rogers, Burton R.

Tuberculosis: V. 21, p. 141–149, 1908.

Rogers, Nelson F.

The growth and development of black walnut (*Juglans nigra* L.) on the coal strip-mined land in southeast Kansas: V. 52, no. 1, p. 99–104, 1949.

Rogerson, Clark T.

1. Kansas mycological notes, 1951: V. 56, no. 1, p. 53–57, 1953.
2. Kansas mycological notes, 1952: V. 57, no. 3, p. 280–284, 1954.
3. Kansas mycological notes, 1953–1954: V. 59, no. 1, p. 39–48, 1956.
4. Kansas mycological notes, 1955–1956: V. 60, no. 4, p. 370–375, 1957.
5. Kansas mycological notes, 1957: V. 61, no. 3, p. 262–272, 1958.
6. Kansas aeromycology I. Comparison of media: V. 61, no. 2, p. 155–162, 1958.
7. See: Hansing, E. D. 5.
8. See: Hansing, E. D. 6.
9. See: Kramer, C. L. 8.
10. See: Kramer, C. L. 9.
11. See: Kramer, C. L. 10.
12. See: Kramer, C. L. 11.
13. See: Shaffer, Robert 1.
14. See: Slagg, C. M. 1.
15. See: Swarup, Gopal.

Roofe, Paul G.

1. (and Bingham, Hal G.; and Comer, Ralph) Effect of radiation from intraperitoneally injected radium chloride upon megakaryocyte and blood platelet production in albino rats: V. 54, no. 3, p. 391–394, fig. 1–2, 1951.
2. (and Lesher, Samuel W.) Recent advances in the study and techniques of anatomy: V. 54, no. 2, p. 115–129, 1951.
3. Research and medical education: V. 54, no. 1, p. 23–27, 1951.
4. The science of anatomy in an integrated program: V. 58, no. 1, p. 1–8, 1955.
5. A preliminary report on bioelectric potentials in embryos: V. 58, no. 3, p. 412–413, fig. 1, 1955.
6. See: Azarnoff, Daniel L. 1.
7. See: Comer, Ralph D. 1.
8. See: Howieson, John L. 1.
9. See: Russell, Marion F., Jr. 1.

Ross, Bennington

(and Hall, Harry H.) A preliminary survey of the flora of Crawford County State Park, Kansas: V. 42, p. 157–164, map unnumbered, 1939.

Roth, E. A.

1. See: Baxter, R. W. 3.
2. See: Baxter, R. W. 4.

Runnels, Russell T.

1. See: Carlson, William A. 1.
2. See: Swineford, Ada 1.

Runyon, H. Everrett

1. (and Rankin, Roy) The bromide and iodine content of the subsurface waters of Russell, Ellis, and Trego counties, Kansas: V. 39, p. 127–128, table 1, 1937.

2. Distribution of seeds by dust storms: V. 39, p. 105–113, tables 1–3, 1937.
3. (and Rankin, Roy) Some oil well waters of Russell, Ellis and Trego counties: V. 43, p. 235–241, tables 1–4, 1940.

Runyon, Noel R.

1. The effect of season of growth and clipping of blue grama (*Bautelona gracilis*) at Hays, Kansas: V. 46, p. 116–121, tables I–II, fig. 1–2, 1943.
2. The chemical composition of forbs in the native pastures at Hays, Kansas: V. 49, no. 4, p. 441–443, table 1, 1947.

Russell, Marion F., Jr.

(and Roofe, Paul G.) An experimental approach to the origin of blood platelets: V. 58, no. 4, p. 531–544, tables 1–3, fig. 1–6, 1955.

Russell, Ned M.

Methods employed by first-grade children in solving arithmetic problems: V. 39, p. 237–238, 1937.

Russell, Robert J.

(and Jones, J. Knox, Jr.) The taxonomic status of *Geomys bursarius vanaceus* Swenk: V. 58, no. 4, p. 512–513, 1955.

Sabrosky, C. W.

(and Larson, Iva; and Nabours, Robert K.) Experiments with light upon reproduction, growth, and dispause in grouse locusts *Acrididae, tetriginae*: V. 36, p. 298–300, 1933.

Sadler, H. E.

1. Coal-oil legislation: V. 9, p. 36–39, 1885.
2. On the testing of burning fluids: V. 9, p. 39–40, 1885.

Saffry, Olga

1. (and Harman, Mary T.; and Kramer, Martha M.) Endometrial hyperplaisia as observed in experimental guinea pigs: V. 40, p. 389–390, 1938.
2. (and Finerty, John C.) Injection of corpora lutea extract in pregnant guinea pigs on a vitamin C limited diet: V. 42, p. 483–485, 1939.

Salmon, S. C.

Some factors in the winter-killing of grain crops: V. 28, p. 129–131, 1918.

Samson, Fred

(and Colip, Floyd; and Patterson, Jenanne) Procedure for the use of sodium pentobarbital (Nembutal) anesthesia in classroom experiments with rats: V. 60, no. 4, p. 425–428, fig. 1, table 1, 1957.

Sanders, Ottys

(and Smith, Hobart M.) Some noteworthy records of amphibians in Texas: V. 52, no. 1, p. 28–29, 1949.

Sandidge, Lewis L.

Food and dens of the opossum (*Didelphis virginiana*) in northwestern Kansas: V. 56, no. 1, p. 97–106, table 1, 1953.

Sargent, Helen

1. See: Ekstein, Rudolf 1.
2. See: Ekstein, Rudolf 3.

Sarle, Charles E.

Recent developments in meteorological research: V. 42, p. 369–375, 1939.

Sarracino, John

See: Breukelman, John 1.

Sarvis, Byron

An experimental study of rhythms: V. 34, p. 274–275, 1931.

Sauer, R. C.

Some factors in the morphogenesis of embryonic epithelia: V. 39, p. 333, 1937.

Saunders, William H.

1. Coals of Kansas: V. 1, p. 30–34, fig. 1 unnumbered, 1872.
2. Limestones and coal: V. 1, p. 35–36, 1872.
3. Analysis of clays: V. 3, p. 99–100, 1874.

Savage, Jay M.

1. Notes on a Central American snake *Conophis lineatus dunni* Smith, with a record from Honduras: V. 52, no. 4, p. 483–486, 1949.
2. Third record of the Ecudorian caecilian *Gymnopis albiceps* with remarks on the status of the genus *Dermophis*: V. 56, no. 3, p. 321–324, 1953.
3. Notulae herpetologicae 1–7: V. 57, no. 4, p. 326–334, 1954.

Savage, Joseph

1. On the bite of the rattlesnake: V. 6, p. 36–38, 1878.
2. On mastodon remains in Douglas County: V. 6, p. 11–12, 1878.
3. Sink holes in Wabaunsee County: V. 7, p. 26–27, 1881.
4. Stone implements in Trego County: V. 7, p. 57–58, 1881.
5. Christening Amethyst Mountain: V. 9, p. 105–106, 1885.
6. Notes on the geology of the Spanish Peaks: V. 9, p. 113–114, 1885.
7. Some lightning freaks in 1883: V. 9, p. 41–42, 1885.
8. The pink and white terraces of New Zealand: V. 11, p. 26–30, 1889.

Sayre, L. E.

1. Locoweed: V. 10, p. 65–70, fig. 1 unnumbered, 1887.
2. Examination of the resinous exudation: V. 11, p. 103, 1889.
3. Is the alkaloidal strength of tea an index of its commercial value: V. 11, p. 50–51, 1889.
4. Solubility of chrome yellow in the gastric juice: V. 11, p. 23–24, 1889.
5. The quality of commercial papers: V. 11, p. 51–52, 1889.
6. Estimation of volatile oil in mustard: V. 12, p. 59–60, 1890.
7. The manufacture of binding twine: V. 12, p. 19–20, 1890.
8. A new frame for the pocket microscope: V. 12, p. 18, 1890.
9. (and Kellogg, V. L.) Some experimental tests of the Pasteur filter: V. 12, p. 122–129, 1890.
10. A study of the albuminoids: V. 12, p. 16–18, 1890.
11. The extractive yield of various important vegetable medicinal substances: V. 13, p. 120, 1893.
12. Therapeutic values of some recently introduced chemicals: V. 13, p. 28–29, 1893.
13. The variable chemical composition of plants at different seasons illustrated by *Teraxacum dens-leonis*: V. 13, p. 106–107, 1893.
14. Diluted acetic acid as a solvent for extractive substances: V. 14, p. 44, 1896.
15. Further experiments on taraxacum root, with a view of ascertaining its varied chemical composition at different seasons: V. 14, p. 42–43, 1896.
16. Therapeutical notes and descriptions on parts of medicinal plants growing in Kansas: V. 16, p. 85–88, 1899.
17. Loco weed: V. 18, p. 141–144, plate 1 unnumbered, 1903.
18. Food preservatives—how far are they injurious to health?: V. 19, p. 51–55, 1905.
19. Bibliography of the loco weeds: V. 19, p. 194–197, 1905.
20. Echinacea roots: V. 19, p. 209–213, 1905.
21. Coffee and estimation of its value: V. 20, p. 37–43, 1907.
22. Drug standards with reference to the Pure Food and Drug Law: V. 20, p. 48–51, 1907.

23. The chemical processes for the detection of organic substances and medicinal chemicals: V. 20, p. 50–52, 1906.
24. The botanical features of the new U. S. pharmacopoeia: V. 20, p. 185–187, 1906.
25. The relation of public health to quality of medicines: V. 21, p. 54–56, 1908.
26. Percentage of an extractive as a means of identification and analysis of drugs and spices: V. 21, p. 57–59, 1908.
27. Memorial Address—Dr. Snow as teacher: V. 22, p. 38, 1909.
28. Analysis of spices: V. 22, p. 96–99, 1909.
29. Report on analyses of preparations under the Pure Food and Drugs Law: V. 22, p. 100–101, 1909.
30. Loco weed and loco poison: V. 23, p. 49–52, 1909.
31. Analysis of food accessories under the Food and Drugs Law: V. 23, p. 53–55, 1909.
32. An investigation of millet: V. 24, p. 189–191, 1910.
33. Some problems connected with the administration of the drug end of the Food and Drug Law: V. 24, p. 192–193, 1910.
34. Nostrums: V. 25, p. 29–35, 1913.
35. Standardization of insecticides and disinfectants: V. 25, p. 37–40, 1913.
36. Insecticides: V. 25, p. 138–141, 1913.
37. Improvement in the commercial supply of spices and cause of the same: V. 26, p. 43–46, 1914.
38. Corn oil: V. 27, p. 74–75, 1915.
39. (and Stevenson, A. E.) Muscale buttons: V. 27, p. 105–108, 1915.
40. Cultivation of medicinal plants in the United States: V. 27, p. 110–113, 1915.
41. *Prunella vulgaris*: V. 27, p. 108–109, 1915.
42. Artificial rubber: V. 28, p. 142–143, 1918.
43. Cultivation of medicinal plants in the United States: V. 28, p. 133–136, 1918.
44. Isolation of toxic principles of coffee and the determination of their toxicity: V. 28, p. 136–141, 1918.
45. Corn oil and a new point of view in food values: V. 28, p. 143–146, 1918.
46. Early history of pharmaceutical-medical chemistry: V. 29, p. 49–52, 1920.
47. War bread, cornstarch, and high protein flour mixtures for baking: V. 29, p. 103–112, 1920.
48. Corn oil: V. 29, p. 114–115, 1920.
49. Patent laws in regard to the protection of chemical industry: V. 30, p. 39–44, 1922.
50. Standards of purity for medicinal agents: V. 30, p. 232–233, 1922.
51. Nature's use of disinfectants and antiseptics: V. 30, p. 388–392, 1922.
52. See: Amos, W. S. 1.
53. See: Bailey, E. H. S. 32.
54. See: Patty, F. A. 1.
55. Pool, B. E. 1.

Schaefer, Helen I.

1. See: Agrelius, Frank U. G. 9.
2. See: Agrelius, Frank U. G. 11.

Schaffner, D. C.

1. Gastroliths in the Lower Dakota of northern Kansas: V. 41, p. 225, 1938.
2. Metamorphism in south Woodson County: V. 41, p. 223–224, fig. 1, 1938.
3. Elephant grave yard: a preliminary report: V. 42, p. 365–366, unnumbered map, 1939.

Schaffner, John H.

1. Development of the forest belts in the northwestern part of Clay County, Kansas: V. 20, p. 74–79, 1907.
2. Extension of the natural range of two mammals of Clay County: V. 31, p. 61–62, 1925.

Scheffer, Theo. H.

1. A preliminary list of Kansas spiders: V. 19, p. 182–193, plates 22–24, 1905.
2. Additions to the list of Kansas Arachnida: V. 20, p. 121–130, fig. 1–10, 1906.
3. Distribution, natural enemies, and breeding habits of the Kansas pocket gophers: V. 23, p. 109–114, 1909.
4. Investigating the mole: V. 23, p. 119–131, 1909.
5. The prairie dog situation in Kansas: V. 23, p. 115–118, 1909.
6. The uncommon mole runway studies: V. 25, p. 160–163, 1913.
7. Study of a small prairie dog town: V. 40, p. 391–395, plate 1, fig. 1–4, 1938.
8. Excavation of a runway of the pocket gopher (*Geomys bursarius*): V. 43, p. 473–478, plate 1, fig. 1–2, fig. 3, 1940.
9. Ecological comparison of the plains prairie-dog and the Zuni species: V. 49, no. 4, p. 401–406, fig. 1–4, 1947.
10. Ecological comparisons of three genera of moles: V. 52, no. 1, p. 30–37, fig. 1–7, 1949.
11. Taxonomic status of the Townsend ground squirrel: V. 53, no. 1, p. 21–22, fig. 1 unnumbered, 1950.

Schlager, Gunther

Controlling fluctuations of pupation site in *Drosophila*: V. 63, no. 4, p. 243–257, 1960.

Schmidt, Gene W.

(and Marsi, Kenneth L.) Chemical analysis of ground water resources of Rooks County, Kansas: V. 64, no. 1, p. 49–62, fig. 1–3, 1961.

Schmidt, J. W.

1. (and Heyne, E. G.; Johnston, C. O.; and Hansing, E. D.) Progress of agrotricum breeding in Kansas: V. 56, no. 1, p. 29–45, fig. 1–2, tables 1–2, 1953.
2. See: Jones, Elmer T. 6.

Schmidt, M. M.

Common rocks and gem stones of Kansas and how to recognize them: V. 29, p. 85–88, 1920.

Schmidt, Richard H.

1. See: Mohler, R. E. 2.
2. See: Mohler, R. E. 4.

Schneider, Marion

See: Reichard, Suzanne 1.

Schnittker, J. A.

World wheat balance and implication for United States exports: V. 62, no. 1, p. 31–34, 1959.

Schoewe, Charles G.

Note on the occurrence of some eastern Wisconsin plants: V. 49, p. 365, 1947.

Schoewe, Walter H.

1. Glacial erratics in Shawnee, Douglas and Johnson counties, Kansas: V. 31, p. 106–109, map 1, 1924.
2. Evidence of stream piracy on the Dakota hogback between Golden and Morrison, Colorado: V. 31, p. 112–114, plates 1–3, 1925.
3. Additional evidence of an ice invasion south of the Kansas River in eastern Kansas: V. 31, p. 109–111, 1927.
4. Glacial striae and grooves in Kansas: V. 34, p. 145–147, table 1, 1931.

5. An animal-polished boulder from Kansas: V. 35, p. 211–222, 1932.
6. Glacial striae in Kansas—new localities: V. 35, p. 223, 1932.
7. (and Parker, Roland Virgil) Science in newspapers: V. 35, p. 113–117, tables 1–4, 1932.
8. (and Lenahan, Thomas) Fossil "Nests" in the Brownville limestone at Admire Junction, Kansas: V. 36, p. 142–148, fig. 1–2, 1933.
9. Geology more difficult for women than for men?: V. 36, p. 149–152, tables 1–3, 1933.
10. Glacial striae in Kansas—a new locality: V. 36, p. 141, 1933.
11. Fluctuation of water table in the glaciated part of Kansas: V. 38, p. 201–204, table 1, 1935.
12. Celestite in Brown County, Kansas: V. 41, p. 228, 1938.
13. (and Bridwell, Arthur) Glacial striae in Kansas—locality 19: V. 40, p. 267–268, map 1 unnumbered, 1938.
14. The Kansas Academy of Science—past, present, and future: V. 41, p. 399–416, tables 1–10, fig. 1–5, plates 2 unnumbered, 1938.
15. (Keroher, Grace C.; and Keroher, R. P.) Preliminary study of insoluble residues of Kansas Pennsylvanian rocks: V. 40, p. 269–281, fig. 1; plate 1, fig. 1–4; plate 2, fig. 1–4, 1938.
16. Symposium on "Rock City," a proposed National Monument in Ottawa County, Kansas: introduction, history, and geology: V. 40, p. 178–192, maps 1–2, plates 1–3, fig. 1–6, 1938. See also Special Publications—Committee on Conservation and Ecology.
17. The west Atchison glacial section: V. 41, p. 227, 1938.
18. Conservation of our natural areas: V. 42, p. 59–79, tables 1–3, 1939.
19. Evidences for the relocation of west drift border in eastern Kansas: V. 42, p. 367, unnumbered map, 1939.
20. The geographical center of the United States: V. 43, p. 305, 1940.
21. Glacial striae in Kansas—Localities 20, 21, 22, and 23: V. 44, p. 318–321, table 1, fig. 1 unnumbered, 1941.
22. Kansas amber: V. 45, p. 262, 1942.
23. Note on a giant Kansas calamite and the Ottawa fossil forest: V. 47, no. 3, p. 415–416, unnumbered fig. 1, 1945.
24. The geography of Kansas, Part I: political geography: V. 51, no. 3, p. 253–288, tables 1–9, fig. 1–11, 1948.
25. Kansas and the geodetic datum of North America: V. 51, no. 1, p. 117–124, table 1, fig. 1 with A and B fig., 1948.
26. The geography of Kansas, Part II: physical geography: V. 52, no. 3, p. 261–333, tables 10–12, fig. 12–55, 1949.
27. The geography of Kansas, Part III: hydrogeography: V. 54, no. 3, p. 263–329, tables 13–15, fig. 56–70, tables appendix 1–2, 1951.
28. The geography of Kansas, Part III concluded, hydrogeography: V. 56, no. 2, p. 131–190, tables 16–31, fig. 71–84, 1953.
29. The geography of Kansas, Part IV: economic geography: mineral resources: V. 61, no. 4, p. 359–468, fig. 85–123, tables 32–71, 1958.
30. Theses—1962: V. 65, no. 2, p. 194–205, 1962.
31. Suggestion to Academy authors: V. 65, no. 2, p. 206–213, fig. 2 unnumbered, 1962.
32. The Editor's Page: V. 65, no. 2, p. 187–189, 1962.
33. The Editor's Page: V. 65, no. 3, p. 301–303, 1962.
34. The Editor's Page: V. 65, no. 4, p. 422–425, 1962.
35. See: Frye, John C. 6.
36. See: Jewett, J. M. 8.

Schoonover, Roy

(and Thompson, William H.) A post-impoundment study of the fisheries resources of Fall River Reservoir, Kansas: V. 57, no. 2, p. 172–179, tables 1–10, 1954.

Schrammel, H. E.

1. The Schrammel-Brannan revision of the army alpha intelligence examination: V. 39, p. 239–242, 1937.

2. Valuable tests for guidance service: V. 44, p. 373–375, 1941.
3. The purpose, origin, plan of procedure and values of nationwide every pupil scholarship tests: V. 45, p. 294–298, 1942.
4. College success in relation to age of entrants: V. 47, no. 3, p. 343–348, tables I–VII, 1944.

Schrenk, W. G.

1. Application of emission spectroscopy to agricultural problems: V. 53, no. 2, p. 229–234, 1950.
2. (and Silker, Ralph E.) Mineral composition of dehydrated alfalfa: V. 53, no. 3, p. 422–426, table 1, 1950.
3. (and Lentz, Carl F.; and Glendening, B. L.) Determination of calcium using the flame photometer as an excitation source for the spectrograph: V. 54, no. 3, p. 420–425, tables 1–3, fig. 1.
4. (and Hawley, J. E.) Zinc content of Kansas grown alfalfa: V. 55, no. 4, p. 489–492, fig. 1, table 1, 1952.
5. See: Caldwell, M. J. 3.
6. See: Perkins, Alfred T. 10.
7. See: Smith, F. M. 1.
8. (and Nauman, Delbert A.; and Hein, R. E.) Preliminary report on zinc uptake in alfalfa: V. 60, no. 1, p. 71–77, tables 1–3, fig. 1–2, 1957.

Schull, Charles A.

Evaporation in Kansas: V. 29, p. 118–130, plates 1–5, tables 1–2, 1920.

Schultz, P. D.

1. Observation of the reaction between gaseous ammonia and hydrogen chloride as a teaching aid: V. 44, p. 227, 1941.
2. See: Kolling, Orland W. 1.

Schumacher, A. E.

See: Parrish, D. B. 1.

Schuyler, Helen K.

The professional knowledge of secondary school counselors: its measurement and significance: V. 51, no. 3, p. 340–343, 1948.

Schwitzgebel, R. B.

(and Wilbur, D. A.) Lepidoptera, Hemiptera and Homoptera associated with ironweed, *Veronia interior* Small, in Kansas: V. 45, p. 195–202, 1942.

Schribner, F. Lamson

A contribution to the flora of Kansas—*Gramineal*: V. 9, p. 115–123, plate 1, fig. 1–4; plate 2, fig. 1–9; plate 3, fig. 1–15, 1885.

Seagondollar, L. W.

Nuclear fission and atomic bombs: V. 53, no. 2, p. 141–150, 1950.

Search, Herman

(and Rankin, Roy) The lime content of rocks of the Upper Cretaceous system of Osborne County, Kansas: V. 42, p. 233–235, 1939.

Sears, Paul B.

The role of botany in war-time: V. 46, p. 286–289, 1943.

Seaton, R. A.

Problems in artillery ammunition design: V. 30, p. 63–69, 1922.

Seeberger, Evelyn

See: Byrne, Frank 4.

Selander, Richard B.

Melanism in some Meloidae (Coleoptera) from the Pincate lava cap in northwestern Sonora, Mexico: V. 61, no. 1, p. 77–80, fig. 1, 1958.

Sellards, F. H.

Fossil plants in the Permian of Kansas: V. 17, p. 208–209, 1901.

Senter, C. H.

(and Taft, Robert) The electrodeposition of zinc in the presence of organic addition agents: V. 42, p. 237–240, 1939.

Setzer, Henry W.

(and Montell, R. L.) Nesting of the yellow-headed blackbird in Douglas County, Kansas: V. 49, no. 2, p. 208–209, 1946.

Sewall, M. C.

(and Latshaw, W. L.) A soil study in Scott County, Kansas: V. 31, p. 81–86, fig. 1, tables 1–3, 1925.

Shaffer, Robert L.

(and Rogerson, Clark T.) Notes on the fleshy fungi of Kansas: V. 55, no. 3, p. 282–286, 1952.

Shaffner, John H.

Myxomycetes of Clay County, Kansas: V. 19, p. 204, 1905.

Shannon, Frederick A.

1. (and Smith, Hobart M.) Herpetological results of the University of Illinois field expedition, 1949: V. 52, no. 4, p. 494–509, 1949.
2. (and Werler, John E.) Notes on amphibians of the Los Tuxtlas Range of Veracruz, Mexico: V. 58, no. 3, p. 360–386, plate 1, fig. 1–2; plate 2, fig. 1–2; fig. 1–6; plate 3, fig. 1–2, 1955.
3. See: Werler, John E. 2.

Shantz, H. L.

(and Albertson, F. W.; Albrecht, W. A.; Daubenmire, R.; Fitch, H. S.; Piemeisel, R. L.; and Whaley, W. G.) Aspects of needed research on North American grasslands: V. 62, no. 3, p. 175–183, 1959.

Shattuck, C. H.

A fossil forest in Jackson County: V. 19, p. 107–109, fig. 9, 1905.

Shaw, Roscoe H.

1. A chemical study of the lime and sulfur dip: V. 20, p. 53–60, tables 1–2, 1906.
2. See: Willard, J. T. 18.

Sheets, John

See: Hermanson, J. L. 4.

Shell, Francis J.

See: Choguill, Harold S. 1.

Shepherd, Byron Leroy

See: Smith, Roger C. 7.

Shepherd, Harold R.

Studies in breaking the rest period of grass plants by treatments with potassium thiocyanate and in stimulating growth with artificial light: V. 41, p. 139–149, tables 1–5, fig. 1–9, 1938.

Sherbon, M. D. Florence Brown

The academic, vocational and maternal status of three hundred and fifty married women graduates of the University of Kansas: V. 34, p. 234–238, 1931.

Sherwin, R. S.

1. Notes on the geology of the Antelope Hills: V. 18, p. 83–84, 1903.
2. Notes on the theories of origin of gypsum deposits: V. 18, p. 85–88, plate 1 unnumbered, 1903.

Sherwood, Noble P.

1. Bacteriology, medicine and the war: V. 46, p. 276–279, 1943.
2. (and Wahl, H. R.; Hamilton, Tom R.; and Jay, Alan) Studies of experimental streptococcal infections a host response to the intradermal injection of streptococcal filtrates and whole cultures: V. 57, no. 3, p. 285–290, table 1, 1954.

Shields, Ivan J.

1. A survey of phloem necrosis in Lawrence, Kansas: V. 53, no. 4, p. 473–476, 1950.
2. Notes on Kansas fungi, 1950–1951: V. 56, no. 1, p. 58–60, 1953.
3. Observations on phloem necrosis: V. 56, no. 1, p. 61–62, fig. 1, table 1, 1953.

Shimer, E. Roberta

See: Parrish, D. B. 2.

Shirk, J. A.

1. Maxwell's method of comparing an electrostatic capacity with self inductance: V. 23, p. 56–59, fig. 1–2, 1909.
2. A further discussion of municipal ownership of water and light plants: V. 25, p. 170–173, 1913.
3. Municipal illumination: V. 27, p. 76–80, 1915.
4. American highways: V. 29, p. 201–209, 1920. See also Special Publications.

Shirling, A. E.

The age of needle leaves: V. 49, no. 2, p. 161–166, 7 unnumbered graphs, 1946.

Short, R. H.

Observations of November meteors: V. 9, p. 103–104, 1885.

Showalter, Wendell

1. (and Stubbs, Ansel H.) The Stubbs collection of fleshy fungi at the University of Kansas: V. 54, no. 2, p. 221–225, 1951.
2. *Placosphaera opaca*—its morphology and life history: V. 55, no. 1, p. 113–119, fig. 1–10, 1952.
3. Morphological studies of dermatophytes in chick embryo membranes: V. 57, no. 2, p. 149–156, fig. 1–20, 1954.
4. Preliminary studies of the physiology of growth and pigmentation of *Helminthosporium gramineum*: V. 61, no. 3, p. 273–279, fig. 1–3, 1958.

Shrenk, W. G.

See: Johnson, Wm. J. 1.

Shull, Charles A.

Measurements of the internal forces of seeds: V. 27, p. 65–70, 1915.

Shults, M. G.

(and McCormick, C. T.) Variation of moments with distribution of masses and areas: V. 44, p. 337–338, 1941.

Shultz, Irvin T.

1. A study of individual variations on similar learning tests: V. 45, p. 299–301, tables I–IV, 1942.
2. (and Barnabas, Bentley) Testing for leadership in industry: V. 48, no. 2, p. 160–164, table I, 1945.
3. Comparison of the scores of design engineering personnel with factory workers on the MacQuarrie mechanical performance ability tests: V. 49, no. 3, p. 354–356, table 1, 1946.

Sibley, F. H.

The development of mechanical power in the last decade: V. 26, p. 47–52, 1914.

Silker, Ralph E.

1. See: Gugliemelli, L. A. 1.
2. See: Mitchell, H. L. 1.
3. See: Mitchell, H. L. 2.
4. See: Schrenk, W. G. 2.

Sill, W. H., Jr.

1. Some characteristics of the wheat streak-mosaic virus and disease: V. 56, no. 4, p. 418–424, tables 1–3, 1953.
2. (and Cronnin, R. V.) Summary of the known host range of the wheat streak mosaic virus: V. 56, no. 4, p. 411–417, tables 1–6, 1953.
3. (and Haskett, W. C.; Fellows, H.; Hansing, E. D.; and Johnston, C. O.) Kansas phytopathological notes, 1953: V. 57, no. 4, p. 453–457, 1954.
4. The effect of temperature upon the local lesion response of cowpea inoculated with cucumber virus 1: V. 58, no. 3, p. 328–329, 1955.
5. (and Agusiobo, Patrick C.) Wheat streak mosaic—a gramineous virus disease: V. 58, no. 4, p. 525, 1955.
6. (and Johnston, C. O.; Hansing, E. D.; and King, Claude L.) Kansas phytopathological notes: 1957: V. 62, no. 1, p. 35–41, 1959.
7. (and Hansing, E. D.; Kramer, C. L.; and King, C. L.) Kansas phytopathological notes: 1960: V. 64, no. 4, p. 287–292, fig. 1, 1960.
8. See: Hansing, E. D. 6.
9. See: Hansing, E. D. 7.
10. See: Hansing, E. D. 15.
11. See: Johnston, C. O. 25.

Simon, John F., Jr.

See: Leone, Charles A. 7.

Siple, Howard L.

1. An experimental study of attitude toward the public school system: V. 42, p. 401–406, 1939.
2. A study of student opinion regarding instruction in beginning psychology: V. 44, p. 376–380, tables 1–3, 1941.

Sisler, Harry H.

1. A monolysis of hexavalent chromium derivatives: V. 46, p. 136–141, tables I–II, fig. 1, 1943.
2. Variable valence number: V. 49, no. 2, p. 185–194, tables 1–8, 1946.
3. See: VanderWerf, C. A. 1.

Sites, Blaine E.

An A C arc as a spectroscopic source: V. 45, p. 267–271, fig. 1, 2A, 2B, 3A, 3B, 4, 5, 1942.

Skillman, Herbert C.

See: Wenzel, Duane, 6.

Slabaugh, W. H.

The stoichometry of complex silicates: V. 55, no. 4, p. 484–488, table 1, 1950.

Slosson, Mrs. A. L.

1. Personal observations upon the flora of Kansas: V. 11, p. 19–22, 1889.
2. A partial list of plants found in Cherokee County, Texas: V. 12, p. 62–63, 1890.

Slosson, E. E.

1. The relative sweetness of different alcohols: V. 12, p. 104–105, 1890.
2. See: Bailey, E. H. S. 16.
3. See: Kellogg, V. L. 1.

Smith, Alva J.

1. *Fusilina cylindrica* shell structure: V. 16, p. 64–65, fig. 1–4, 1899.
2. The Americus Limestone: V. 17, p. 189–193, plates 15–17, 1901.
3. Geology of Lyon County, Kansas: V. 18, p. 99–103, 1903.
4. Reading Blue Limestone: V. 19, p. 150–154, plates 16–18, 1905.
5. A deep well at Emporia: V. 20, p. 234–238, log 1 unnumbered, fig. 1 unnumbered, 1906.
6. An improved water supply for the city of Emporia: V. 23, p. 150–153, 1909.
7. Progress in sanitary engineering practice: V. 26, p. 22–23, tables 4, 1914.
8. Deep wells at Elmdale: V. 27, p. 50–52, 1915.

Smith, Arlene

See: Harman, Mary T. 11.

Smith, Charles F.

1. A burrow of pocket gopher (*Geomys bursarius*) in eastern Kansas: V. 51, no. 3, p. 313–315, fig. 1, 1948.
2. An analysis of the results of the examination of two hundred stools from chickens: V. 52, no. 4, p. 454–457, 1949.

Smith, F. M.

(and Schrenk, W. G.; and King, H. H.) Survey of the boron content of Kansas grown alfalfa: V. 50, no. 3, p. 342–348, tables I–IV, fig. 1, 1947.

Smith, Harold T. U.

1. Preliminary notes on Pleistocene gravels in southwestern Kansas: V. 40, p. 283–292, fig. 1, table 1, 1938.
2. Notes on historic changes in stream courses of western Kansas, with a plea for additional data: V. 43, p. 299–300, 1940.
3. Preliminary report on a proposed Sand Dunes State Monument: V. 43, p. 307–308, 1940.

Smith, Hobart M.

1. A report upon amphibians hitherto unknown from Kansas: V. 35, p. 93–96, 1932.
2. An addition to the amphibian fauna of Arkansas: V. 36, p. 321–322, 1933.
3. Notes on some Mexican lizards of the genus *Anolis* with the description of a new species: V. 36, p. 315–320, 1933.
4. On the relationships of the lizards, *Coleonyx brevis* and *Coleonyx variegatus*: V. 36, p. 301–314, text fig. 1 A–B, fig. 1–3, plate 1, 1933.
5. Descriptions of new lizards of the genus *Sceloporus* from Mexico and southern United States: V. 37, p. 263–286, fig. 1–13, plates VIII, IX, X, tables 1–5, 1934.
6. Notes on some lizards of the genus *Phrynosoma* from Mexico: V. 37, p. 287–298, fig. 1–7, plates XI, XII, 1934.
7. Comments on G. Jan's papers on venomous serpents and the Coronellidae: V. 46, p. 241–242, 1943.

8. (and Mittleman, M. B.) Notes on the Mansfield Museum's Mexican reptiles collected by Wilkinson: V. 46, p. 243–249, 2 unnumbered tables, 1943.
9. (and Laufe, Leonard E.) Mexican amphibians and reptiles in the Texas cooperative wild life: V. 48, no. 3, p. 325–354, 1 unnumbered table, 1945.
10. (and Nixon, C. William; and Minton, Sherman A., Jr.) Observations on constancy of color and pattern in soft-shelled turtles: V. 52, no. 1, p. 92–98, fig. 1–3, 1949.
11. (and Salter, James A.) The southern races of *Eumeces septentrionalis* (Baird): V. 52, no. 4, p. 438–448, fig. 1–2, 1949.
12. (and James, Louis F.) The taxonomic significance of cloacal bursae in turtles: V. 61, no. 1, p. 86–96, 1958.
13. Evolutionary lines in tooth attachment and replacement in reptiles: their possible significance in mammalian dentition: V. 61, no. 2, p. 216–225, fig. 1–8, 1958.
14. New and noteworthy reptiles from Oaxaca, Mexico: V. 62, no. 4, p. 265–272, 1959.
15. (and Huheey, James E.) The watersnake genus *Reginia*: V. 63, no. 3, p. 156–164, 1960.
16. See: Darling, Donald M. 1.
17. See: Hall, Henry H. 7.
18. See: Mittleman, M. B. 1.
19. See: Nakamura, Eugene L.
20. See: Sanders, Ottys 1.
21. See: Shannon, Frederick A. 1.
22. See: Williams, K. L. 2.

Smith, H. S.

1. On the magnetic declination in Kansas for October, 1880: V. 7, p. 46–48, 1881.
2. Observation on Comet "B," 1882: V. 8, p. 28–29, 1883.
3. Standard time: V. 8, p. 30–32, 1883.

Smith, Lloyd F.

1. Forest studies of Logan Grove, Geary County, Kansas: V. 43, p. 177–183, tables 1–5, plate 1, fig. 1–2, 1940.
2. A growth-ring study of an unusually old bur oak in Miami County, Kansas: V. 43, p. 173–175, table 1, fig. 1, 1940.

Smith, Philip W.

1. (and Burger, W. Leslie) Herpetological results of the University of Illinois Field Expedition, Spring 1949: V. 53, no. 2, p. 165–175, table 1, 1950.
2. F. F. Crevecoeur—a versatile Kansas naturalist, 1862–1931: V. 34, p. 138– from Illinois: V. 57, no. 2, p. 200–205, table 1, 1954.
3. *Pseudacris streckeri illinoensis* in Missouri: V. 58, no. 3, p. 411, 1955.
4. A second record of *Hemidactylium scutatum* in Missouri: V. 59, no. 4, p. 463–464, 1956.
5. (and Hensley, M. Max) Notes on a small collection of amphibians and reptiles from the vicinity of the Pinacate lava cap in northwestern Sonora, Mexico: V. 61, no. 1, p. 64–76, fig. 1–4, 1958.

Smith, Roger C.

1. The tray system for insect collections: V. 31, p. 77–81, fig. 1–2, 1926.
2. F. F. Crevecoeur—A versatile Kansas naturalist, 1862–1931: V. 34, p. 138–144, picture 1, 1931.
3. Upsetting the balance of nature, with special reference to Kansas and the Great Plains: V. 35, p. 31–33, 1932.
4. A summary of published information about Pharaoh's Ant, with observations on the species in Kansas: V. 37, p. 139–150, 1934.

5. (and Kelly, E. G.) The fourth annual summary of the more important insects of Kansas covering the year 1934: V. 38, p. 171–186, tables 1–2, 1935.
6. (and Kelly, E. G.) The fifth annual summary of the population of the more important insects in Kansas, covering the year 1935: V. 39, p. 129–149, fig. 1–3, table 1, 1937.
7. (and Shepherd, B. L.) The life history and control of the boxelder bug in Kansas: V. 40, p. 143–159, fig. 1–2, plate 1, fig. 1–8, tables 1–7, 1938.
8. A preliminary report on the insects attacking bindweed with special reference to Kansas: V. 41, p. 183–191, fig. 1–10, 1938.
9. The eighth annual insect population summary of Kansas, covering the year 1938: V. 42, p. 303–323, tables I–II, 1939.
10. (and Kelly, E. G.) The tenth annual insect population summary of Kansas, 1940: V. 44, p. 241–256, tables 1–3, 1941.
11. The eleventh annual insect population summary of Kansas, 1941: V. 45, p. 203–220, tables I–III, 1942.
12. An analysis of 100 years of grasshopper populations in Kansas (1854–1954): V. 57, no. 4, p. 397–433, plate 1, fig. 1–10, fig. 1–5, 1954.

Smith, V. T.

A technique for selecting students for training in college reading: V. 41, p. 271–272, 1938.

Smits, B. L.

See: Barham, N. N. 1.

Smyth, B. B.

1. Botanical notes from the Southwest: V. 7, p. 48–57, 1881.
2. The age of Kansas: V. 9, p. 129–136, fig. 1–4 unnumbered, 1885.
3. Librarian's report: V. 11, p. 120–127, 1889.
4. Additions to the flora of Kansas: V. 12, p. 105–119, 1890.
5. Librarian's report: V. 12, p. 178–186, 1890.
6. Periodicity in plants: V. 12, p. 75–81, 1890.
7. Additions to the flora of Kansas: V. 13, p. 96–103, 1893.
8. Librarian's report, 1890–1892: V. 13, p. 137–168, 1893.
9. Accessions to the library, 1892–1894: V. 14, p. 291–364, 1896.
10. Additions to the plants of Kansas: V. 14, p. 133–134, 1896.
11. Figuarate series: V. 14, p. 29–35, fig. 1–4, 1896.
12. Harmonic forms—their construction reduced to a science: V. 14, p. 46–83, fig. 1–76, 1896.
13. Harmonic Series—harmonies of the chemical elements: V. 14, p. 100–110, fig. 1–16 unmarked, 1896.
14. List of correspondents of Kansas Academy of Science: V. 14, p. 280–290, 1896.
15. Report of librarian: V. 14, p. 279, 1896.
16. The terminal boulder belt in Shawnee County: V. 14, p. 220–226, plate 1 unnumbered, 1896.
17. The Topeka coal hole: V. 14, p. 207–215, fig. 1, 1896.
18. Accessions to the library—1895–1896: V. 15, p. 138–195, 1898.
19. Additions to the flora of Kansas: V. 15, p. 60–73, 1898.
20. The buried moraine of the Shunganunga: V. 15, p. 95–104, plate 1, 1898.
21. The closing of Michigan glacial lakes: V. 15, p. 23–27, 1898.
22. Report of librarian: V. 15, p. 137, 1898.
23. See: Bailey, E. H. S. 20.
24. Additions to the flora of Kansas: V. 16, p. 158–167, 1899.
25. Floral horologe for Kansas: V. 16, p. 106–108, plate 9, 1899.
26. Preliminary list of medicinal and economic Kansas plants, with their reputed therapeutic properties: V. 18, p. 191–209, fig. 1–23, 1903.
27. Observations on mirages: V. 19, p. 392–400, 1905.
28. Physical properties of water and its relation to tree growth: V. 19, p. 401–424, 1905.

29. Harmonic forms: V. 21, p. 237–258, fig. 1–40, 1908.
30. Notes on the gila monster (*Heloderma suapectum*): V. 22, p. 384–385, 1909.
31. (and Smyth, Lumina C. R.) Catalogue of the flora of Kansas, part I: V. 24, p. 273–295, 1910.
32. (and Smyth, L. C. R.) Provisional catalogue of the flora of Kansas, part II, gymnosperms and monocotyls: V. 25, p. 63–128, 1913.

Smyth, Eugene G.

1. Notes on collecting Cicindelidae: V. 19, p. 425–432, plate 31, 1905.
2. Notes on collecting Cicindelidae, II: V. 21, p. 180–188, 1908.

Smyth, Lumina C. Riddle

1. Occurrence of *Podagrion mantis* in the eggs of the common mantis: V. 21, p. 178–179, 1908.
2. See: Smyth, B. B. 30.
3. See: Smyth, B. B. 31.

Snow, Frank H.

1. Catalogue of the birds of Kansas: V. 1, p. 21–29, 1872.
2. Climate of Kansas: V. 1, p. 40–50, 1872.
3. Meteorological summary for the year 1872: V. 1, p. 61–64, 1872.
4. Meteorological summary for the year 1873: V. 2, p. 86–89, 1873.
5. Birds of Kansas: V. 3, p. 133–134, 1874.
6. Meteorological summary for the year 1874: V. 3, p. 130–132, 1874.
7. Observations on the use of the antennae of *Polyphylla variolosa*, Harris: V. 3, p. 128–129, 1874.
8. Catalogue of the Lepidoptera of eastern Kansas: V. 4, p. 29–63, 1875.
9. Larva and chrysalis of the sage sphinx: V. 4, p. 28–29, 1875.
10. Meteorological summary for 1875: V. 4, p. 63–66, 1875.
11. The Rocky Mountain locust: V. 4, p. 26–28, 1875.
12. List of Coleoptera: V. 5, p. 16–21, 1877.
13. Meteorological summary for 1876: V. 5, p. 59–61, 1877.
14. Additions to the catalogue of Kansas birds: V. 6, p. 38, 1878.
15. *Amblychila cylindriformis*, Say: V. 6, p. 30–32, 1878.
16. The insects of Wallace County, Kansas: V. 6, p. 61–70, 1878.
17. List of Coleoptera: V. 6, p. 75–77, 1878.
18. List of Lepidoptera: V. 6, p. 70–75, 1878.
19. Meteorological summary for 1877: V. 6, p. 89–91, 1878.
20. On the dermal covering of a mosasauroid reptile: V. 6, p. 54–58, fig. 1–2 unnumbered, 1878.
21. Additions to the list of Kansas Lepidoptera: V. 7, p. 98–102, 1881.
22. Douglas County additions to the list of Kansas Coleoptera in 1879 and 1880: V. 7, p. 75–76, 1881.
23. List of Coleoptera collected in Santa Fe Canon, New Mexico: V. 7, p. 67–71, 1881.
24. List of Lepidoptera: V. 7, p. 58–60, 1881.
25. Meteorological summary: V. 7, p. 85–93, 1881.
26. Preliminary list of the Hymenoptera of Kansas: V. 7, p. 93–98, 1881.
27. Additions to the list of Kansas Coleoptera in 1881 and 1882: V. 8, p. 58, 1883.
28. Lists of Lepidoptera and Coleoptera: V. 8, p. 35–45, 1883.
29. Meteorological summary for the year 1881: V. 8, p. 23–25, 1883.
30. Meteorological summary for the year 1882: V. 8, p. 81–84, 1883.
31. Meteorological summary for the year 1883: V. 9, p. 43–45, 1885.
32. Preparatory stages of *Hyperchiria zephyria*, Grote: V. 9, p. 61–62, 1885.
33. Lists of Lepidoptera and Coleoptera collected in New Mexico by the Kansas University Scientific Expeditions of 1883 and 1884: V. 9, p. 65–69, 1885.
34. Is the rainfall of Kansas increasing?: V. 9, p. 101–103, 1885.
35. Meteorological summary for the year 1884: V. 9, p. 124–126, 1885.
36. Meteorological summary for the year 1885: V. 10, p. 31–33, 1887.

37. On the discovery of a fossil bird-track in the Dakota Sandstone: V. 10, p. 3–6, fig. 1 unnumbered, 1887.
38. Meteorological summary for the year 1886: V. 10, p. 142–144, 1887.
39. On the discovery and significance of stipules in certain dicotyledonous leaves of the Dakota rocks: V. 11, p. 33–35, fig. 1–8, 1889.
40. The Logan County nickel mines: V. 11, p. 39–42, 1889.
41. Three new Kansas birds: V. 11, p. 62–63, 1889.
42. A comparison of the records of the two anemonmeters at the University of Kansas: V. 11, p. 107–109, 1889.
43. Meteorological summary for the years 1887 and 1888: V. 11, p. 115–120, 1889.
44. The mode of respiration of the common salamander: V. 12, p. 31–32, 1890.
45. Experiments for the artificial dissemination of a contagious disease among chinch-bugs: V. 12, p. 34–37, 1890.
46. Meteorological summary for the year 1889: V. 12, p. 49–51, 1890.
47. The curve of mean daily temperatures at Lawrence, Kansas, for twenty-one years, 1868–1888: V. 12, p. 52–53, fig. 1 unnumbered, 1890.
48. Notes on some Kansas meteorites: V. 12, p. 105, 1890.
49. Experiments in 1890 for the artificial dissemination of contagious diseases among chinch-bugs: V. 12, p. 119–122, 1890.
50. Notes for 1903 on the birds of Kansas: V. 19, p. 261–262, 1905.
51. Notes for 1904 on the birds of Kansas: V. 19, p. 263, 1905.
52. Some results of the University of Kansas Entomological Expeditions to Galveston and Brownsville, Texas, in 1904 and 1905: V. 20, Part I, p. 136–154, 1906.
53. Some results of the U. of K. Entomological Expedition to Arizona in 1904 and 1905: V. 20, Part I, p. 155–181, 1906.
54. List of species of Hymenoptera collected in Arizona by the University of Kansas Entomological expeditions of 1902, 1903, 1904, 1905, and 1906: V. 20, Part II, p. 127–139, 1907.
55. Results of the Entomological Collecting Expedition of the University of Kansas to Pima County, Arizona, in June and July, 1906: V. 20, Part II, p. 140–164, 1907.
56. List of Coleoptera collected in New Mexico by the Entomological expeditions of the University of Kansas: V. 20, Part II, p. 165–189, 1907.
57. Additions to the list of Kansas birds: V. 20, Part II, p. 209–210, 1907.
58. Is the gila monster a poisonous reptile?: V. 20, Part II, p. 218–221, 1907.
59. Change in the climate of Kansas: V. 20, p. 288–291, 1907.

Snyder, Charles W.

A "scrambling" technique for the study of auditory perception: V. 57, no. 4, p. 517–519, 1954.

Snyder, Dorrice

The correlation between writing grade and maturation: V. 39, p. 243–245, 1936.

Snyder, F. W.

1. See: Pronko, N. H. 1.
2. See: Pronko, N. H. 3.

Sokal, Robert R.

A comparison of five tests for completeness of factor extraction: V. 62, no. 2, p. 141–152, tables 1–7, 1959.

Sooter, Clarence A.

See: Lungstrom, Leon G. 3.

Spangler, Paul J.

See: Hungerford, H. B. 2.

Spann, Liza

Studies on the reproductive systems of *Gryllus assimilis* Fabr: V. 37, p. 299–341, fig. 1–81, plates XIII–XXI, Text fig. 1–2, table 1, 1934.

Speckman, Wesley N.

Dissemination and germination of seeds: V. 19, p. 198–203, plate 25, 1905.

Sperry, K. L.

See: McGregor, R. L. 5.

Sperry, Theodore M.

1. An ecological paradox (Presidential address, 1960): V. 63, no. 4, p. 215–227, 1 unnumbered fig., photo of author, 1960.
2. Current botanical research and Kansas economy: V. 65, no. 1, p. 25–29, 1962.

Sphar, Joe

Occurrence of magnetite in the Arkansas River bed between Ford and Arkansas City: V. 65, no. 3, p. 257–262, fig. 1–6, 1962.

Sprague, James M.

1. The distribution of the genus *Peromyscus* in Kansas: V. 42, p. 487–494, fig. 1–2, table 1, 1939.
2. A preliminary study of the baculum of *Peromyscus leucopus* and *P. maniculatus* in Kansas: V. 42, p. 495–497, fig. 1–3, table 1, 1939.
3. See: Tihen, Joe A. 2.

Stains, Howard J.

1. A westward extension of the known geographic range of the glass lizard *Ophisaurus attenuatus attenuatus* Baird, in south-central Kansas: V. 57, p. 482, 1954.
2. (and Packard, Robert L.) Occurrence of the mink, west of the hundredth meridian in Kansas: V. 58, p. 222–224, fig. 1, 1955.
3. See: Menges, Robert W. 1.
4. See: Rainey, Dennis G. 1.
5. (and Ozment, James) A record of the brown skink (*Scincella laterale*) and prairie skink (*Eumeces septentrionalis*) from Barber County, Kansas: V. 65, no. 2, p. 143, 1962.

Stebbins, Florence M.

See: Nabours, Robert K. 1.

Stene, Edwin O.

1. The development of Kansas wildlife conservation policies: V. 47, no. 3, p. 289–323, 3 pictures, 1945.
2. How lakes came to Kansas: V. 49, no. 2, p. 117–139, tables I–IV, fig. 1–10, 1946.

Steps, W. E.

Artificial rain making: V. 59, no. 1, p. 94–104, 1956.

Sternberg, Charles H.

1. Experiences with early man in America: V. 18, p. 89–93, 1903.
2. The Permian life of Texas: V. 18, p. 94–98, plate 1 unnumbered, 1903.
3. Prostegagigas and other Cretaceous reptiles and fishes from the Kansas chalk: V. 19, p. 123–128, plate 13, 1905.
4. The Loup Fork Miocene of western Kansas: V. 20, p. 71–74, 1906.
5. Some animals discovered in the fossil beds of Kansas: V. 20, p. 122–124, 1907.
6. My expedition to the Kansas chalk for 1907: V. 21, p. 111–114, photograph 1 unnumbered, 1908.

7. An armored dinosaur from the Kansas chalk: V. 22, p. 257–262, pictures 1–3 unnumbered, 1909.
8. Expedition to the Laramie Beds of Converse County, Wyoming: V. 22, p. 113–116, 1909.
9. In the Niobrara and Laramie Cretaceous: V. 23, p. 70–74, 1909.
10. Still in the Laramie County, Converse County, Wyoming: V. 24, p. 219–223, 1910.
11. Expedition to the Miocene of Wyoming and the chalk beds of Kansas: V. 25, p. 45–49, 1913.
12. Five years' explorations in the fossil beds of Alberta: V. 28, p. 205–211, 1918.
13. Sternberg's Expedition to the Red Deer River, Alberta, 1917: V. 29, p. 88–91, 1920.
14. Explorations of the Permian of Texas and the chalk of Kansas, 1918: V. 30, p. 119–120, 1922.
15. Field work in Kansas and Texas: V. 30, p. 339–341, 1922.

Sternberg, George F.

1. See: Martin, Edwin P. 2.
2. See: Robertson, George M. 7.
3. (and Walker, Myrl V.) Report on a plesiosaur skeleton from western Kansas: V. 60, no. 1, p. 86–87, 1957.
4. (and Walker, Myrl V.) Observation of articulated limb bones of a recently discovered pteranodon in the Niobrara Cretaceous of Kansas: V. 61, no. 1, p. 81–85, fig. 1–4, 1958.

Stevens, Earl D.

(and Tiemeier, O. W.) Daily movement of channel catfish *Ictalurus punctatus* (Rafinesque) in a farm pond: V. 64, no. 3, p. 218–224, fig. 1–2, 1961.

Stevens, Robert E.

Minerals at home: V. 64, no. 1, p. 72–75, fig. 1, 1961.

Stevens, W. C.

1. The union of *Cuscuta glomerata* with its host: V. 12, p. 163–164, 1890.
2. Memorial Address—Professor Snow as a teacher: V. 22, p. 34–36, 1909.
3. *Cooperia Kansensis*, new species: V. 40, p. 95–100, fig. 1–4, 1938.
4. *Croton monanthogynus* and *Lespedeza striata* as bank covers: V. 42, p. 173–177, figures 1–8, plates I–III, 1939.
5. The disappearance of a society of *Camassia esculenta* following the burning over of its prairie meadow habitat: V. 42, p. 165–171, fig. 1–5, plates I–II, 1939.
6. (and Dill, Florence E.) *Quercus macrocarpa* in Kansas: V. 43, p. 185–197, plates 1–4, fig. 1–20, 1940.
7. (and Dill, Florence E.) Stages in the development of *Androstephium coeruleum*: V. 44, p. 212–220, plates 1–2, fig. 1–13, 1941.
8. Variation in *Camassia scilliodes*: V. 44, p. 208–211, fig. 1–3, 1941.
9. (and Dill, Florence E.) *Aplectrum spicatum* in a Kansas woodland: V. 45, p. 138–151, plate I, fig. 1–3; plate II A–G (numbered); plate III; plate IV, fig. 4–16, 1942.

Stevenson, A. E.

See: Sayre, L. E. 40.

Stickler, F. C.

1. Row width and seedling rate as factors influencing winter wheat yields and components of yield: V. 64, no. 1, p. 1–6, 1961.
2. (and Pauli, A. W.) A preliminary study of certain agronomic characteristics of semi-dwarf winter wheats: V. 64, no. 2, p. 81–90, 1961.
3. See: Evans, W. F.
4. See: Mittra, M. K.

Stieferman, Sister M. Aquinas
The seed plants of Sedgwick County, Kansas: V. 42, p. 179–195, map unnumbered, 1939.

Stigers, C. C.
See: Gier, L. J. 11.

Stiles, Elsa Horn
(and Melchers, Leo E.) The drought of 1934 and its effect on trees in Kansas: V. 38, p. 107–128, fig. 1, tables 1–3, 1935.

Stockinger, Niles F.
(and Hays, Horrace A.) Plankton, benthos and fish in three strip-mine lakes with varying pH values: V. 63, no. 1, p. 1–11, fig. 1–3, 1960.

Stoland, O. O.
(and Latimer, Homer B.) A persistent left superior vena cava in the dog: V. 50, no. 1, p. 84–86, fig. 1 (Panel A–B), 1947.

Stoltenberg, Howard A.
See: Metzler, Dwight E. 1.

Storer, Richard S.
See: Herrick, E. H. 7.

Stratton, George W.
1. See: Taft, Robert W. 18.
2. See: Taft, Robert W. 27.

Strickland, Frank P., Jr.
Fossils from the western front: V. 30, p. 343–345, 1922.

Strickland, V. L.
See: Peterson, J. C. 7.

Strickler, Paul M.
Mass defeats and nuclear structure: V. 38, p. 233–234, fig. 1–4, 1935.

Stromquist, W. G.
See: Bailey, E. H. S. 28.

Stuart, H. C.
The effect of college entrance delay on college grades: V. 45, p. 302–303, table I, 1942.

Stubbs, Ansel H.
See: Showalter, Wendell V. 1.

Sullivan, Eugene
See: Jones, Lanny D.

Sullivan, Harold E.
See: Choguill, Harold S. 3.

Summerland, S. A.
The biology and synonomy of the parasites of the strawberry leafroller, *Ancylis comptana* Froel (Lepidoptera, Tortricidae) found in Kansas: V. 40, p. 161–178, 1938.

Sundwall, John
Man and microbes: V. 28, p. 77–104, 1918.

Swanson, C. O.

1. Loss of nitrogen and organic matter in cultivated Kansas soils: V. 27, p. 87–96, tables 1–2, 1915.
2. See: Willard, J. T. 21.

Swanson, Harold

See: Crow, H. E. 1.

Swarup, Gopal

(and Hansing, Earl D.; and Rogerson, Clarke T.) Fungi associated with sorghum seed in Kansas: V. 65, no. 2, p. 120–137, 1962.

Swim, Leroy E.

(and Leonard, Guy Williams, Jr.) Spectrophotometric determination of zirconium: V. 58, no. 1, p. 121–124, table 1, fig. 1 unnumbered, 1955.

Swineford, Ada

1. (and Runnels, Russell T.) Identification of polyhalite (a potash mineral) in Kansas Permian salt: V. 56, no. 3, p. 364–370, tables 1–3, 1953.
2. (and Frye, John C.) Notes on Waconda or Great Spirit Spring, Mitchell County, Kansas: V. 58, no. 2, p. 265–270, plate 1, fig. 1, table 1, 1955.
3. See: Frye, John C. 3.

Swingle, W. T.

1. A list of the Kansas species of Peronosporaceae: V. 11, p. 63–87, 1889.
2. First additions to the list of Kansas Peronosporaceae: V. 12, p. 129–134, 1890.
3. See: Kellerman, W. A. 7.

Synolds, D. L.

(and Pronko, N. H.) I—an exploratory study of color discrimination of children: V. 52, no. 1, p. 105–109, tables 1–4, fig. 1, 1949.

Taft, Dorothy

The effects of habitat on stomatal frequency: V. 53, no. 4, p. 477–487, tables I–III, 1950.

Taft, Robert

1. The behavior of certain lyophilic colloids in liquid ammonia: V. 32, p. 38–41, 1929.
2. (and Messmore, Harold E.) The influence of gelatin on the form of electro-deposited copper: V. 32, p. 42–48, plates 1–3, 1929.
3. (and Malm, Lloyd) Solvents for gum arabic: V. 32, p. 49–50, 1929.
4. (and Hill, John W.) The effect of light upon the formation of banded precipitates of mercuric iodide: V. 33, p. 57–63, tables 1–3, 1930.
5. (and Malm, Lloyd E.) Solvents for gum arabic II: V. 34, p. 116–117, 1931.
6. (and Malm, Lloyd E.) Furfural as a lyophilic dispersion medium: V. 36, p. 125–130, table 1, 1933.
7. Presidential address: old photographs—a review of American photography in the period 1839–1880: V. 36, p. 36–40, plates 1–2, 1933.
8. (and Fincke, John K.) Addition agents in the electro-deposition of lead: V. 45, p. 173–188, fig. 1, no. 1–6, 1942.
9. (and Hiebert, Erwin N.) The electrodeposition of silver from solutions of silver nitrate in the presence of wetting agents: V. 46, p. 142–160, fig. 1, 1943.
10. The Kansas Academy of Science: V. 46, p. 263–266, 1943.
11. The Editor's Page: V. 47, no. 1, p. 7–10, 1944.
12. The Editor's Page: V. 47, no. 2, p. 177–181, 1944.
13. The Editor's Page: V. 47, no. 3, p. 325–329, 1945.
14. The Editor's Page: V. 48, no. 1, p. 41–46, 1945.
15. The Editor's Page: V. 48, no. 2, p. 134–138, 1945.

16. The Editor's Page: V. 48, no. 3, p. 265–268, 1945.
17. Charles Darwin's last letter?: V. 48, no. 3, p. 317–318, 1945.
18. (and Stratton, G. W.) The photochemical gaseous phase chlorination of isobutane: V. 48, no. 3, p. 319–324, tables 1–3, fig. 1–2, 1945.
19. The Editor's Page: V. 48, no. 4, p. 373–376, 1945.
20. The Editor's Page: V. 49, no. 1, p. 36–39, 1946.
21. The Editor's Page: V. 49, no. 2, p. 138–140, 1946.
22. Kansas and the nation's salt: V. 49, no. 3, p. 223–272, tables 1–12, fig. 1–16, 1946.
23. The Editor's Page: V. 49, no. 3, p. 273–274, 1946.
24. The Editor's Page: V. 49, no. 4, p. 379–381, 1947.
25. The Editor's Page: V. 50, no. 1, p. 19–20, 1947.
26. The Editor's Page: V. 50, no. 2, p. 120–123, 1947.
27. (and Stratton, G. W.) Some reactions of the polychlorides obtained by the chlorination of isobutane: V. 50, no. 2, p. 225–238, 1 unnumbered fig., 1947.
28. The Editor's Page: V. 50, no. 3 and 4, p. 262–267, 1947.
29. The Editor's Page: V. 51, no. 1, p. 20–21, 1948.
30. The Editor's Page: V. 51, no. 2, p. 162–163, 1948.
31. The Editor's Page: V. 51, no. 3, p. 289–291, 1948.
32. The Editor's Page: V. 51, no. 4, p. 425–426, 1948.
33. The Editor's Page: V. 52, no. 1, p. 13–14, 1949.
34. The Editor's Page: V. 52, no. 2, p. 132–134, 1949.
35. The Editor's Page: V. 52, no. 3, p. 334–335, 1949.
36. The Editor's Page: V. 52, no. 4, p. 416–418, 1949.
37. The Editor's Page: V. 53, no. 1, p. 13–15, 1950.
38. The Editor's Page: V. 53, no. 2, p. 119–121, 1950.
39. The Editor's Page: V. 53, no. 3, p. 302–304, 1950.
40. (and Anderson, W. Max) Solubilities at 30°C in the ternary system sodium chloride-thiourea-water: V. 53, no. 3, p. 411–421, fig. 1–6, tables 1–2, 1950.
41. The Editor's Page: V. 53, no. 4, p. 441–444, 1950.
42. (and Anderson, W. Max) The density, viscosity, and electrical conductance of aqueous solutions of sodium chloride and thiourea at 30°C: V. 53, no. 4, p. 578–584, tables I–X, 1950.
43. (and Patton, Helen M.) Conductance and related properties of aqueous solutions of sodium diethylbarbiturate: V. 53, no. 4, p. 585–595, tables I–VI, fig. 1–3, 1950.
44. The Editor's Page: V. 54, no. 1, p. 12–14, 1951.
45. (and Hyde, Ernest B., Jr.) Conductance and related properties of aqueous solutions: V. 54, no. 1, p. 99–111, tables 1–2, fig. I–IV, 1951.
46. The Editor's Page: V. 54, no. 2, p. 130–132, 1951.
47. (and Welch, Frank H.) Physical properties of aqueous solutions of sodium oxalate, sodium malonate, and sodium succinate, I: V. 54, no. 2, p. 233–246, tables 1–14, fig. 1–4, 1951.
48. The Editor's Page: V. 54, no. 3, p. 330–332, 1951.
49. (and Liese, Dale H.) Studies on the Iodine Coulometer, I: V. 54, no. 3, p. 426–445, fig. 1–3, tables 1–3, 1951.
50. The Editor's Page: V. 54, no. 4, p. 495–497, 1951.
51. (and Liese, Dale H.) Studies on the Iodine Coulometer, II: V. 54, no. 4, p. 565–579, fig. 4, tables 4–7, 1951.
52. The Editor's Page: V. 55, no. 1, p. 38–41, 1952.
53. (and Liese, Dale H.) Studies on the Iodine Coulometer, III: V. 55, no. 1, p. 138–145, tables 8–9, 1952.
54. The Editor's Page: V. 55, no. 2, p. 159–161, 1952.
55. (and Welch, Frank H.) Physical properties of aqueous solutions of sodium oxalate, sodium malonate and sodium succinate, II: V. 55, no. 2, p. 223–231, tables 15–25, fig. 1–6, 1952.
56. The Editor's Page: V. 55, no. 3, p. 253–255, 1952.
57. The Editor's Page: V. 55, no. 4, p. 381–385, 1952.
58. The Editor's Page: V. 56, no. 1, p. 16–18, 1953.

59. The Editor's Page: V. 56, no. 2, p. 191–193, 1953.
60. The Editor's Page: V. 56, no. 3, p. 293–295, 1953.
61. The Editor's Page: V. 56, no. 4, p. 395–399, 1953.
62. The Editor's Page: V. 57, no. 1, p. 11–13, 1954.
63. (and Krishnan, V. R.) Study of phaseequilibria in ternary systems by the measurement of conductance. The system—Potassium Fluoride, Potassium Iodine and Water: V. 57, no. 1, p. 101–106, fig. 1–2, table 1, 1954.
64. The Editor's Page: V. 57, no. 2, p. 124–127, 1954.
65. The Editor's Page: V. 57, no. 3, p. 261–264, 1954.
66. The Editor's Page: V. 57, no. 4, p. 434–438, 1954.
67. The Editor's Page: V. 58, no. 1, p. 9–13, 1955.
68. The Editor's Page: V. 58, no. 2, p. 151–155, 1955.
69. The Editor's Page: V. 58, no. 3, p. 310–312, 1955.
70. The first hundred years of science in Kansas: V. 58, no. 4, p. 452–476, 1955.
71. See: Hess, Robert H.
72. See: Renich, Paul W.
73. See: Senter, C. H. 1.

Tague, E. L.

See: Bailey, E. H. S. 30.

Tanner, Wilmer W.

1. See: Fitch, Henry S. 1.
2. (and Loomis, Richard B.) A taxonomic and distributional study of the western subspecies of the milk snake, *Lampropeltis doliata*: V. 60, no. 1, p. 12–42, plates 1–4, table 1, 1957.

Tasch, Paul

1. Preliminary report on some conchostracan-bearing beds of Kansas (Jester Creek section): V. 61, no. 2, p. 230–236, plates 1–2, tables 1–2, 1958.
2. Paleoecological observation of the Wellington Salt (Hutchinson member): V. 63, no. 1, p. 24–30, fig. 1–6, 1960.
3. Valve injury and repair in living and fossil conchostracans: V. 64, no. 2, p. 144–149, fig. 1–5, 1961.
4. See: Reiser, Ralph.

Taylor, Dale L.

1. (and Elder, J. B.) Preliminary survey of deer in Kansas: V. 62, no. 1, p. 67–79, tables 1–7, 1959.
2. Notes on a recent collection of a black-footed ferret: V. 64, no. 1, p. 41, 1961.

Taylor, Edward H.

1. Notes on a small herpetological collection from western Australia: V. 38, p. 341–344, 1935.
2. Proposed changes in the nomenclature of the scincoid lizard genus *Eumeces*: V. 38, p. 345–347, 1935.
3. New species of amphibia from Mexico: V. 39, p. 349–364, plate 1, fig. 1–7, tables 1–4 unnumbered; plate 2, fig. 1–6, 1937.
4. Notes and comments on certain American and Mexican snakes of the genus *Tantilla*, with descriptions of new species: V. 39, p. 335–348, fig. 1–6, 1937.

Thomas, L. C.

Judging females for fertility: V. 35, p. 100–101, fig. 1, 1932.

Thomas, Olive E.

(and Bell, Rondal E.) Isolation study of soil cytophagas: V. 58, no. 4, p. 528–530, 1955.

Thomas, R. W.

Industry looks to science: V. 65, no. 1, p. 18–24, 1962.

Thompson, A. H.

1. The influence of food-selection upon evolution of animal life: V. 5, p. 65–70, 1877.
2. Notes on the antiquity of man: V. 6, p. 12–17, 1878.
3. The origin and history of the Academy: V. 9, p. 4–16, 1885.
4. The relation of a state geological survey to the work of the national survey: V. 10, p. 9–13, 1887.
5. Animal ethics: V. 11, p. 52–56, 1889.
6. Facial expression and its psychology: V. 12, p. 67–74, 1890.
7. The descent of facial expression: V. 13, p. 122–131, 1893.
8. The origin and evolution of the human face: V. 13, p. 6–16, 1893.
9. Report of the board of curators: V. 14, p. 278, 1896.
10. In memoriam—Robert Hay: V. 15, p. 131–134, 1898.
11. The culture emergence of man: V. 19, p. 331–344, 1905.
12. Mutations and evolution of man: V. 20, p. 260–264, 1906.
13. Anthropology as a science: V. 21, p. 199–206, 1908.
14. Fifty years of evolution: V. 23, p. 154–168, 1909.
15. See: Hay, Robert 7.

Thompson, Mary E.

Notes on the salivary glands of the albino rat: V. 36, p. 323–327, fig. 1–3, plate 1, 1933.

Thompson, William H.

See: Schoonover, Roy 1.

Thorson, John

See: Hermanson, J. L. 1.

Tidd, George W.

America's opportunity in science: V. 27, p. 119–122, 1915.

Tiemeier, Otto W.

1. Summer birds of Rawlins County, Kansas: V. 40, p. 397–399, 1938.
2. Studies on Kanopolis Reservoir in 1950: V. 54, no. 2, p. 175–189, tables 1–4, fig. 1–3, 1951.
3. The embryogeny of the os opticus in the English sparrow, *Passer domesticus*: V. 56, no. 4, p. 440–448, fig. 1–13, 1953.
4. Winter foods of Kansas coyotes: V. 58, no. 2, p. 196–207, fig. 1–6, tables 1–4, 1955.
5. (and Moorman, Robert B.) Limnological observations on some Flint Hills farm ponds: V. 60, no. 2, p. 167–173, 1957.
6. Notes on stunting and recovery of the channel catfish: V. 60, no. 3, p. 294–296, table 1, 1957.
7. (and Elder, James B.) Limnology of Flint Hills farm ponds for 1956 and preliminary report on growth studies of fishes: V. 60, no. 4, p. 379–392, fig. 1–4, tables 1–8, 1957.
8. Increasing size of fingerling channel catfish by supplemental feeding: V. 65, no. 2, p. 144–153, fig. 1, tables I–VI, 1962.
9. Survival of fish in deep water of farm ponds during the summer: V. 65, no. 4, p. 463–466, table I, 1962.
10. See: Bronson, F. H. 2.
11. See: Lyons, E. T.
12. See: Stevens, Earl D.

Tihen, Joe A.

1. Additional distributional records of amphibians and reptiles in Kansas counties: V. 40, p. 401–409, 1938.

2. (and Sprague, James M.) Amphibians, reptiles, and mammals of the Meade County State Park: V. 42, p. 499–512, fig. 1–5, plates I–III, 1939.
3. A new *Gerrhonotus* from San Luis Potosi: V. 51, no. 3, p. 302–305, 1948.
4. Two races of *Elgaria kingii* Gray: V. 51, no. 3, p. 299–301, 1948.

Todd, J. E.

1. Drainage of the Kansas ice-sheet: V. 22, p. 107–112, 1909.
2. Is the Dakotah formation Upper or Lower Cretaceous: V. 23, p. 65–69, 1909.
3. History of Wakarusa Creek: V. 24, p. 211–218, 1910.
4. Eolian loess: V. 28, p. 200–203, 1918.
5. History of Kaw Lake: V. 28, p. 187–199, maps 1–4, 1918.
6. Kansas during the Ice Age: V. 28, p. 33–48, map 1, 1918.
7. Aqueous loess: V. 29, p. 115–116, 1920.
8. Lascustrine beds near Atchison: V. 29, p. 116–117, 1920.
9. Color in nature: V. 30, p. 370–376, 1922.
10. How to determine altitudes satisfactorily with an aneroid barometer: V. 30, p. 240–245, 1922.
11. More evidence that Platte River, Nebraska, formerly connected with Grand River, Missouri: V. 30, p. 179–182, 1922.

Tomanek, Gerald W.

1. Pasture types of western Kansas in relation to the intensity of utilization in past years: V. 51, no. 2, p. 171–196, tables I–V, fig. 1–13, 1948.
2. F. W. Albertson, 1892–1961: V. 64, no. 3, p. 266–267, 1961.
3. See: Hullett, Gary K.
4. See: Martin, Edwin P. 3.

Tombaugh, Robert M.

(and Choguill, Harold S.) Some physical properties of the ternary system ethylene glycol-diethylene glycol-water: V. 54, no. 3, p. 411–419, tables 1–12, fig. 1–3, 1951.

Tong, W. S.

See: Bailey, E. H. S. 37.

Toomey, Rex

See: Olsen, Allen L. 2.

Torrence, Paul

Some uses of Stephenson's Q-technique in the quantification of the individual: V. 55, no. 1, p. 92–97, 1952.

Towner, H. C.

Evidence of ancient forest in central Kansas: V. 5, p. 71–72, 1877.

Townsend, C. H. Tyler

1. On the horse-flies of New Mexico and Arizona: V. 13, p. 133–135, 1893.
2. On a peculiar *Acalyptrate muscid* near Turkey Tanks, Ariz.: V. 13, p. 135–136, 1893.

Travis, Gerald

(and Hall, H. H.) The fleshy fungi of Crawford County, Kansas: V. 42, p. 197–201, 1939.

Treitel, Otto

1. The elasticity, breaking stress, and breaking strain of the horizontal rhizomes of species of *Equisetum*: V. 46, p. 122–132, plate I, fig. 1–5; plate II, fig. 6–10; plate III, fig. 11–15, 1943.
2. Elasticity of plant tissues: V. 47, no. 2, p. 219–239, plate I, fig. 1–6; plate II, fig. 7–12, 1944.

3. Aging of plant tissue and stress strain curves, modulus of elasticity and specific gravity of plant tissues: V. 48, no. 2, p. 186–197, plate I, fig. 1–2, 1945.
4. Elasticity, plasticity, water content, and hardness of plant tissues of different ages: V. 52, no. 2, p. 219–231, tables I–II, fig. 1, 1949.

Trent, J. A.

1. *Eryngium yuccifolium*—ecological distribution and some morphological irregularities: V. 41, p. 155–163, fig. 1–15, 1938.
2. The status of *Cylindrosporium chrysanthemi* E. and D., as the causative agent of chrysanthemum leaf blight: V. 42, p. 203–205, fig. 1–5, plate unnumbered, 1939.
3. Flowering behavior of *Specularia perfoliata* in relation to light intensity and light duration: V. 43, p. 199–215, graphs A–B, 1940.
4. Studies pertaining to the life history of *Specularia perfoliata* (L.) A. D. C., with special reference to cleistogomy: V. 45, p. 152–164, plate I, fig. 1–7; plate II, fig. 8–14; plate III, fig. 15–26; plate IV, fig. 27–35, 1942.
5. Solomon, Marvin D. 1.

Tuck, J. B.

Tertiary butyl alcohol as a dehydrating agent in preparing microscopic mounts of insect material: V. 42, p. 513–514, 1939.

Tucker, Elbert S.

1. Collecting insects at night: V. 20, p. 108–120, 1906.
2. Determination of some Texas Coleoptera, with records: V. 20, p. 85–89, 1906.
3. Certain conditions to be met by the insect collector, particularly the amateur: V. 20, p. 230–232, 1907.
4. Contributions toward a catalogue of insects of Kansas, resulting from personal collecting: V. 20, p. 190–201, 1907.
5. Concerning some insects collected and bred from dead and dying elm: V. 21, p. 158–162, 1908.
6. Additional results of collecting insects in Kansas and Colorado: V. 22, p. 276–304, lists 1–2 unnumbered, 1909.
7. Description of a new fly of the family Dolichopodidae, with remarks and corrections of preceding papers: V. 23, p. 105–107, 1909.
8. Supplementary additions to the list of Kansas Diptera: V. 22, p. 306–307, 1909.
9. Supplementary additions to the list of Kansas Hymenoptera: V. 22, p. 308–310, 1909.
10. Local records of arachnids personally collected in Kansas and Texas: V. 24, p. 240–241, 1910.
11. Formaldehyde gas not effective upon flies: V. 25, p. 53, 1913.
12. Further records of insects personally collected in Kansas and Colorado: V. 25, p. 54–62, 1913.
13. Notations applied to entomological accessions: V. 25, p. 142–145, 1913.
14. Determinations and records of insects collected at Plano, Texas: V. 28, p. 291–312, 1918.
15. Experience with an outbreak of grasshoppers on overflowed land in Louisiana: V. 28, p. 265–275, 1918.
16. Notes on the green bug in Texas: V. 28, p. 276–291, 1918.
17. Occurrence of black flies in Louisiana during recent years: V. 29, p. 65–75, 1920.
18. Research work with insects infesting stored rice: V. 29, p. 75–84, 1920.
19. Studies of insects associated with American mistletoe: V. 30, p. 143–170, fig. 1–2, plates I–III, 1922.

Tweeddale, W.

1. Water purification: V. 16, p. 48–52, plate 1, 1899.
2. Silica cement mortars: V. 17, p. 42–44, 1901.

Twenhofel, W. H.
The Comanchean of central Kansas: V. 28, p. 213–223, map 5, 1918.

Twiehaus, M. J.
See: Peppler, H. J. 1.

Ungar, Irwin A.
Some effects of controlled conditions on the morphology of *Helianthus annuus* L.: V. 65, no. 3, p. 307–309, 1962.

Uhrich, Jacob
The social hierarchy in albino mice: V. 41, p. 385, 1938.

Unruh, Earl
See: Kroeker, E. H. 1.

Vail, Gladys E.
1. See: Bray, Robert W. 1.
2. See: Chitwood, Ida 1.
3. See: Wellington, G. H. 1.

Valentine, D. M.
Necrology—D. M. Valentine, LL. D.: V. 21, p. 269, 1908.

VanderWerf, C. A.
1. (and Sisler, Harry H.) A correlation of some terms used in theoretical inorganic and organic chemistry: V. 47, no. 1, p. 89–94, 1944.
2. Application of the electronic theory to some simple organic reactions: V. 48, no. 1, p. 91–99, 1945.
3. Application of the electronic theory to some simple organic reactions—II: V. 49, no. 3, p. 346–353, fig. 1–5, 1946.
4. Application of the electronic theory to simple organic reactions: V. 50, no. 3, p. 356–363, 1947.
5. See: Brownlees, William E. 1.
6. See: Hall, Luther 1.

Van Gelder, Richard G.
Echo-location failure in migratory bats: V. 59, no. 2, p. 220–222, 1956.

Van Orman, C. R.
Surface water—its control and retention for use: V. 59, no. 1, p. 105–110, 1956.

Vatne, R. D.
See: Herrick, E. H. 12.

Vaughan, Terry A.
See: Findley, James S. 1.

Vaughan, Peter Paul
1. (and Dawson, Mary R.) Calcified tympanic membranes in the mosasaur *Platecarpus*: V. 59, no. 3, p. 382–384, 1956.
2. Specimen of the Cretaceous crocodile *Dakotasuchus*: V. 59, no. 3, p. 379–381, 1956.

Viereck, H. L.
Notes and descriptions of Hymenoptera from the western United States in the collection of the University of Kansas: V. 19, p. 264–326, 1905.

Volle, L. D.

1. (and Hetzer, W. A.) An anatomical study of *Melampodium leucanthum*, a drought resistant plant: V. 52, p. 355–359, plate I, fig. A–H; plate II, fig. A–D, 1949.
2. See: Hetzer, W. A. 2.
3. See: McGregor, R. L. 3.

Von Riesen, V. Lyle

1. Studies on bacteria-surface active agent relationships: I. Decomposition of anionic SAAA by bacteria: V. 58, p. 337–344, fig. 1–5, 1955.
2. Studies on bacteria-surface active agent relationships: II. Hydrolysis of ester lineages in anionic compounds by gram-negative species as shown by Nile-blue sulfate: V. 59, no. 3, p. 333–338, fig. 1–6, 1956.
3. (and Treece, E. Lee) Studies on bacteria-surface active agent relationships: III. Acquired resistance: V. 60, no. 1, p. 50–57, fig. 1–5, 1957.

Voth, Henry W.

Histological observations on the anterior pituitary gland: V. 46, p. 250–272, charts I–IV, 1943.

Wagoner, Charles

See: Hershey, J. Willard 14.

Wahl, N. R.

See: Sherwood, Noble P. 2.

Walkden, H. H.

Seasonal variation in resistance to high temperature of the cadelle and the confused flour beetle: V. 43, p. 283–288, tables 1–2, plate 1, fig. 1–4, 1940.

Walker, Edwin R.

The social significance of recent developments in science: V. 51, p. 482–489, 1948.

Walker, Myrl V.

1. Two "herds" of three-toed horses: V. 33, p. 137–143, 1930.
2. Notes on fossil lagomorphs: V. 34, p. 122–124, 1931.
3. A new burrowing lizard from the Oligocene of central Wyoming: V. 35, p. 224–231, 1932.
4. See: Sternberg, George F. 3.

Walker, Neil A.

See: Hungerford, H. B. 2.

Walker, P. F.

1. The gas engine in the commercial development of Kansas: V. 20, p. 208–216, 1906.
2. Report of the committee on research: V. 28, p. 341–354, 1918.

Wallace, Maurice H.

Chariton conglomerate in Lucas and Marion counties, Iowa: V. 44, p. 322–326, fig. 1–2, 1941.

Walter, E. W.

See: Bailey, E. H. S. 5.

Walters, Lora L.

Erysipheae of Riley County, Kansas: V. 14, p. 200–206, fig. 1–16, 1896.

Wands, Herbert O.

See: Cottle, Wm. C.

Wang, I. Cheng

(and Mitchell, H. L.; and Barham, H. N.) The phytin content of sorghum grain: V. 62, no. 3, p. 208–211, 1959.

Ward, Claud M.

See: Cross, F. B. 7.

Ward, M. L.

A bit of engineering at Mount Vernon: V. 20, p. 245–249, 1906.

Warfel, E. C.

1. The circle that is not a circle: V. 23, p. 60–61, 1909.
2. Kaw Valley anticline: V. 27, p. 53–57, 1915.

Waring, Sister Mary Grace

Simple atomic models as an aid in teaching chemistry: V. 43, p. 363–365, fig. 1–2, 1940.

Warner, Robert W.

Earth resistivity as affected by the presence of underground water: V. 38, p. 235–241, fig. 1–3, 1935.

Warren, Leonard Earnest

See: Harman, Mary T. 19.

Washburn, E. Roger

See: Olsen, Allen L. 1.

Watson, Bernard B.

The isolation of keratinophilic fungi from soils: V. 59, no. 2, p. 236–239, table 1, 1956.

Watson, G. N.

1. The quantitative separation of quinine and strychnine: V. 27, p. 99–101, 1915.
2. Quantitative determination of salicylic acid in the presence of acetyl salicylic acid: V. 28, p. 175–176, 1918.
3. Contributions of the drug laboratory of the University of Kansas in the enforcement of the Food and Drug Law: V. 29, p. 184–185, 1928.

Watt, D. B.

(and MacKintosh, D. L.) The influence of wrapping material on the keeping quality of fresh frozen pork sausage: V. 53, no. 1, p. 75–80, fig. 1–3, 1950.

Wearden, Stanley

(and Orazem, Frank) Yield variability as explained by variance components: V. 63, no. 2, p. 77–84, 1960.

Weatherby, Gerald

Alcohol and acetic acid from wood: V. 62, no. 2, p. 139–140, 1959.

Weatherly, Mrs. Josephine

A study in psychographs: V. 32, p. 129–133, graphs 1–2, 1929.

Weathers, Edra

1. The value of psychological diagnosis in a community program for child welfare: V. 41, p. 273–274, 1938.
2. An attempted standardization of tests for children with acuity disabilities: V. 37, p. 247–249, 1937.
3. A preliminary report on the Levy sibling technique as used with children at the Wichita Child Guidance Center: V. 42, p. 417–419, 1939.

Weaver, V. L.

Some characteristics of conductor tie wires: V. 40, p. 305–308, fig. 1–3, 1938.

Webb, Glenn R.

A new land snail, *Haplotrema concavum kendeighi* (Mollusca, Pulmonata): V. 54, no. 1, p. 78–82, plate 1, fig. 1–8; plate 2, fig. 9–17, 1951.

Webb, John

1. *Festuca octoflora* var. *hirtella*, a new grass for Kansas: V. 42, p. 207–208, fig. 1, 1939.
2. Identification of rodents and rabbits by their fecal pellets: V. 43, p. 479–481, fig. 1, 1940.
3. The life history and habits of buffalo grass: V. 44, p. 58–75, tables 1–11, fig. 1–17, 1941.

Webb, Olin

See: Jones, J. Knox, Jr. 1.

Webb, Robert G.

Notes on some amphibians and reptiles from northern Mexico: V. 63, no. 4, p. 289–298, 1960.

Weber, A. D.

The animal industries of Kansas: V. 50, no. 3, p. 245–260, fig. 1–2, 1–4 unnumbered pictures, 1947.

Weber, Clement

1. Plants that grow in Ellsworth County: V. 32, p. 68–79, 1929.
2. The flora of Clay County, Kansas: V. 33, p. 87–106, 1930.
3. The flora of Sheridan County, Kansas: V. 35, p. 161–178, 1932.
4. Additions to the flora of Sheridan County, Kansas: V. 43, p. 207, 1940.

Weber, George H.

1. The clinical application of a battery of phychological tests in the study of delinquents: V. 52, no. 4, p. 489–493, 1949.
2. Some qualitative aspects of an exploratory presonality study of fifteen juvenile automobile thieves: V. 53, no. 4, p. 548–556, 1950.

Weber, L. R.

1. Measurement of high resistance with a relaxation oscillator: V. 37, p. 173–174, 1934.
2. A vacuum tube amplifier model: V. 39, p. 201, 1937.
3. A note on the measurement of wave length by the diffraction grating: V. 40, p. 313, 1938.
4. The significance of the new microcamera to science teachers and students: V. 41, p. 237–238, 1938.
5. Some new lecture demonstrations: V. 41, p. 239–240, 1938.

Wedal, M. N.

(and Havenhill, L. D.) Has the quality of drugs improved since the enactment of the Food and Drugs Law?: V. 25, p. 167–169, 1913.

Wedel, Waldo R.

1. The Kansa Indians: V. 49, no. 1, p. 1–35, plate I, 2, 3a, 3b, 4, 5, table 1, fig. 1, 1946.
2. Prehistory and environment in the central Great Plains: V. 50, no. 1, p. 1–8, fig. 1–5, 1947.

Weeks, Mary Elvira

1. P-Phenetidine and P-Anisidine as oxidation indicators: V. 34, p. 158–163, tables 1a, 1b, 2a, 2b, 3, 4, 5b, 1931.
2. See: Caldwell, J. Marvin.

Weidlein, Edward R.

Mellon Institute—its organization and management: V. 48, no. 4, p. 359–372, 6 unnumbered pictures, 1946.

Weir, J. A.

On the concept of inherited constitution: V. 57, no. 2, p. 107–123, table 1, 1954.

Weith, A. J.

See: Bushong, F. W. 7.

Welch, Frank H.

1. See: Taft, Robert 47.
2. See: Taft, Robert 55.

Wellington, G. H.

(and MacKintosh, D. L.; and Vail, Gladys E.) Pork storage in freezer lockers: V. 43, p. 313–319, tables 1–4, 1940.

Wells, John D.

A study of the Eskridge shale: V. 53, no. 4, p. 535–543, fig. 1–3, 1950.

Wells, J. Ralph

1. The reclamation of strip mined areas in southeastern Kansas: V. 56, no. 3, p. 269–292, fig. 1–15, 1953.
2. See: Dennis, Parley 1.
3. See: Maupin, James K. 1.

Wentworth, Edward N.

Inheritance of fertility in sheep: V. 28, p. 243–244, table 1, 1918.

Wenzel, Duane G.

1. An inexpensive mouse cage: V. 58, no. 3, p. 408–410, fig. 1, 1955.
2. (and Skillman, Herbert C.) The effect of some orally-administered havonoids on procaine-bisulfite mortality of mice: V. 64, no. 1, p. 23–26, fig. 1, 1961.
3. See: Beal, Jack L. 2.

Werler, John E.

1. (and Shannon, Frederick A.) Two new lizards (genera *Abronia* and *Xenosaurus*) from the Los Tuxtlas Range of Veracruz, Mexico: V. 64, no. 2, p. 123–132, fig. 1–6, 1961.
2. See: Shannon, Frederick A. 2.

Werner, Henry

See: Dains, F. B. 6.

West, E. P.

The last submersion and emergence of southeastern Kansas from the Carboniferous seas, or those affecting the Carboniferous formation in Kansas: V. 9, p. 106–109, 1885.

West, R. R.

(and Bartel, M. H.; and Plenert, M. L.) Use of forms by the black-tailed jack rabbit in southwestern Kansas: V. 64, no. 4, p. 344–348, fig. 1–3, 1961.

Whaley, W. G.

See: Shantz, H. L.

Wheat, R.

(and Sartore, J. E.; and Pauley, J. L.) Effect of substrate salts on stearic acid films on water: V. 60, no. 4, p. 448–452, table 1, 1957.

Wheatley, M. D.

The effect of various disintegration products of trichina tissue on the developing larvae of *Trichinella spiralis*: V. 43, p. 483–489, table 1, 1940.

Wheeler, R. H.

1. The laws of human nature: V. 33, p. 72–73, 1930.
2. The effect of climate on human behavior in history: V. 46, p. 33–51, fig. 1–5, 1943.

Wheeler, Wm.

1. A fossil tusk found in Franklin County: V. 6, p. 11, 1878.
2. A partial list of the fishes of the Marais Des Cygnes at Ottawa: V. 6, p. 33–34, 1878.

Whelan, Don B.

Some mammals of an eastern Nebraska prairie: V. 39, p. 365–366, 1937.

White, J. A.

See: Gier, L. J.

White, Leland M.

(and Brewster, Ray Q.) Derivatives of l-imino-benzthiazole: V. 42, p. 241–244, tables I–II, 1939.

White, Mark

Geology of the Glass Mountains of western Oklahoma: V. 17, p. 199–200, 1901.

White, R. P.

(and Melchers, L. E.) Take-all disease of wheat in Kansas: V. 32, p. 141, 1929.

Whitla, R. E.

Some mineralogical analyses of eastern Kansas: V. 41, p. 229, 1938.

Whitnah, C. H.

See: Kunerth, Bernice L.

Wilbur, Donald A.

1. An outbreak of the beet webworm, *Loxostege sticticalis* L., in western Kansas: V. 38, p. 187–188, 1935.
2. Host plants of the leafhopper *Endria inimica* (Say) (Homoptera, Cicadellidae): V. 57, no. 2, p. 139–146, tables 1–3, 1954.
3. See: Schwitzgebel, R. B. 1.

Wilcox, Joseph

Astronomical polar measurements of the earth: V. 62, no. 2, p. 134–139, fig. 1–2, 1959.

Wilcox, Warren W.

Visual acuity and illumination: V. 35, p. 129–130, 1932.

Wildish, Myra

Spermatogenesis of *Orchelimum nigripes*: V. 39, p. 367–389, plates 1–5, fig. 1–49, 1937.

Wiley, Martin L.

See: Long, Charles A. 2.

Wilkinson, Paul N.

(and Hoecker, Frank E.) Selective placental transmission of radioactive alkaline earths and plutonium: V. 56, no. 3, p. 341–363, fig. 1–6, tables A–D, 1953.

Willard, J. T.

1. Note on a new Kansas mineral: V. 9, p. 25–26, 1885.
2. (and Failyer, G. H.) On a new apparatus for the continuous extraction of solids by a solvent: V. 10, p. 20–21, fig. 1 unnumbered, 1887.
3. On the sweetness of invert sugar, with some notes on its preparation: V. 10, p. 24–25, 1887.
4. On the variations in the sugar-content of sorghum vulgare: V. 10, p. 70–71, 1887.
5. Notes on the analysis of agricultural products: V. 12, p. 21, 1890.
6. On the sugars of watermelons: V. 12, p. 95–96, 1890.
7. (and Failyer, G. H.) A new glass siphoning extraction apparatus: V. 12, p. 165–166, 1890.
8. A breathing well in Logan County: V. 13, p. 73–75, 1893.
9. Variations in the nitrogen-content of maise and possibilities for improvement of it: V. 16, p. 46–48, 1899.
10. (and Kinsley, A. T.) On the effect of oxygen upon animal life: V. 17, p. 38–40, 1901.
11. Effect upon the composition of the soil of continuous cropping by wheat: V. 17, p. 41, 1901.
12. The mission and limitations of science: V. 18, p. 36–46, 1903.
13. (and Clothier, R. W.) The composition and digestibility of prairie hay and of buffalo-gray hay: V. 18, p. 59–60, 1903.
14. Native zinc: V. 19, p. 63, 1905.
15. (and Shaw, R. H.) Progress in the production of high protein corn: V. 19, p. 64–65, 1905.
16. The need of investigations in human nutrition: V. 19, p. 350–352, 1905.
17. Necrology—S. A. Baldwin: V. 19, p. 437–438, plate 32, 1905.
18. Necrology—Mrs. Mary E. Mudge: V. 19, p. 439–442, plate 33, 1905.
19. A proposed test for bleached flour: V. 20, p. 85, 1907.
20. William Ashbrook Kellerman: V. 22, p. 46–48, picture 1, 1909.
21. (and Swanson, C. O.) The baking qualities of flour as influenced by certain chemical substances, milling by-products and germination of the wheat: V. 24, p. 201–207, 1910.
22. Necrology—John Webster Parker: V. 24, p. 327–329, 1910.
23. Some nutritional characteristics of corn: V. 29, p. 187–201, tables 1–6, 1920. See also Special Publications.
24. See: Failyer, G. H. 5.
25. See: Failyer, G. H. 10.

Wille, Alvaro

Muscular adaptation of the nectar-eating bats (subfamily Glossophaginae): V. 57, no. 4, p. 315–325, fig. 1–10, 1954.

Williams, Austin B.

Six new crayfishes of the genus *Orconectes* (Decapoda: Astacidae) from Arkansas, Missouri, and Oklahoma: V. 55, no. 3, p. 330–351, plates 1–3, fig. 1–48, 1952.

Williams, C. C.

1. Measurements of stresses in railroad tracks: V. 28, p. 225, 1918.
2. See: Jewett, John M. 5.

Williams, Harold L.

See: Woods, L. L.

Williams, Kenneth L.

1. (and Chrapliwy, Pete S.) Selected records of amphibians and reptiles from Arizona: V. 61, no. 3, p. 299–301, 1958.
2. (and Chrapliwy, Pete S.; and Smith, Hobart M.) A new fringe-footed lizard (Uma) from Mexico: V. 62, no. 2, p. 166–172, plates 1–2, 1959.

Williams, Lizzie J.

What is good for an artist and what an artist is good for: V. 1, p. 54–61, 1872.

Williamson, Ollie Clinton

A study of the microflora of a grassland and a forested soil: V. 59, no. 1, p. 32–38, tables 1–4, 1956.

Willis, Harold

Some limnological conditions of Turkey Creek and two ponds near Shawnee, Kansas, from June 8, 1957 to August 16, 1957: V. 62, no. 1, p. 20–28, fig. 1, 1959.

Williston, S. W.

1. Note on the habits of some of the rarer Cincindelae: V. 6, p. 32–33, 1878.
2. On the adult male plumage of Wilson's phalarope: V. 6, p. 39, 1878.
3. *Spermophilus richardsonii*: V. 6, p. 39–40, 1878.
4. American Jurassic dinosaurs: V. 6, p. 42–46, 1878.
5. Table of the families of Diptera: V. 10, p. 122–128, 1887.
6. Notes and descriptions of North American Tabanidae: V. 10, p. 129–142, 1887.
7. On the structure of the Kansas chalk: V. 12, p. 100, 1890.
8. A new plesiosaur from Niobrara Cretaceous of Kansas: V. 12, p. 174–178, fig. 1–2 unnumbered, 1890.
9. In memoriam—E. P. West: V. 13, p. 68–69, 1893.
10. The Niobrara Cretaceous of western Kansas: V. 13, p. 107–111, plates 1–2 unnumbered, 1893.
11. An interesting food habit of the plesiosaurs: V. 13, p. 121–122, plate 1 unnumbered, 1893.
12. Notes and descriptions of Mydaidae: V. 15, p. 53–58, 1898.
13. The Pleistocene of Kansas: V. 15, p. 90–94, 1898.
14. Notice of some vertebrate remains from the Kansas Permian: V. 15, p. 120–122, plate 9, 1898.
15. Science in education: V. 16, p. 16–24, 1899.
16. A new turtle from the Kansas Cretaceous: V. 17, p. 195–199, plate 18; plate 19, fig. 1–2; plate 20; plate 21; plate 22, fig. 1–2, 1901.
17. The skull and extremities of diplocaulus: V. 22, p. 122–131, plates 1–4; plate 1a and 4a; plate 5, fig. 9c, 1909.
18. The progress of science since the foundation of the Kansas Academy of Science: V. 29, p. 53–61, 1920.

Wilson, Frank W.

Barrier reefs of the Stanton formation (Missourian) in southeast Kansas: V. 60, no. 4, p. 429–436, fig. 1–3, 1957.

Wilson, Guy West

1. Necrology—Dyche, Lewis L.: V. 28, p. 355–362, 1918.
2. Notes on some fungi of eastern Kansas: V. 30, p. 171–174, 1922.

Wilson, J. W.

Geology of Effingham Ridge—preliminary report: V. 15, p. 113–114, 1898.

Wilson, Murray A.

Engineering research in Kansas: V. 65, no. 1, p. 34–38, 1962.

Wilson, Robert W.

1. Two cases of dental anomaly in early Tertiary mammals: V. 58, no. 4, p. 514–518, fig. 1–4, 1955.
2. A new multituberculate from the Paleocene Torrejon fauna of New Mexico: V. 59, no. 1, p. 76–84, table 1, fig. 1, 1956.

Wilson, W. B.

1. The lactose-bile test for the colon bacillus: V. 22, p. 101–103, 1909.
2. A rare Mexican cycad: V. 23, p. 132–137, plates 1–3, 1909.
3. The Kansas Academy of Science, its position and mission: V. 33, p. 146–153, 1930.

Wilson, William D.

1. Notes on cestodes in paddlefish, *Polyodon spathula* (Walbaum), from the Missouri River: V. 59, no. 4, p. 459–460, 1956.
2. Parasites of fishes from Leavenworth County State Lake, Kansas: V. 60, no. 4, p. 393–399, table 1, 1957.

Wimmer, E. J.

(and Ayers, J. C.) The effect of antuitrin growth injections on female albino rats fed a diet deficient in vitamin A: V. 39, p. 391–393, 1937.

Winburn, Temple F.

Insect infestation in farm-stored grain in Kansas: V. 43, p. 389–390, table 1, 1940.

Winden, Barbara Ann

The determination of possible differences in the amino acids of the rice weevils, *Sitophilus oryzae* and *Sitophilus sasakii*: V. 64, no. 2, p. 159–162, 1961.

Winzard, Paul S.

Stratigraphic relations between Ellsworth and Castine formations, Castine, Maine: V. 61, no. 3, p. 330–333, fig. 1–2, 1958.

Witherspoon, Ward

1. Spermatid transformation in *Orchelimum nigripes* (DeGeer): V. 44, p. 434–447, plates I–IV, fig. 1–48, 1941.
2. See: Baumgartner, W. J. 5.

Withington, C. H.

1. Habits of *Lysiphlebus* sp.: V. 21, p. 138–140, 1908.
2. Habits of parasitic Hymenoptera II: V. 22, p. 314–322, tables 1–4, plate 1, fig. A–H; plate 2, fig. A–H, 1909.
3. Insect types and cotypes, a preliminary list of those in the Francis Huntington Snow entomological collections: V. 22, p. 327–335, 1909.

Wittlake, E. B.

The spore of *Oxymitra androgyna*: V. 56, no. 3, p. 305–307, fig. 1–6, 1953.

Wolf, David J.

The effects of extracellular products of streptococcus pyogenes on tissue culture cells: V. 65, no. 4, p. 472–477, fig. 1–4, 1962.

Wood, E. R.

An interlocking table for use in the calculation of multiple correlation coefficients: V. 32, p. 134–137, 1929.

Wood, T. B.

Determining the strength of flour: V. 29, p. 112–114, 1920.

Woods, H. I.

1. The eleven and one-half inch equatorial telescope, at Washburn College observatory: V. 18, p. 231–233, plate 1 unnumbered, 1903.
2. (and McFarland, Alice K.) The accuracy of a modern balance and set of weights: V. 20, p. 284–287, 1907.

Woods, L. L.

(and Williams, Harold L.) Acylation of coumarins in the presence of trifluoroacetic acid: V. 63, no. 3, p. 165–168, fig. 1, 1960.

Wooster, Lyman C.

1. Some notes on Kansas geology: V. 19, p. 118–121, plate 12, 1905.
2. The genesis and development of human instincts: V. 19, p. 381–386, fig. 12–13, 1905.
3. Development of the sciences in Kansas: V. 20, p. 23–41, fig. 1 unnumbered, 1906.
4. Additional observations on the geology of Kansas: V. 20, p. 75–82, 1906.
5. Soils and bacteria: V. 20, p. 203–208, 1907.
6. Antiquity of man's body building instincts: V. 21, p. 121–129, 1908.
7. The germ-plasm hypothesis of Weismann untenable: V. 22, p. 338–350, 1909.
8. An esker at Mason, Michigan: V. 23, p. 91–94, plates 1–2, 1909.
9. The origin and development of plant and animal instincts: V. 24, p. 227–231, 1910.
10. Notes on the moraine of the glacier southwest of Topeka: V. 25, p. 43–44, 1913.
11. Bitropism: V. 25, p. 146–149, 1913.
12. The geological development of Kansas: V. 26, p. 55–69, 1914.
13. The chert gravels of eastern Kansas: V. 27, p. 58–62, 1915.
14. The scientist on the farm: V. 28, p. 319–325, 1918.
15. Heredity and education: V. 28, p. 325–339, 1918.
16. Botany in Kansas during the past fifty years: V. 29, p. 41–43, 1920.
17. Glacial moraines in the vicinity of Estes Park, Colorado: V. 29, p. 91–94, 1920.
18. Do use and disuse modify heredity?: V. 29, p. 95–98, 1920.
19. The scientific value of carbonic acid: V. 33, p. 144–145, 1930.
20. Field work vs. laboratory work: V. 34, p. 33–37, 1931.
21. The chert gravels of Lyon County, Kansas: V. 37, p. 157–160, 1934.
22. The water supply of the upper Neosha River Basin and the laws of rainfall: V. 38, p. 217–222, 1935.
23. Description of amphibian tracks found at Osage County, Kansas: V. 38, p. 349, 1935.
24. The study of geology—its values: V. 39, p. 185–189, 1937.
25. Some of the founders and workers of the Kansas Natural History Society and the Kansas Academy of Science: V. 40, p. 215–220, 1938.

Wooster, L. D.

1. The present status of certain mammals in western Kansas: V. 34, p. 112–113, table 1, 1931.
2. Notes on the effects of drought on animal population in western Kansas: V. 38, p. 351–352, 1935.
3. The contents of owl pellets as indicators of habitat preferences of small mammals: V. 39, p. 395–397, tables 1–2, 1937.
4. The fauna—mammals and birds of "Rock City": V. 40, p. 197–202, fig. 1–2, plate 4, 1938.
5. An attempt at an ecological evaluation of predators on a mixed prairie area in western Kansas: V. 41, p. 387–394, fig. 1–2, tables 1–2, 1938.
6. Monument Rocks, Gove County, Kansas fauna: V. 42, p. 327, 1939.
7. An ecological evaluation of predates on a mixed prairie area in western Kansas: V. 42, p. 515–517, fig. 1–2, table 1, 1939.

8. III—Animal life of the Castle Rock region—the Castle Rock Area in Gove County, Kansas: V. 43, p. 302–303, 1940.
9. Some recent biological developments with social implications: V. 51, no. 4, p. 469–472, 1948.

Worley, H. E.

See: Harris, J. O. 7.

Wright, Lennel I.

Early developmental stages in the albino rat: V. 34, p. 109–111, 1931.

Yantzi, M. F.

See: Haas, H. F. 1.

Yates, J. A.

1. The Ottawa gas wells: V. 18, p. 106–108, fig. 1, tables 1–2, 1903.
2. Value of the work of the scientist to humanity: V. 21, p. 31–46, graphs 1–4 unnumbered, 1908.
3. A description of the changes in the Cottonwood Limestone south of Cottonwood Falls, Kansas: V. 23, p. 75–90, 1909.
4. Study of certain features of the Lawrence Shales: V. 22, p. 117–121, 1909.

Yokoyama, K.

(and McGregor, R. L.) Variation of *Quercus muehlesbergii* in Kansas: V. 54, p. 370–373, fig. 1 unnumbered, table 1, plate 1, fig. 1–4, 1951.

Young, C. C.

1. Occurrence of manganese in water: V. 23, p. 37–40, tables 1–3, 1909.
2. Note on the waters from the sandstone in the Lawrence Shales: V. 24, p. 199–200, 1910.
3. On the immunity of the Kansas bottom ground waters to changes in the composition of the Kansas River water: V. 25, p. 153–159, plates 1–15, 1913.

Young, C. M.

See: Haworth, E. 7.

Youngstrom, Karl

The significance of reticulocytes in embryonic pig blood: V. 35, p. 97, 1932.

Younkin, Russell J.

(and Fox, Roy L.) Kansas snowfall: V. 43, p. 321–324, tables 1–2, plate 1, fig. 1–2, 1940.

Zabel, H. E.

The contribution of Kansas to *American Men of Science* 7th Edition: V. 48, p. 409–421, fig. 1–6, 1946.

Ziefle, Adolph

The importance of physiological assay in the standardization of some drugs: V. 22, p. 73–76, 1909.

Zimmerman, Wm. A.

(and Jaques, Howard W.; and Boyd, Herbert F.) The evolution of a group research project at the Wichita Guidance Center: V. 60, no. 2, p. 183–188, 1957.

Zingg, A. W.

Speculations on climate as a factor in the wind erosion problem of the Great Plains: V. 56, no. 3, p. 371–377, fig. 1–4, 1953.

Zinszer, Harvey A.

1. Methods of instantaneous photography: V. 33, p. 49–56, fig. 1–6, 1930.
2. Modes of vapor diffusion in spark discharges: V. 34, p. 118–121, fig. 1–2, 1931.
3. Selecting and installing a college telescope: V. 35, p. 109–112, 1932.
4. (and Zinszer, R. H.) Adapting a laboratory spectrometer to a study of the Raman effect: V. 36, p. 164–165, 1933.
5. Famous early American observatories: V. 47, p. 15–49, fig. 1–2, 1944.
6. A revamped laboratory course in electronics based upon wartime practices: V. 49, p. 205–207, 1946.
7. The near ultra violet spectrum of copper produced by the hot spark in vacue: V. 36, p. 175–186, fig. 1–3, plate II, 1934.
8. See: Drees, Linus S. 1.
9. See: Gibbens, E. Elliott 1.
10. See: Gibbens, E. Elliott 2.
11. See: Johnston, Miford W. 1.
12. See: Read, B. W. 1.
13. See: Read, B. W. 2.

Zinszer, Richard S.

1. A simple method of color matching: V. 38, p. 243–245, fig. 1–3, 1935.
2. The effect of hydrostatic pressure on polarization in an optical system: V. 41, p. 241–244, fig. 1–2, tables 1–3, 1938.

Zinszer, W. K.

1. Controlling the color of iron clays: V. 41, p. 177–179, 1938.
2. Magnesium, its manufacture and alloys: V. 46, p. 161–163, 1943.

Zohner, Jane

Electric metal detector: V. 63, no. 2, p. 64–66, fig. 1, 1960.

Zohner, Linda

The construction of a magnetic resonance spectrometer: V. 65, no. 3, p. 291–294, 1962.

PART II

INDEX

A

Abnormalities
Color and dental, in Aplodontia: Anderson, Sydney.
Nervous system, chick embryo: Alsop, Florence.

Aborigines
Traces, Riley County: Failyer 1.

Abronia
And *Xenosaurus*, new lizards, Los Tuxtlas Range, Veracruz, Mexico: Werler.

"Absolute Pitch"
Alternate interpretation: Oakes.

Absorption
Mineral, caused by gibberellic acid: Breck.
Spectra, new method: Franklin, W. S. 1.

Academy
Authors, suggestions: Schoewe 31.
Conference, Boston, report Kansas delegate: Frazier 2.
Conference delegate, report: Guhl 3.
Conference, report, delegate: Gates, Frank 32.
Conference, report, Washington meeting, A.A.A.S.: Gates, Frank 31.
Constitution and Bylaws: See Appendix D.
Interest, news and notes including scientific interest: See Appendix B.
Library, Kansas, book collection, State House, future: Lovewell 13.
Membership: See Appendix H.
Officers: See Appendix J.
Origin and history: Thompson, A. H. 3.
Science, Great Plains: Hay 18.
Science, Kansas: Lantz 5.
Science, Kansas, future role: Andrews, T. F. 3.
Science, Kansas, Library catalogue: Craigin 4.
Science, Kansas Natural History Society, founders and workers: Wooster, L. C. 25.
Science, Kansas, past, present, future: Schoewe 14.
Science, Kansas, progress of science since foundation: Williston 18.
Science, Kansas, science teacher improvement program: Breukelman 10, 11, 12.
Scientific interest: See Appendix B.

Acalyptrate muscid
Turkey Tanks, Arizona: Townsend 2.

Accessions to the library: See Appendix G.

Acetates
Anhydrous, new method, preparation: Adams, Myrl R.

Acetic acid
And alcohol from wood: Weatherby, G.
Diluted, solvent for extractive substances: Sayre 14.
Glacial, effects of salts on acid-base indicators: Kolling 7.
Glacial, solvolysis of salt: Kolling 6.

Acetyl salicylic acid
Quantitative determination of salicylic acid: Watson, G. N. 2.

Achievement tests
Standardized, influence of separate answer sheets on reliability and norms: Kuntz.

Acid
Acetic and alcohol from wood: Weatherby.
Acetic, glacial, effects of salts on acid-base indicators: Kolling 7.
Acetic, solution, analogue, cupric-ammonia ion: Davidson, A. W. 1.
Aliphatic, ionization constants of certain cyclohexane derivatives: Choguill 2.
Carbonic, scientific value: Wooster, L. C. 19.
2,3 dichlorophenoxyacetic, laboratory synthesis from urea: Hermanson.
Gibberellic, mineral absorption: Breck.
Glacial acetic, effects of salts on acid-base indicators: Kolling 7.
Glacial acetic, influence of water on titrations: Kolling 5.
Glacial acetic, potentiometric evidence for solvolysis of salts: Kolling 6.
Glacial acetic, solvolysis of salts: Kolling 6.

Acid—Continued
Kojic: Barham 1.
Liquid media, isolation of fungi: Peppler 3.
Nucleic, Newcastle virus, comparison of chromatographic and microbiological assay methods: Newman, F. S.
Palmitic, effects of progressive absorption and desorption on behavior of sorghum grain starch: Barham 2.
Reagent, organic chemistry II: Popp.
Stearic films on water, effect of substrate salts: Wheat, R.
Trifluoroacetic, acylation of coumarins: Woods.

Acids
Experiments, relation between taste and acidity: Bailey, E. H. S. 10.

Actionmycetes
Local soils: McClung, Norvel M. 1.

Activation analysis
Description and application: Hein 2.

Acylation
Coumarins in trifluoroacetic acid: Woods.

Adaptation
Human racial, aspects: Murrill 2.

Adjustment
Function of feeling: Kimpel.

Admire Junction, Kansas
Fossil "nests," Brownville Limestone: Schoewe 8.

Adobe
Construction, physical properties, proper mixtures, Ellis County soils: Read, B. W. 1, 2.

Adrenal cortex
Guinea pig, relationship between vitamin C: Harman 20.

Addresses, presidential: See Appendix C.

Adsorption
Calcium and hydrogen ions by azotobacter agile: Kline, R. M.

Adulteration
Jams and jellies: Long, W. S. 1.

Aecial hosts
Melampsorella, preliminary observations: Pady 2.

Aecidium
New, peculiar habit: Carleton 4.

Aegialitis nivosa
And *Ictinia mississippiensis*, nesting, south-central Kansas: Goss 11.

Aerobiological investigations
Improved slit sampler: Pady 6.

Aerolite
Kansas, referable to fall November 9, 1923: Nininger 4.

Aeromycology, Kansas
I. Comparison of media: Rogerson, C. T. 6.
II. Materials, methods, general results: Kramer, C. L. 8.
III. Cladosporium: Kramer, C. L. 9.
IV. Alternaria: Kramer, C. L. 10.
VIII. Phycomycetes: Kramer, C. L. 11.
IX. Ascomycetes: Kramer, C. L. 12.
X. Basidiomycetes: Pady 7.
XI. *Fungi imperfecti*: Kramer, C. L. 13.

Age
Great geologic, viability of bacteria: Reiser, R.

Agricultural and industrial research
Dividends: Mitchell, H. L.

Agricultural College, State
Color blindness among students: Breese 1.

Agricultural cost production
Factors: Graham, I. D. 2.

Agricultural problems
Application of emission spectroscopy: Shrenk 1.

Agricultural products
Analysis: Willard 5.

Agricultural research
New tool, mathematical programming: Orazen.

Agronomial characteristics
Semi-dwarf winter wheats: Sticker, F. C. 2.

Agrotricum breeding
Kansas: Schmidt, J. W. 1.

Air
Components, relation to animal life: Hershey 1.

Alberta
Fossil beds, five years exploration: Sternberg, C. H. 12.
Red Deer River, Sternberg's expedition: Sternberg, C. H. 13.

Albertson, F. W.
1892–1961: Tomanek 2.

Albuminoids: Sayre 10.

Alcohol
And acetic acid from wood: Weatherby.

Alcohols
Different, relative sweetness: Slosson, E. E. 1.
Effects on reproductive powers of rats (albino): Branch 4.

Alcohols—Continued
Halogenates, condensation of ethyl aceoacetate: Choguill, H. S. 3.
Tertiary butyl, dehydrating agent, preparing microscopic mounts of insect material: Tuck.

Aldehyde derivatives
Metallic sulfamates: Morin.

Alfalfa
Culture influenced by fertilizer treatments, plant succession on land: Metzger 1.
Dehydrated, loss of carotene during storage: Mitchell, H. L. 2.
Dehydrated, mineral composition: Schrenk 2
Effects of dehydration and sun curing on nitrogenous constituents: Mitchell, H. L. 1.
Kansas grown, boron content: Smith, F. M.
Kansas grown, zinc content: Schrenk, 4.
Xanthophylls: Gugliemelli.
Zinc uptake: Shrenk 8.

Algae
Filamentous green, Labette County, Kansas: Bailey, L. L.
Freshwater, Lyon County, Kansas: Mentzer.
Green, Crawford County: Mannoni.
Kansas reservoirs: McNaught 1–2.
Missouri: Gier, L. J. 13.

Aliphatic amines
And nitroparratines, reagents for detection and estimation: Matthewson 2.

Alkali polysulfides
Factors determining structure: Martin, J. B.

Alkaline earths
And plutonium, radioactive, selective placental transmission: Wilkinson.

Alkaloidal strength
Tea, index of its commercial value: Sayre 3.

Alkylation
Angular claisen rearrangement: Burgstahler.
Cyclohexanone: Brownlee.

Alkyl hypobromides: Bushong 1

Alkyl sulfates: Bushong 4.

Allium
Kansas, new *Allium perdulce*: Fraser 2.

Alloys
Strontium-cadmium: Hodge 3.

Alpha
Examination form 9, modified, grades high school subjects, correlations between scores: DeMand 2.

Alternaria
Aeromycology IV. Kansas: Kramer, C. L. 10.

Alternator
Electrostatic inductor: Lyon 1.

Altitudes
Determination with aneroid barometer: Todd 10.

Amber
Kansas: Schoewe 22.

Amblychila cylindriformis
Habits: Brous 1.

Amblychila cylindriformis Say: Snow 15.

Amebelodon
New, Kansas: Mohler 1.

America
Experiences with early man: Sternberg, C. H. 1.

American
Cockroach, nematode parasites: Dobrovolny, G. G. 2.
Education, stake of business: Abrams.
Elm tree, 189-year-old, west-central Kansas: Albertson 2.
Highways: Shirk 4.
Hylid frogs VIII. New species of fringe-limbed tree frog, Mexico: Duellman, W. E.
Lion or puma: Dyche 5.
North, grasslands, research: Shantz, H. L.
Species, watersnakes: Nakamura, E. L.

American Men of Science
Contribution, Kansas: Zabel

Amethyst Mountain
Christening: Savage, J. 4.

Amines
Xenyl mustard oil as reagent: Brewster 3.

Amino acids
Rice weevils, *Sitophylus oryzae* and *sasakii*, determination possible differences: Winden, B. A.

Ammonia
And nitric acid in rain waters collected at Agricultural College: Failyer 9.
Gaseous and hydrogen chloride, teaching aid: Schultz 1.
Liquid, behavior lyophilic colloids: Taft 1.
Liquid, reactions: Franklin, E. C. 1.

Ammunition
Artillery, design problems: Seaton.

Amoeba
Small, behavior: McCollough 1.
Amoxemia
And mental fatigue, skin conductance changes: Geldreich 2.
Ampelopsis quinquefolia
Variety: Knerr 8.
Amphibia and Stegocephala
Relation to classification, Carboniferous quadrupeds from Kansas, Ohio, Illinois and Pennsylvania: Moodie 1.
Amphibian fauna
Arkansas, addition: Smith, H. M. 2.
Amphibian tracks
Osage County, Kansas: Wooster, L. C. 23.
Amphibians
Kansas, hitherto unknown: Smith, H. M. 1.
Mexico, new species: Taylor 3.
Mexico, Veracruz, Los Tuxtlas Range: Shannon 2.
Reptiles and animals, Rosebud Indian Reservation, South Dakota: Reagan 4.
Reptiles and mammals, Meade County State Park: Tihen 2.
Texas, noteworthy records: Sanders.
Amphibians and reptiles
Arizona: Williams, K. L. 1.
Chase and Lyon counties, Kansas: Breukelman 2.
Chase and Lyon counties, Kansas, revised list: Breukelman 8.
Dent County, Montana State Park, Missouri: Myers, C. W. 2.
Ellis County, Kansas check list: Brennan, L. A. 2.
Franklin County, Kansas: Gloyd.
Kansas counties, additional distributional records: Tihen 1.
Kansas, distributional notes: Clarke 2.
Kansas, distributional records: Legler 2.
Kansas, southeastern, selected records: Hall, H. 5.
Louisiana: Burt, C. E. 8.
Mammoth Cave National Park: Hibbard 4.
Mexican, Texas Cooperative Wildlife: Smith, H. M. 9.
Mexico, eastern: Darling.
Mexico, northern: Webb, R. G.
New Mexico, Utah, and Arizona: Chenoweth.
"Rock City" fauna: Burt, C. E. 4.
Sonora, Mexico, Pinacate Lava cap: Smith, P. W. 5.
Southwestern, annotated records: Gelbach.
Amphibians and reptiles—Continued
Tinian Island: Downs, T. 3.
Washington State Park, Washington County, Mo.: Myers, C. W. 1.
Amsonia tabernalmontana
Anatomical features: Mayberry 3.
Analogs
Reserpine, Siamese fighting fish: Bernstein.
Analytical laboratories
Statistical quality control in college: Chapman 2.
Analysis
Activation, description and application: Hein 2.
Changes, level of living indexes, wheat counties, 1930–1950: Dost, J. E.
Chemical, ground water resources, Rooks County, Kansas: Schmidt, G. W.
Comparative heating values, natural gas and coals: Allen, H. C. 2.
Electrophoretic, white of chicken egg: Andrews, A. C. 3.
Factor, personal time expenditure near battlefront: Bakis 2.
Kansas soils: Patrick, G. E. 3.
Salt: Patrick, G. E. 4.
Sanitary water: Bailey, E. H. S. 29.
Turbidimetric, hemocyanin-antihemocyanin precipitin reaction: Leone 4.
Anaphylaxis
Guinea pigs, effects of antisera, rabbit tissual proteins, rabbit electrocardiograms: Leone 5.
Anasa tristis (De Geer)
Spermatid transformation: Baumgartner, W. J. 9.
Anaspida
Ostracodem order, description, Upper Silurian material: Robertson 6.
Anatomy
Advances in study and techniques: Roofe 2.
Biological, *Triosteum perfoilistum*: Dempsey.
Science, integrated program: Roofe 4.
Tongues and stomachs, eight new world bats: Parke 1.
Aneroid barometer
Determining altitudes: Todd 10.
Androstephium coeruleum
Stages in development: Stevens 7.
Anemometers
Two, University of Kansas: Snow 42.
Anesthesia
Sodium pentobarbital, classroom experiments with rats: Samson.
Anhinga: Goss 8.

Anhydrous acetates
New method for preparatinon: Adams, M. R.

Anhydrous hydrogen iodide
Reducing action: Brewster 1.

Aniline
Action, ethyl chlorsulfanate: Bushong 5.

Animal
Cells, reaction to chemical stimuli: Hartman, F. 1.
Fossil beds, Kansas: Sternberg, C. H. 5.
Ethics: Thompson, A. H. 5.
Industries, Kansas: Weber, A. D.
Length of life, with food, without food, with water, without water: Hershey 12.

Animal life
Castle Rock region, Gove County, Kansas: Wooster, L. D. 8.
Effect of oxygen: Willard 10.
Effect of synthetic atmosphere of hydrogen and oxygen: Hershey 7.
Effect of synthetic atmosphere of nitrous oxide and oxygen: Hershey 10.
Effects of oxygen: Dinsmore 1.
Effects of synthetic atmosphere: Hershey 5.
Historical development of relationship to gasses: Hershey 9.
Influence of food selection upon evolution: Thompson, A. H. 1.
In synthetic mixtures of nitrogen and oxygen: Hershey 4.
In synthetic mixtures of nitrogen, oxygen, and water vapor: Hershey 15.
In synthetic mixtures of nitrogen and oxygen under different conditions of relative humidity: Hershey 13.
Occurrence and activity, White Sands National Monument, New Mexico: Bugbee 2.
Omnivorous, resistance to parasitism effect, plant ration: Ackert 5.
Organisms, subaquatic light traps, insects and others: Hungerford 2.
Plant instincts, origin and development: Wooster, L. C. 9.
Population, western Kansas, effect of drought: Wooster, L. D. 2.
Relation to synthetic atmospheric mixtures of carbon dioxide and oxygen: Hershey 6.
Relation to components of air: Hershey 1.
Reptiles and amphibians, Rosebud Indian Reservation, South Dakota: Reagan 4.
Tissues, modified quadruple stain: Groverman.

Animal life—Continued
Treated with male sex hormone, work capacity of muscles: Herrick, E. H. 7.
Weights, brain, several species: Latimer 2.

Annual meetings, programs: See Appendix K.

Anomaly
Cat: Herrick, E. H. 8.

Ant
Mound-building prairie: Dean 1.
Mounds, harvester, collecting: Galbreath 8.
Pharoah's, Kansas: Smith, Roger C. 4.
Red, habit: Hay 9.

Antarctica
Wind Gully, sedimentologic study, Beacon formation: Angino 1.

Antelope Hills
Geology: Sherwin 1.

Antennae
Polyphylla variolosa, Harris, use of: Snow 7.

Anthropology
A science: Thompson, A. H. 13.

Antibiotic production
Gymnoscaceae, reference to nitrogen source: Paslay.

Anticline
Kaw Valley: Warfel 2.
Wamego: Beede 7.

Antigenic studies
Genus *Pasturella*: Bond

Antihistamines
25°C, conductance studies, aqueous solutions: Andrews, A. C. 1.

Antilocaprid
Lower Pliocene, Beaver County, Oklahoma: Hibbard 17.

Antiseptic and disinfectants
Nature's use: Sayre 51.

Antisera
Effects against rabbit tissual proteins, rabbit electrocardiograms, guinea pig anaphylaxis: Leone 5.

Antrostomus carolinensis: Mathews, R. 1.

Antuitrin growth
Injections of female albino rats fed diet deficient in vitamin A, effect of: Wimmer.

Antuitrin – S
Effect, subcutaneous injection on anoestrous male, ground squirrel: Baker, B. L.

Aphid
Corn leaf, Kansas: Pathak.

Aphyllon uniflorum
Parasitism: Price 1.

Aplectrum hyemale
Habitat, Kansas: Kramer, C. L. 3.

Aplectrum spicatum
Kansas woodland: Stevens 9.

Aplodontia
Color and dental abnormalities: Anderson, S.

Application
Dispersed sodium, standardization: Mohilner, P. R.
Nuclear emulsion, interpretation: Irvine, R.

Aptitude
Learning, pilots, prediction of flying aptitude: Matheny 2.
Learning, pilots, prediction, ground school aptitude: Baker, W.
Testing, effectiveness, civilian pilot training program: Matheny 1.

Aquatic
Origin, tetrapods: Eaton 2.

Aqueous loess
Todd 7.

Aqueous solutions
Antihistamines, 25°C, conductance studies: Andrews, A. C. 1.
Conductance and related properties: Taft 45.
Sodium chloride and thiourea, 30°C, density, viscosity, electrical conductance: Taft 42.
Sodium diethylbarbiturate, conductance, related properties: Taft 43.
Sodium oxalate, sodium malonate, sodium succinate, physical properties: Taft 47, 55.
Solutions, physical properties, sodium oxalate, sodium molonate, and sodium succinate: Taft 47.

Aquifers
Shallow, eastern Kansas: Jewett, J. M. 6.

Arachnida
Kansas, additions: Scheffer 2.
Kansas and Texas: Tucker 10.

Archaeological Notes
Chase
Fort Apache region: Reagan 38.
Pine River Valley, Colorado, and Keyenta–Tuba region, Arizona: Reagan 19.
Uintah Basin, northwestern Utah: Reagan 44.

Archaeological Survey
Southern Sonora, Mexico, 1953: Fay 2.

Archaeology
Butler County, Kansas: Mead, J. R. 14.
Catalina Island: Mead, J. R. 11.
Cornfield region, Arizona: Reagan 35.
Cornfield—Ganado region, Arizona: Reagan 30, 33.
Cornfields—Hopi Buttes field, Arizona: Reagan 34.
Tuba–Keyenta region: Reagan 20, 21.

Areas
Certification, Stephens College, standardization of general aptitude test battery: Anderson, Mary R.

Argon
And neon in natural gas: Cady 4.

Arithmetic problems
Methods in solving employed by first grade children: Russell, Ned M.

Arizona
Amphibians and reptiles: Williams, K. L. 1.
And New Mexico, horse-flies: Townsend 1.
Black Mesa, geological notes, Upper Cretaceous: Reagan 41.
Cornfield region, archaeology: Reagan 35.
Extreme southwestern, and adjacent Sonora, herpetological reconnaissance, description of new subspecies of Sonoran whipsnake, *Masticophis bilineatus*: Hensley 2.
Fort Apache region, correlation of formations described with similar formations in other parts of state: Reagan 16.
Fort Apache region, geological notes: Reagan 40.
Fort Apache region, Eocene glacial deposits: Reagan 27.
Gando region, archaeology of cornfields: Reagan 30–33.
Hopi Buttes field, archaeology of cornfields: Reagan 34.
Hopi Buttes region, pottery types in cornfields: Reagan 36.
Jaguar: Lange, K. I.
Jay, Kansas: Keith 2.
Keyenta–Tuba region, and Pine River Valley, Colorado, archaeological notes: Reagan 19
Pima County, University of Kansas entomological collecting expedition, June and July, 1906: Snow 55.
Salamanders: Lowe
Results, University of Kansas entomological expedition, 1904 and 1905: Snow 54.
Species of Hymenoptera collected, by University of Kansas entomological expeditions, 1902–1906: Snow 54.

Arizona—Continued
Turkey Tanks, *Acalyptrate muscid*: Townsend 2.
Utah and New Mexico, amphibians and reptiles: Chenoweth.
Wickenburg, Maricopa County, herpetofauna: Gates, Gerald O.

Arkansas
Addition to amphibian fauna: Smith, Hobart M. 2.
City and Ford, occurrence of magnetite, Arkansas River bed: Sphar.
Collecting: Hartman, Frank 3.
Geology: Mudge, F. B. 1.
Missouri and Oklahoma, six new crayfishes, genus *Orconectes*: Williams, Austin B.
River, occurrence of magnetite, between Arkansas City and Ford: Sphar.

Arsenical derivatives
Naphthalene, two Beta: Brown, Harold P. 1.

Artesian well
Fort Scott, water: Bailey, E. H. S. 4.
Independence, Kansas, bromides and iodides in water: Bailey, E. H. S. 6.
Kansas, causes of flow: Hay 14.
Muscotah: Knerr 16.
Water, Meade County, Kansas, bacterial flora: Ellinthorpe.

Articulated limb bones
Pteranodon, Kansas: Sternberg, G. F. 4.

Artificial dissemination
Contagious diseases among chinchbugs: Snow 45, 49.

Artist
What is good for an artist and what an artist is good for: Williams, Lizzie J.

Ascarids
Fowl, retention, atropine sulfate: Ackert 6.

Ascomycetes
Kansas aeromycology IX: Kramer, C. L. 12.

Ash
Extract of certain Kansas weeds, on presence of barium: Bailey, E. H. S. 32.

Ashmore, Illinois
Additions to flora of late Pleistocene deposits: Galbreath 2.

Asio flammeus
Short-eared owl, pellet contents, prairie habit, Missouri: Long, C. A. 2.

Aspect
Human racial adaptation: Murrill 2.

Asphalt
Physical properties, effect of microorganisms: Harris, J. O. 7.
Soil, interface of Kansas highways, presence of hydrocarbon utilizing bacteria: Harris, John O. 6.

Assay
Composition, chromatographic, microbiological methods, determination of nucleic acid, Newcastle virus: Newman, F. S.

Astronomical lantern: Knerr 1.

Astronomical polar measurements
Of the earth: Wilcox.

Astronomy
Class, sky-projection chart: Miller, R. F. 4.
Recent advances: Hoyt 1.

Atchison
And Nemaha County mineral waters: Knerr 10.
County, coal mining: Knerr 19.
County, Kansas, coal: Knerr 9.
Diamond-drill prospect hole: Langworthy.
Lacustrine beds: Todd 8.
Limestone, notes on pink barite: Knerr 6.
Kansas, north of, reinterpretation supposed late Tertiary chert gravels: Frye 7.
Prospect well, analysis, Mississippian limestone: Porter 1.
Rock exposures: Price 2.
West, glacial section: Schoewe 17.

Atlantic
Vs. Pacific elevations in Kansas: Hinckley.

Atmosphere
Oxygen, diluted by nitrogen, physiological effects: Hershey 2.
Synthetic, effects upon animal life: Hershey 5.
Synthetic, hydrogen and oxygen, effects on animal life: Hershey 7.
Synthetic, nitrous oxide and oxygen, effects on animal life: Hershey 10.

Atom
Electron, collision effects in mercury vapor: Foard.

Atomic bombs
And nuclear fission: Seagondollar.

Atomic energy
Progress or disaster: Gibson, Hilden.

Atropine sulfate
Retention of fowl ascarids: Ackert 6.

Attitude
Analysis of intrinsic factors: Bennett, Betty.

Auditory perception
"Scrambling" technique: Snyder, Charles W.
Aureolum
Mozostoma, Kansas River Basin: Minckley, W. L. 3.
Australia
Western, herpetological collection: Taylor 1.
Author, Academy
Suggestions to: Schoewe 31.
Autolysis
Seeds: Barton 2.
Awn
Relation, to yield in Kansas wheat: Gemmell.
Azo
Derivative of guaiacol I, preparation: Daniel.
Azotobacter agile
Adsorption of calcium and hydrogen ions: Kline, R. M.

B

Baboquivari Mountains
Birds, June and July: Adams, L. A.
Bacilus coli communis
Experiments: Agrelius 3.
Bacteria
And soils: Wooster, L. C. 5.
Types associated with plant roots: Clark, F. E. 2.
Caseolytic, heat resistance of *Streptococcus thermophilus* grown in mixed culture: Peppler 2.
Great age, viability: Reiser, R.
Hydrocarbon utilizing, presence at soil-asphalt interface Kansas highways: Harris, John O. 6.
In frozen pork sausage: Hendrickson.
In milk and cream, influence of separator upon distribution: Havenhill 2.
Osmophile, viability, great geological age: Reiser, R.
Soil, phosphate turnover: Harris, John O. 4.
Surface active agent relationships. I. Decomposition of anionic SAA by bacteria: Von Riesen 1.
Surface active agent relationships. II. Hydrolysis of ester linkages in anionic compounds by gram-negative species, shown by Nile-blue sulfate: Von Riesen 2.
Surface active agent relationships. III. Acquired resistance: Von Riesen 3.
Uptake of ions: McCalla 1.
Bacterial cells
Combination of dyes with growing, resting and killed: Harris, John O. 1.
Bacterial populations
Associated with roots of wheat, effects of soil amendments: Clark, F. E. 1.
Bacteriology
Half century: Agrelius 5.
Medicine and war: Sherwood 1.
Baculum
Study of, *Peromyscus leucopus* and *P. maniculatus* in Kansas: Sprague 2.
Balance
Modern, set of weights, accuracy: Woods 2.
World wheat, implications: Schnittker.
Baldwin, S. A.
Necrology: Willard 17.
Balloon
Gas, helium: Cady 5.
Balls, coal
Kansas, new species of *cardiocarpus*: Leisman.
Banana
Food product: McWarf 11.
Barber County, Kansas
Brown skink (*Scincella laterale*) and prairie skink (*Eumeces septentrionalis*): Stains.
Development, brood of Mississippi kites: Robinson, T. S. 6.
Barite
Associated minerals in concretionary rocks, eastern Kansas: Bailey, E. H. S. 14.
Nodules in wood: Knerr 11.
Pink, Atchison Limestone: Knerr 6.
Silico, nodules, Salina, Kansas: Knerr 15.
Barium
Calcium and magnesium, ferrocyanides: Dains 2.
In ash and extract of certain Kansas weeds: Bailey, E. H. S. 32.
Barley
Winter, cold hardiness: Mitchell, H. L. 5.
Barometer
Aneroid, determine altitudes: Todd 10.
Barometric pressures
Fishing conditions, relationship: Huffman, Elmo W.
Base
Acid indicators, effects of salts in glacial acetic acid: Kolling, O. W. 7.
Bases
Exchangeable, Soxhlet extraction: Perkins 2.
Schiff's, action of bromine and iodine monochloride: Dains 5.

Basidiomycetes
Aeromycology, Kansas X: Pady 7.
Basin
Kansas, reclamation: Brady 1.
Kansas River, *Moxostoma aureolum fromi*: Minckley, W. L. 3.
Bat
New myotid, Middle Oligocene, northeastern Colorado: Galbreath 11.
Red, echo-location failure: Janes, D. W.
Bats
Cave, Kansas, notes: Hibbard 2.
Hoary, northwestern Kansas: Baker, Rollin H. 2.
Illinois, distribution and habits: Smith, Phillip W. 2.
Migratory, echo-location failure: Van Gelder.
Nectar-eating, muscular adaptation: Wille.
Netting, in tropical Mexico: Dalquest 3.
New cestode: Loewen 1.
New World, eight, gross anatomy, tongues and stomachs: Park 1.
New World, heart and its vessels: Park 2.
North American, reproduction: Cockrum 2.
Northeastern Kansas, with note on bat chigger: Jones, Jr., J. Knox 1.
Red, Kansas, early seasonal record: Rainey 1.
Baths
Public, hygenic or sanitary value: McWarf 13.
Batrachians
And reptiles, Kansas, preliminary catalogue: Cragin 1.
Battlefront
Factor analysis, personal time expenditure: Bakis 2.
Bean
Cacao, elimination: Barton 3.
Bears
Wild, dental caries: Hall, E. Raymond 1.
Beaver
Kansas: Dyche 7.
Beaver County, Oklahoma
Antilocaprid, Lower Pliocene: Hibbard 17.
Beds
Lacustrine, Atchison: Todd 8.
Beef
"Aged," influence of freezing on tenderness: Bray.
Fat factor in palatability: MacKintosh, D. L. 1.
Beef—Continued
X-ray investigation of particle size: Caldwell, M. J. 1.
Beetle
Confused flour and the Cadelle, seasonal variation in resistance to high temperature: Walkden.
Cottonwood leaf: Osborn, W.
Beet webworm
Outbreak, western Kansas: Wilbur 1.
Behavior
And hybridization, two species of *Etheostoma* (Percidae): Linder, A. D.
And psycho-physiological factors, sexual behavior in birds: Guhl 5.
Parental, *Cichlasoma nigrofasciatum*: Armitage, K. B. 1.
Psycho-physiological in birds: Guhl 5.
Belvidere, Kansas
Natural history possibilities: Gould 5.
Bengal media
Inhibition of growth of fungi by light: Kramer, C. L. 14.
Benthos
Plankton, fish, strip-mine lakes: Stockinger.
Benzoyl chloride
Laboratory synthesis of isopropyl phenyl carbonate: Hermanson 2.
Beta
Arsenical derivatives, naphthalene, two: Brown, Harold 1.
Decay, radioactive, inverse processes: Dolecek.
Bibliography
Kansas geology with annotation: Hay 22.
Kansas meteorology—severe local storms: Lokke 2.
Loco weeds: Snow 19.
Bickn
Sisyrinchium campestre, variation: McGregor 12.
Bifida
Relationship of phlox *Oklahomensis* to phlox *Bifida* complex: Marsh, D. L.
Bile
Lactose, test for colon bacillus: Wilson, W. B. 1.
Binding twine
Manufacture: Sayre 7.
Bindweeds
Influence of time of cultivation: Frazier 1.
Insects attacking, Kansas: Smith, Roger C. 8.
Bioelectric potentials
In embryos: Roofe 5.

Biogenetic law
For systematic biologist: Bohlke 1.
Biological, recent developments
Social implications: Wooster, L. D. 9.
Biological studies
Culex tarsalis, Kansas: Lungstrom 1.
Biological and taxonomic observations
Mosquitos, Kansas: Hill, Mrs. N. D.
Biologist
Systematic, biogenetic law: Bohlke 1.
Biology
And synonymy of parasites, strawberry leafroller found in Kansas: Summerland.
Human, IBM cards for large samples: Murrill.
Human, studies: Herrick, Earl H. 2.
Teaching, Kansas high schools: Gentry.
Teaching large classes: Breukelman, J. 9.
Third dimension in teaching: Payne 2.
Use of fossils in teaching: Barnhart.
Biotypes
Corn leaf aphid, Kansas: Pathak.
Birds
Added to Kansas faunal list since 1900, reference to first record: Goodrich 2.
And mammals, fauna of "Rock City": Wooster, L. D. 4.
Baboquivari Mountains, June and July: Adams, L. A.
Collected by Col. N. S. Goss in Mexico and Central America: Lantz, E. D. 6.
Dickinson County, Kansas, August, 1898, to August, 1900: Lantz, E. D. 7.
East-central Kansas, migration records: Miller, R. F. 5.
Fossil vertebrates, Kansas, Part IV: Lane 5.
Manhattan, Kansas, annotated list: Lantz, E. D. 1.
Hunter killed, climatic factor affecting 1951 Kansas bobwhite population shown by examination of wings: Robinson, T. S. 1.
Kansas: Snow 1, 3, 14, 50, 51, 57.
Kansas, additions: Goss 13.
Kansas, additions to catalogue: Goss 5.
Kansas, additions to Goss' revised catalogue: Kellogg 6.
Kansas, check list: Long, Walter S. 7.
Kansas, notes: Lantz 12.
Kansas, statistics: Lantz 8.
Kansas, three new: Snow 41.
Kerr County, Texas: Buechner.
Lyon County and vicinity: Downs, Theodore 1.
Birds—Continued
Mental and physical control: Keith 3.
Nesting, north-central Kansas: Cross, F. C.
New to fauna of Kansas, birds rare in state: Goss 2.
New for Kansas list, taken at Lawrence: Dyche 10.
New for Kansas list, red phalarope: Dyche 6.
Olympic Peninsula, Washington: Reagan 10.
Photography with reflecting telescope: Miller, R. F. 2.
Pottawatomie County, Kansas, Crevecover's notes: Goodrich 1.
Psycho-physiological behavior: Guhl 5.
Rare, Kansas, white-faced glossy ibis and the Clark's nutcracker: Collette 2.
Review, Kansas ornithology: Lantz 4.
Rock, nesting habits of guillemots: Goss 1.
Rooks County, Kansas, and vicinity: Imber.
Southeastern Kansas, migration dates: Hall, Harry H. 2.
Southern Kansas: Mead, J. R. 9.
Southwestern Kansas: Graber.
Sexual behavior, psycho-physiological factors and social behavior: Guhl 5.
Studies: Mohler 2.
Summer, Estes Park, Colorado: Kellogg 2.
Summer, Rawlins County, Kansas: Tiemeier 1.
Tinian in Marianas: Downs, Theodore 2.
Transmission of poultry parasites, special reference to "English" or house sparrow and chickens: Hoyle 3.
Water, resident in Kansas, summer, 1955: Mosby.
Wild, photography: Parker, J. S.
Bird-track fossil
Dakota Sandstone: Snow 37.
Birth
Injured child, experimental training: Cowan 2.
Injured child, training problem: Cowan 1.
Weights, relation to age of mother and season of birth: Ford.
Bison
Fossil jaw, Pliocene, Norton County: Hay 4.
Latifrons, Kansas: Mudge, B. F. 8.
Bitropism
Wooster, L. C. 11.

Bitter
Substances, relative bitterness: Bailey, E. H. S. 8.

Blackbird
Yellow-headed, nesting, Douglas County, Kansas: Setzer.

Black-tailed jack rabbit
Kansas, helminth parasites: Lyons.

Black walnut
Coal strip-mined land, southeast Kansas, growth and development: Rogers, Nelson F.

Blastella germanica
Nematode found in, experimental investigation into life history of *Blatticola blattae*: Bozeman.

Blatticola blattae
Experimental investigation into life history, nematode found in *Blastella germanica*: Bozeman.

Blindness
Color, among Indians: Blake 2.
Color, among students at State Agricultural College: Breese.
Color, and railway accidents: Fee.

Blood
And serum of cotton rat, standard values: Dolyak 1.
Cell count and hemoglobin levels in fowls, influence of sex hormones: Herrick, Earl H. 11.
Embryonic pig, significance of reticulocytes: Youngstrom.
Guinea pigs, vitamin C and its effect: Harman 17.
Picture of rabbits subjected to various types of smoke: Dennis.
Picture of rabbits subjected to tobacco and other smokes: Garlock.
Platelets, experimental approach to origin: Russell, Marion F., Jr.
Platelets and megakaryocyte production in albino rats, effects of radiation from intraperitoneally injected radium chloride: Roofe 1.
Rabbit, nature of Forsman antigen-antibody complexes present: Gerundo 1.
Serum, normal male, gonadrotropic effects of capon: Herrick, Earl H. 4.

Blue jay
Food habits: Dyche 8.

Blue River
Valley, list of larger fungi: Jewell, Mrs. E. C.

Bluestem
Caucasian (*Andropogon intermedius* var. *cascasicus*): Brown, Leo 8.

Bluff
Hot, Nebraska: Kedzie 2.
River: Parker, John D. 2.

Bobwhite
Quail, Kansas, climate: Robinson, T. S. 4.

Bobwhites
Kansas, climatic factors affecting, 1952: Robinson, T. S. 2.
Kansas, climatic factors affecting, 1953: Robinson, T. S. 3.
Kansas, climatic factors affecting, 1955: Robinson, T. S. 5.
Kansas, and climate, 1956: Robinson, T. S. 7.
Population, Kansas, 1951, climatic factors affecting shown by examination of wings from hunter-killed birds: Robinson, T. S. 1.
Quail in Kansas, 1951–1954, climate: Robinson, T. S. 4.

Body building
Instincts, man's antiquity: Wooster, L. C. 6.

Bombyliidae
New North American, type of specimens and descriptions: Painter 1.

Bones
Articulated limb, pteranodon in Kansas: Sternberg, G. F. 4.

Bone marrow
Rat, pig, cat, quantitative studies on distribution of lipids: Goodman.

Book
Collections in State House and Kansas Academy Library, future of: Lovewell 13.

Boron
Content, Kansas grown alfalfa, survey: Smith, F. M.

Botanical addenda
Carruth 5, 6, 7, 8.
1879 and 1880: Carruth 6.
1881 and 1882: Carruth 7.
1883 and 1884: Carruth 8.

Botanical features
New U.S. Pharmocopoeia: Sayre 24.

Botanical notes
Agrelius 1.
1889: Carruth 9.
1917: Agrelius 2.
1917–1918: Agrelius 4.
1918–1919: Agrelius 6.
for 1920: Agrelius 7
1921–1928: Agrelius 28.
1923–1928: Gates, Frank 1.
1928–1929: Gates, Frank C. 3.
1930: Gates, Frank C. 5.
1931: Gates, Frank C. 6.

Botanical notes—Continued
1932: Gates, Frank C. 7.
1933: Gates, Frank C. 8.
1934: Gates, Frank C. 9.
1935: Agrelius 10.
1935: Gates, Frank C. 10.
1936: Agrelius 12.
1936: Gates, Frank C. 12.
1937: Gates, Frank C. 13.
1937: Agrelius 14.
1938: Gates, Frank 14.
1939: Gates, Frank 15.
1940: Gates, Frank 16.
1941: Gates, Frank 17.
1942: Gates, Frank 18.
1943: Gates, Frank 19.
1944: Gates, Frank 20.
1944: Agrelius 15.
1945, including species new to state: Gates, Frank 28.
1945: Agrelius 16.
1946, including species new to state: Gates, Frank 29.
1946: Agrelius 17.
1947, including species new to state: Gates, Frank 30.
1947: Agrelius 18.
1948: Gates, Frank 33.
1948: Agrelius 19.
1949, including species new to Kansas: Gates, Frank 35.
1949: Agrelius 20.
1950, including species new to Kansas: Gates, Frank 39.
1950: Agrelius 21.
1951, including species new to Kansas: Gates, Frank 40.
1951: Agrelius 22.
1952, including species new to Kansas: Gates, Frank 41.
1952: Agrelius 23.
1953: Gates, Frank 42.
1953: Agrelius 24.
1954: Gates, Frank 43.
1954: Agrelius 25.
From the Southwest: Smyth, B. B. 1.

Botanical research
Current and Kansas economy: Sperry, T. M. 2.

Botany
Darwinism and experimentation: MacDougal.
Kansas, 1873: Carruth 2.
Kansas, 1874: Carruth 3.
Kansas, past fifty years: Wooster, L. C. 16.
War-time, role: Sears.

Boulder
Animal polished, Kansas: Schoewe 5.
Belt, terminal, Shawnee County: Smyth, B. B. 16.

Bourbon County
Kansas, Uredineae: Garrett, A. O. 1.
Kansas, Uredineae, additions: Garrett, A. O. 2.

Boxelder bug
Kansas, life history and control: Smith, Roger C. 7.

Box turtle
Ornate, physiological study, effect of hibernation: Peters, K.

Brachiopos
Genus *Enteletes*, description of new species: Bridwell, A. 1.

Brachiospongia
Hovey.

Brain
Damage, test detectable when psychological tests do not detect—case report: Kass 3.
Disease, organic, Wechsler's mental deterioration index in diagnosis: Kass 2.

Brains
And climate: Knox 4.
Species of animals, weights of parts: Latimer 2.

Brazil
Description of new *Hemigrammus* from Rio Negro, studies of fishes of family characidae: Bohlke 4.

Bread
War, cornstarch, high protein flour mixtures for baking: Sayre 47.

Breeding
Agrotricum, progress, Kansas: Schmidt, J. W. 1.

Breham meteorite
Additional notes: Hay 16.

Brick
Paving, Kansas: Marvin 4.

Bridge
Natural, Sun City, measurements: Jewett, J. M. 4.

Brine
Oil well, disposal: Boyce, Ernest.

Britain
Evacuation problems: Cook, Phillip H.

British
Territory, adjacent, and northwestern Washington, geological studies: Reagan 3.

Bromides
And iodides, occurrence in artesian well water, Independence, Kansas: Bailey, E. H. S. 6.

Bromination
Phenol and cresols in various solvents: Johnson, Sam H.

Bromine
And iodine monochloride, action on Schiff's bases: Dains 5.
And iodine content, subsurface waters, Russell, Ellis, and Trego counties, Kansas: Runyon, H. Everett 1.

Bronson Group
Kansas Pennsylvanian, stratigraphy details: Jewett, J. M. 2.

Brood
Rearing and honey production, pollen factor: Rashad.

Brown County
Kansas, celestite: Schoewe 12.
Kansas, geology, celestite deposits: Fishburn, M. D.

Brownville Limestone
Fossil "nests," Admire Junction, Kansas: Schoewe 8.

Bryophytes
Kansas: Gier, Leland J. 12.

Buffalo-gray hay
Composition and digestibility: Willard 13.

Buffalo tree-hopper
Oviposition: Marlatt, C. L. 1.

Bug
Green, Texas: Tucker 16.

Building stone
Kansas, composition: Bailey, E. H. S. 15.

Buried moraine
Shunganunga: Smyth, B. B. 20.

Burning fluids
Testing: Sadler 2.

Business
American education, stake of: Abrams.
Situations, apt performance tests for screening: Barnabas 3.

Butler County
Kansas, archeology: Mead, J. R. 14.
Kansas, fish, El Dorado City Lake: Greer.

Butterfat
Or corn oil contained in rations, similar effect, upon maze-learning ability of rats: Parrish 2.

Butterflies
Crawford County, Kansas: Randolph 1.

Bylaws and constitution: See Appendix D.

C

Cacao
Bean, elimination: Barton 3.
Elimination, personal experiences: Barton 5.

Cactus
Coactions of rabbits and rodents: Riegel 3.

Cadmium
And copper sulfamates, transference numbers: Choguill 5.
Strontium alloys, properties: Hodge 3.

Calamites
Giant, Kansas, Ottawa fossil forest: Schoewe 23.
Knox 1.

Calamopitys Kansanum
Coal Age flora, Kansas, new species, Pennsylvanian, Kansas: Baxter 3.

Calcite
Impure, "cone-in-cone": Harnly 1.
Joplin, optical properties: Matthews, W. H. 1.

Calcium
And hydrogen ions, adsorption by azotabacter agile: Kline, R. M.
Barium and magnesium, ferrocyanides: Dains 2.
Determination, flame photometer, excitation source for spectrograph: Schrenk 3.
Intake, college women indicated by calcium output: Gallemore.
Soil, comparison of methods for determination: Blair, Byron 3.

Calf
Two-headed, abnormal anatomy: Gier, L. J. 8.
Two-headed, gross abnormal anatomy: Gier, H. T. 1.

California
Colorado desert, origin and biota: Cockerell 4.
Gulf, new finless ophicthid eel: Bohlke 3.

Calvarium
Human, Foard County, Texas: Bass, William M.

Camassia esculonta
Disappearance of a society, following the burning over of prairie meadow habitat: Stevens 5.

Camassia soilliodes
Variation: Stevens 8.

Cameloid
Ra Re, late Pleistocene sands, southwestern Kansas: Riggs.

Campestre
Bickn, *Sisyrinchium*, variation: McGregor 12.
Campostoma
New species: Crevecoeur 5.
Camera
And telescope eyepiece, combination: Miller, R. F. 3.
Camps
DP, Germany's, so-called DP-apathy: Bakis 1.
Canada
And United States, lizards: Burt, Charles E. 3.
Cancer
Malignant tumors: McWarf 8.
Thoughts on: McWarf 5.
Canker disease
Gardenias: Obee 3.
Canon
Red Rock, Colorado, "Mountain Leather": Knerr 7.
Capon
And normal male blood serum, gonadotropic effects: Herrick, Earl H. 4.
Carbohydrate
Content and yield of blue grama grass: Dodd, J. D. 1.
Reserves, paper chromatography: Choguill, H. S. 7.
Carbon
Activated, use in water purification: Haney.
Dioxide and oxygen in relation to animal life, synthetic atmospheric mixtures: Hershey 6.
Carbonate
Isopropyl phenyl, laboratory synthesis from benzoyl chloride: Hermanson 2.
Carbonic acid
Scientific value: Wooster, L. C. 19.
Carboniferous
Quadrupeds, Kansas, Ohio, Illinois, and Pennsylvania, relation to classification of so-called Amphibia and Stegocephala: Moodie 1.
Seas, the last submersion and emergence of southeastern Kansas from, or those affecting the Carboniferous formation in Kansas: West.
Cardiocarpus
New species, Kansas coal balls: Leisman.
Cardiocarpus magnicellularis sp. nov.
Preliminary report: Baxter 4.
Carotene
Loss in dehydrated alfalfa during storage: Mitchell, H. L. 2.
Carruth, James H.
In memoriam: Bailey, E. H. S. 20.
Cassigue
Yellow-tailed: Goss 12.
Castine
And Ellsworth Formations, stratigraphic relations between: Wingard, P. S.
Castle Rock
Area, Gove County, Kansas, geology: Robertson 3.
Region, Gove County, Kansas, animal life: Wooster, L. D. 8.
Region, Gove County, Kansas, vegetation: Albertson 6.
Cat
Anomaly, another: Herrick, Earl H. 8.
Domestic, host of dog tapeworm: Ackert 1.
Domestic, unusual anomaly postcaval tributary, thoracic region: Ameel 1.
Fish, channel, effects of diets on growth: Gray, J. L.
Fishes, Kansas, parasites: Harms, C. E.
Helminths, eastern Kansas: Ackert 7.
Hind limb, collateral circulation: Orr.
Pig, and rat, quantitative studies distribution of lipids in bone marrow: Goodman.
Saber-tooth, south-central Kansas: Galbreath, E. C. 7.
Catalina Island
Archaeology: Mead, J. R. 11.
Catalysis
History, utility in systemic phthisis: McCartney.
Catfish, channel
Fingerling, increasing size by supplemental feeding: Tiemeier 8.
Ictalurus punctatus, fry to fingerling, effects of five diets on growth and mortality: Gray.
Ictalurus punctatus (Rafinesque), daily movement in farm pond: Stevens, E. D.
Catfish, flathead
29, ages and sizes, Kansas River, Douglas County: Cross, F. B. 5.
Catfishes
Checklist of parasites, northeastern Kansas: Harms.
Cathode
Rotating, quantitative estimation of iron and cobalt: Curtis, R. W.
Cattle
Disappearance of ox warbles from herd: Crow.
Rice County, Kansas, liver fluke occurrence: Case, A. A. 3.

Caucasian
Bluestem (*Andropogon intermedius* var. *cascasicus*): Brown, Leo 8.

Causeway
Giant's, and Fingal's Cave: Merrill, C. D.

Cave
San Josecito, Nuevo Leon, Mexico, Pleistocene lagomorpha and Rodentia: Jackway.

Caves
Anciently inhabited, Vernal (Utah) District, with notes on Nine Mile Canyon, northeast Utah: Reagan 43.
Bats, Kansas: Hibbard 2.
Fingal's and Giant's Causeway: Merrill, C. D.
Mammoth, National Park proposed, amphibians and reptiles: Hibbard 4.

Cedar Creek
And south fork of Cottonwood River, fishes: Cross, F. B. 3.

Cedars
Native and red, west-central Kansas: Albertson 5.

Cedar Bluff
Reservoir, woody vegetation: Hopkins 8.

Celestial photography
With Washburn telescope: Pettit, Edison 2.

Celestite
Brown County, Kansas: Schoewe 12.
Brown County, Kansas, geology of deposits: Fishburn, M. D.

Cells
Animal, reaction to chemical stimuli: Hartman, Frank 1.
Bacterial, combination of dyes with growing, resting and killed: Harris, John O. 1.
Blood counts and hemoglobin levels in fowls, influence of sex hormones: Herrick, Earl H. 11.
Growth and reproduction: Baumgartner, W. J. 5.
Living germ, pseudopodia and flowing cytoplasmic movements: Baumgartner, W. J. 4.
Living, morphological studies in genus *Nocardia*, bright phase contrast observations: McClung, Norvel M. 2.
Permeability and nerve excitability, sodium-calcium, balance as function: Hall, J. Lowe 1.
Standard, mercurous sulfate: Cady 3.
Tissue culture, effects of extracellular products of streptococcus pyogenes: Wolf, D. J.

Cellular proliferation
Associated with cysticercus infestations in cottontail rabbit: Leonard, A. B. 2.

Cement
Manufactured in Kansas, tests: Murphy, E. C. 2.
Mortars, Portland, effect of clay and loam on strength: Hoad 1.
Mortars, silica: Tweeddale 2.
Plaster, chemical composition: Bailey, E. H. S. 21.
Plaster, durability: Bailey, E. H. S. 28.
Second setting: Dalton 1.

Cenozoic shrews
Late, notes: Hibbard 21.

Center
Geographical, United States: Schoewe 20.

Central America
And Mexico, birds collected by Col. N. S. Goss: Lantz 6.
Snake with record from Honduras: Savage, J. M. 1.

Centripetal drift
Further observations concerning: Peterson, J. C. 6.

Cephalopods
Fossil, new species: Hay 21.

Ceratophyllum demersum
Eastern Kansas, variation: McGregor 5.

Certification
Areas, Stephens College, standardization of general aptitude test battery: Anderson, Mary R.

Cervaloes scotti Lydekkerin
Kansas, occurrence: Hibbard 10.

Cervical nerve fibers
To infrahyoid muscles, unusual course: Latimer 1.

Cestode
Bothridium pithonis de Blainville, 1828, new host record: Loewen 4.
Fowl, *Davainea cesticillus*, transmission: Ackert 2.
Fowl, new intermediate hosts: Case, A. A. 2.
New, from a bat: Loewen 1.
Paddlefish from Missouri River: Wilson, William D. 1.
Of poultry in and around Douglas County: Ferry.

Chaetomorpha henningsii P. Richer
In U. S.: Faridi.

Chalk
Beds, expedition, Kansas and Miocene of Wyoming: Sternberg, Charles H. 11.

Chalk—Continued
Kansas: Patrick 2.
Kansas, armoured dinosaur: Sternberg, Charles H. 7.
Kansas, expedition, 1907: Sternberg, Charles H. 6.
Kansas and Permian of Texas, explorations: Sternberg, Charles H. 14.
Kansas, *Prostegagigas* and other Cretaceous reptiles and fishes: Sternberg, Charles H. 3.
Kansas, structure: Williston 7.

Characters, sexual
Size and secondary in frog, *Glossostoma alterrimum* Gunther: Nelson, C. E.

Chariton Conglomerate
Lucas and Marion counties, Iowa: Wallace.

Chase County
And Lyon counties, Kansas, list, amphibians and reptiles: Breukelman 2.
And Lyon counties, Kansas, revised list, amphibia and reptiles: Breukelman 8.
Kansas, fishes, Cedar Creek and south fork, Cottonwood River: Cross, F. B. 3.

Cheboygan County
Michigan, ecological study of Wolf's Bog: Dutro.

Checklist
Parasites from catfishes, northeastern Kansas: Harms.

Cheese
Relative economy of various types, determined by analysis: McCammon 2.

Chemical agents
Effects upon Newcastle disease virus with special reference to action of urethane: Bower, R. K.

Chemical analysis
Distinguishing red and white oak lumber by their ash: Knerr 18.
Ground water resources, Rooks County, Kansas: Schmidt, G. W.

Chemical aspects
Development of radioactivity: Argersinger 2.

Chemical composition
Cement plaster: Bailey, E. H. S. 21.

Chemical composition, variable
Plants at different seasons illustrated by *Taraxcum dens-leonis*: Sayre 13.

Chemical composition, varied
Experiments on taraxacum root: Sayre 15.

Chemical compounds, new
Transitivity curves: Gibbens, E. Elliott 2.

Chemical industry
Patent laws, regard to protection: Sayre 49.

Chemical notes
Miscellaneous: Bailey, E. H. S. 8.

Chemical products, physical fatigue
Other possible effects on mental efficiency: Dockeray.

Chemical stimuli
Reaction of animal cells: Hartman, Frank 1.

Chemicals, medicinal, and organic substances
Chemical processes for detection: Sayre 23.

Chemicals recently introduced
Therapeutic value: Sayre 12.

Chemistry
Courses, secondary school, contribution to proficiency in general inorganic chemistry and qualitative analysis in University of Kansas: Floyd 2.
General, reliability of examination marks: Homan 1–2.
General, teaching: Oncley.
Inorganic, project method in advanced: Hodge 2.
Kansas, past fifty years: Bailey, E. H. S. 38.
Marks, college freshmen, correlation with California maturity test scores: Hopka.
Organic and physiological: Bailey, E. H. S. 3.
Pharmaceutical-medical, early history: Sayre 46.
II, polyphosphoric acid, reagent in organic chemistry: Popp.
Teaching, simple atomic models as aid: Waring.
Theoretical inorganic and organic, correlation of terms used: VanderWerf 1.
War effort: Greene.

Chemists
And chemical engineers, licensing: Chapman 1.

Cherokee County
Coal fields: Haworth 2.
Igneous rocks?: Haworth 1.

Cherokee cyclical sedimentation
Abernathy 1.

Cherokee Nation
Trees, shrubs and vines: Gould 9.

Cherokee Strip, southeast Kansas
Preliminary key to herbaceous dicotyledons: Gier, Leland J. 1.
Chert
Gravels, Kansas River Valley between Lawrence and Kansas City: MacFarquhar.
Gravels north of Atchison, Kansas, reinterpretation of supposed late Tertiary: Frye 7.
Chick embryo
Abnormalities in nervous system: Alsop, Florence.
Infected, catalase production, Newcastle disease virus: Eisenstark 1.
Membranes, morphological studies of dermatophytes: Showalter 3.
Retinal pigment: Cobden.
Simplified technique for virus inoculation: Lias 1.
Chick incubation
Heat as a factor in producing abnormalities: Harman 2.
Chick origin
Development of crop: Mayberry 1.
Chicken egg
White, electrophoretic analysis: Andrews, A. C. 3.
Chicken tapeworms
Intermediate hosts, Kansas: Case, A. A. 1.
Chickens
And "English" or house sparrows, special reference, transmission of poultry parasites by birds: Hoyle.
Effects of X-irradiation, revealed by serological analysis, whole plasma comparisons: Leone 2.
Mature, tapeworm infections susceptibility: Ackert 4.
Occurrence and development of *Ascaridia perspicillum*, parasitic: Danheim.
Plague among, central Iowa, summer, 1918: Reagan 26.
Prairie, food plot utilization: Jones, Lanny D.
Prairie, Kansas: Baker, Maurice F.
Two hundred stools, analysis of results of examination: Smith, Charles F. 2.
Child
Birth injured, training problem: Cowan 1.
Birth injured, experimental training: Cowan 2.
Children
Color discrimination: Synolds.
Development of concept formation: Reichard.
Children—Continued
Disturbed, and institutionalized, ego functions and response to color on the Rorschach: Duncan 1.
Evaluation, Beck's Rorschach norms, applied: Jacobson.
Exceptional, number Kansas: Reed, H. B. 5.
Exhibiting pattern loss during performance of mental test: Cowan 4.
Expressed fears, nightmares and projective responses, intracomparisons: Bloomer.
First grade, methods employed solving arithmetic problems: Russell, Ned M.
Institutions, Kansas, psychological service: Brigden 4.
Welfare, value, psychological diagnosis in community program: Weathers 1.
With acuity disabilities, attempted standardization of tests: Weathers 2.
Young, psychological tests, diagnosis of maladjustment: Escalona.
Child's doubt
Parent's affection, phenomenon of mother's fixation: Cowan 3.
Chinch-bug
Attack, strains of wheat, differential resistance: Jones, Elmer T. 1.
Experiments, artificial dissemination, contagious disease: Snow 5, 49.
Chironomid
Egg masses, identification: Branch 5.
Kansas, notes: Branch 2.
Chlorination
Isobutane, reactions of polychlorides obtained: Taft 27.
Chlorine
Compounds of rhenium, preparation: Kolling 2.
Effect on biochemical oxygen demand study of mechanism: Crain.
Chlorophane
Pike's Peak, phosphorescence: Failyer 4.
Chlorophyll pigments
Separation: Hillman.
Chlorosis
Western Kansas, cause and control: Myers, H. E. 1.
Cholera infantum
A plague of, at Nett Lake, Minnesota, Fall of 1913: Reagan 18.
Chromatography
Gas: Choguill, Charles L. 1.
Paper, carbohydrate reserves: Choguill, H. S. 7.

Chrome yellow
In gastric juice, solubility: Sayre 4.
Chrysanthemum
Leaf blight, status of *Cylindrosporium*, causative agent: Trent 2.
Chrysochus auratus Fab.
Spermatogenesis: Paddock.
Chrysophanus
Description, new species: Edwards.
Chub, sturgeon
Hybopsis gelida, Kansas: Cross, F. B. 1.
Cicadellidae
Kansas: Lawson 1.
Collecting: Lantz 10.
Collecting: Smyth, Eugene 1–2.
Cichlasoma
Nigro fasciatum, behavior: Armitage 1.
Cincindelae
Notes on habits: Williston 1.
Circle
Nine-point, Simpson line relation: Matthews, L.
Not a circle: Warfel 1.
Circulation
Collateral, hind limb of cat: Orr.
City
Buried, Panhandle: Eyerly.
Claisen
Rearrangement, angular alkylation: Burgstahler.
Clark County
And Meade County, Kansas, Mollusca: Leonard, Alice A. 2.
Kansas, new fossil ground squirrel *Citellus* (*Pliocetallus*) Fricki, Pliocene: Hibbard 12.
Classes
Biology, teaching large: Breukelman 9.
Classification
Stratigraphic, concept of time: Jewett, J. M. 9.
Clay
Analysis: Saunders 3.
And loam, effect on strength of Portland cement mortars: Hoad 1.
Iron, controlling color: Zinszer, W. K. 1.
Clay County
Extension, natural range, two mammals: Schaffner, John H. 2.
Kansas, flora: Weber, Clement 2.
Kansas, myxomycetes: Schaffner, J. H.
Kansas, northwestern, forest belts development: Schaffner, John H. 1.
Clay County—Continued
Missouri, flowering plants: Gier, Leland J. 9.
Missouri, flora—Polyporaceae: Gier, Leland J. 17.
Cleistogomy
Special reference, life history, *Specularia perfoliata*: Trent 4.
Climate
And bobwhite quail, Kansas, 1951–1954: Robinson, T. S. 4.
And bobwhites, Kansas, 1955: Robinson, T. S. 5.
And bobwhites, Kansas, 1956: Robinson, T. S. 6.
And brains: Knox 4.
And different grazing and dusting intensities, effect upon yield of short grass prairies, western Kansas: Lacey.
Clouds, Kansas: Lokke 3.
Effect, on human behavior in history: Wheeler, R. H. 2.
Kansas, 1871: Hutchinson.
Kansas: Snow 2.
Kansas, change: Snow 59.
Relation to plant diseases: Melchers 8.
Suggestions: Reagan 29.
Speculation, factor, wind erosion problem, Great Plains: Zingg.
Climatic factors
Affecting 1951 Kansas bobwhite population shown by examination of wings from hunter-killed birds: Robinson, T. S. 1.
Affecting Kansas bobwhites, 1952: Robinson, T. S. 2.
Affecting Kansas bobwhites, 1953: Robinson, T. S. 3.
Climatic fluctuations
Scientific attitudes: Moore, Kenneth 1.
Climatology
Kansas: Jennings, T. B. 3.
Cloacal bursae
Turtles, taxonomic significance: Smith, H. M. 12.
Cloud County
Flora: Fraser 1.
Clouds
And climate, Kansas: Lokke 3.
Clover
Sweet, *Melilotus alba*, effect of light: Coppedge.
Sweet, varietal and seasonal differences in mineral content: Kroeker.
Coal
Age flora of Kansas, *Calamopitys Kansanum*, new species, Pennsylvanian of Kansas: Baxter 3.

Coal—Continued
Age flora of Kansas, *Microspermopteris aphyllum* var. *Kansensis*, var. nov.: Baxter 2.
And limestone: Saunders 2.
And natural gas, analysis and comparative heating values: Allen, H. C. 2.
Atchison County, Kansas: Knerr 9.
Balls, new discoveries in plant petrifactions, Kansas coal beds: Baxter 1.
Balls, new species of *Cardiocarpus*: Leisman.
Beds, Kansas, coal balls, new discoveries in plant petrifications: Baxter 1.
Composition, Kansas: Bailey, E. H. S. 11.
Dust, examination, after explosions in mines, southeastern Kansas: Bartow 5.
Evaporative power: Blake 1.
Fields, Cherokee County: Haworth 2.
Hole, Topeka: Smyth, B. B. 17.
Kansas: Saunders 1.
Kansas, composition: Bailey, E. H. S. 9.
Kansas, evaporative power: Blake 1.
Lands, southeastern Kansas, romance and reclamation: Hall, Harry H. 3.
Lands, southeastern Kansas, geological history: Hall, Harry H. 4.
Measures, Kansas, nomenclature, employed by Kansas State Geological Survey: Haworth 5.
Measures, Kansas and Nebraska, correlation: Beede 4.
Measures, Lyon County: Kelly, D. S. 1.
Mine explosions, preliminary report on investigation: Haworth 7.
Mining, Atchison County: Knerr 19.
Oil legislation: Sadler 1.
Relative heating power of and illumination gas, experiments: Bailey, E. H. S. 24.
Strip-mined land, southeast Kansas, growth and development of black walnut: Rogers, Nelson F.

Coatings
Pipeline, soil microorganisms: Harris, J. O. 8.

Cobalt
And iron, quantitative estimation by rotating cathode: Curtis, R. W.

Cockroach
American, nematode parasites: Dobrouolny, Charles G. 2.

Cocoidae
Kansas: Dean 2.

Codell Sandstone
Kansas, elopid fish: Miller, H. W., Jr. 4.

Coefficients
Isopiestic activity of antihistamine histadyl in aqueous solution at 25° C: Andrews, A. C. 4.
Multiple correlation, interlocking table for use in calculation: Wood, E. R.

Coffee
And estimation of its value: Sayre 21.
Isolation of toxic principles, determination of toxicity: Sayre 44.

Cola beverages
Progress report on experiments: Pronko 2.

Colchicine
Effects of on fission in planarian: Long, C. A. 1.

Coleoptera
And Lepidoptera, list: Snow 28.
And Lepidoptera collected in New Mexico by Kansas University Scientific Expeditions, 1883 and 1884: Snow 33.
Collected New Mexico, entomological expeditions University of Kansas: Snow 56.
Collected Santa Fe Canon, New Mexico: Snow 23.
Kansas, collecting notes: Knaus 6.
Kansas, Douglas County, additions, 1879 and 1880: Snow 22.
Kansas, list: Popenoe 1.
Kansas, additions to catalogue: Popenoe 2.
Kansas in 1881 and 1882: Snow 27.
Kansas, 1883–1884: Knaus 1.
Kansas, 1885–1886: Knaus 3.
Kansas, 1897–1898: Knaus 5.
Kansas, 1899–1900: Knaus 7.
Kansas, 1901–1902: Knaus 8.
Kansas, 1903–1904: Knaus 9.
Kansas, 1905: Knaus 10.
Kansas, 1906: Knaus 11.
Kansas, 1907: Knaus 12
Kansas, 1908: Knaus 14.
Kansas, 1909: Knaus 15.
Kansas, 1910–1912: Knaus 16.
Kansas, 1913–1915: Knaus 17.
List: Snow 12, 17.
New Mexico: Knaus 13.
North American, description, new species: LeConte.
Salt marsh: Knaus 2.
Texas, determination: Tucker 1.

Collateral circulation
Hind limb of cat: Orr.

Collecting
Arkansas: Hartman, Frank 3.
Fossils, harvester mounds: Galbreath 8.
Trip to Patagonia, South America: Martin, H. T. 1.

Collection
Amphibians and reptiles, Pinacate Lava Cap, northwestern Sonora, Mexico: Smith, P. W. 5.
Herpetological, northern Iraq: Reed, C. A.
Recent, notes, black-footed ferret: Taylor, Dale L. 2.

Collections
Mosquito light trap, encephalitis investigation, southeastern Kansas, 1949 and 1950: Lungstrom 3.

College
Achievement of mature students, prediction of: Birrer.
Agricultural, ammonia and nitric acid in rain water collected at: Failyer 9.
Analytical laboratories, statistical quality control: Chapman 2.
Engineering, recent growth: Marvin 6.
Entrance delay, effect on college grades: Stuart.
Farm strip mine lake, limnological study: Burner.
Kansas State Agricultural, Kansas Rhynchophora collection: Hayes 2.
Kansas State, Kansas wheat farm culture, implications for guidance: Gordon, Ira J.
McPherson, diamonds: Hershey 14.
Museum, Kansas State, Manhattan, Kansas fishes: Jennings, Dolf 3.
Reading, technique, selecting students for training: Smith, V. T.
Residence hall, nutritive value, cost of food consumed by men and women: Atkinson, Ester.
State Agricultural, color-blindness among students: Breese 1.
Stephens, standardization of general aptitude test battery for three certification areas: Anderson, Mary R.
Students, eye muscle imbalance: Askren 1.
Students, knowledge of scientific method: Kearst.
Students, preliminary, remedial program: Rizzo 2.
Success and high school marks, relationship between, measured by college marks and entrance examinations: Davis, Vera.
Success, relation of age of entrants: Schrammel 4.

College—Continued
Why do some reach a higher level of achievement than others?: Reed, H. B. 3.
Women, calcium intake indicated by calcium output: Gallemore.
Women, statistics relating to health: Crotty 2.

Colloids
Lyophilic, in liquid ammonia, behavior: Taft 1.

Colon bacillus
Lactose-bile test: Wilson, W. B. 1.

Colonies
Great blue heron, Kansas: Andrews, Ted F. 2.

Color
And dental abnormalities in Aplodontia: Anderson, Sydney 2.
Blind, supplementary method of color discrimination for red–green: Portum.
Blindness and railway accidents: Fee.
Blindness among students, State Agricultural College: Breese 1.
Blindness among Indians: Blake 2.
Blindness, University of Kansas: Nichols 3.
Discrimination, children: Synolds.
In nature: Todd 9.
Iron clays, controlling: Zinszer, W. K. 1.
Matching, simple method: Zinszer, Richard S. 1.

Colorado
And Kansas, additional results of collecting: Tucker 6.
And Kansas, insects collected: Tucker 12.
Desert of California, origin and biota: Cockerell 4.
Estes Park, glacial moraines: Wooster, L. C. 17.
Estes Park, summer birds: Kellogg 2.
Evidence of stream piracy, Dakota hogback between Golden and Morrison: Schoewe 2.
"Feather alum": Bailey, E. H. S. 16.
Northeastern, cynarctoides: Galbreath 6.
Northeastern, new comyid rodent, lower Oligocene: Galbreath 5.
Northeastern, new myotid bat, Middle Oligocene: Galbreath 11.
Pine River Valley, glacial deposits: Reagan 24.
Pine River Valley, and Keyenta-Tuba region, Arizona, archaeological notes: Reagan 29.
Red Rock Canon, notes on "Mountain Leather": Kaerr 7.

Colors
And sugar relationships in plants: Clarke, J. R.
Colostrum
And milk, preliminary study, vitamin A content: Kunerth 2.
Comanche Cretaceous
Kansas, fossil insects: Gould 4.
Comanchean
Central Kansas: Twenhofel.
Comandra pallida
Hemiparasite, unrecorded hosts: Brooks 1.
Comet
"B," observation on: Smith, H. S. 2.
Tails, speculation, regard to: Bardwell.
Commelina virginica
Seed germination and development of seedling: Bates, J. C. 1.
Commerce
Powdered sugar: Bailey, E. H. S. 33.
Commercial applications
Twelve tests proved practical: Barnabas 1.
Commercial development
Kansas, gas engine: Walker, P. F. 1.
Commercial papers
Quality: Sayre 5.
Communication
Construction, propagation, very high frequency: Hartnett.
Components
Variance, field variability, explained: Wearden.
Compositae
Genera, stomatal counts, Kansas species: Hetzer 2.
Conchostracan
Bearing beds, Kansas: Tasch, Paul 1.
Conchostracans
Fossil and living, valve injury and repair: Tasch 3.
Concrete
Beams, reinforced, formulas for design: Hubbard.
Silicones as water repellents applied to: Lanning, F. C. 7.
Concretions
Knerr 13.
Conditioner
Soil, influence of on nitrification: McCalla 5.
Conductance and related properties
Aqueous solutions: Taft 45.
Conductance studies
Aqueous solutions of antihistamines at 25°C: Andrews, A. C. 1.
Conference, Science and Industry
Jewett, J. M. 8.
McCain, J. A.
Configuration
Upon contrast, effect: Mikesell.
Conicoids
And conics, inverse of center: Rice 2.
Conics
And conicoids, inverse of center: Rice 2.
Imaginary focal properties: Newson.
Conorhinus sanguisugus
Habits and life history: Kimbell.
Conservation—See also Appendix A.
Natural areas: Schoewe 18.
Wildlife policies, development, Kansas: Stene 1.
Conservatism
And liberalism, personal experiences underlying formulation of attitudes: Older.
Constitution
And bylaws: See Appendix D.
Inherited, concept: Weir.
Construction
Communication, propagation, very high frequency, theory and practice: Harnett.
Magnetic resonance spectrometer: Zohner, Linda.
Content
Phytin, sorghum grain: Wang.
Continental
Species, *E. rhois*, analysis, local populations: Bugbee 1.
Contrast
Effect of configuration: Mikesell.
Contributions
Agricultural, to industrial growth and development of Kansas: Bidwell, O. W.
Cooke
Silliman, and Hare, relation to American science: Dains 3.
Cooking
Economy of heat: Lovewell 11.
Fireless: Lovewell 10.
Cooper, James C.
Necrology: Lovewell 15.
Cooperia kansensis
New species: Stevens 3.
Copepoda
Freshwater, contribution to history: Cragin 2.
Copper
And cadmium sulfamates, transference number: Choguill, H. S. 5.

Copper—Continued
Electro-deposited, influence of gelatin on form: Taft 2.
Near ultraviolet spectrum, produced by hot spark in vacue: Zinszer, Harvey A. 7.
Cormorant
Double-crested: Goss 9.
Corn
And sorghums, water relations: Miller, E. C.
Cobs, economic value: Bailey, E. H. S. 12.
Fields, archaeology, Ganado region, Arizona: Reagan 30–33.
Fields, archaeology, Hopi Buttes field, Arizona: Reagan 34.
Fields, Hopi Buttes region, Arizona, pottery types: Reagan 36.
Fields, region, Arizona, archaeology: Reagan 35.
High protein, progress in production: Willard 15.
Indian, germination after immersion in hot water: Kellerman, W. A. 5.
Leaf aphid, Kansas biotypes: Pathak.
Nutritional characteristics: Willard 23.
Oil: Sayre 38, 48.
Oil or butterfat, similar effects of rations, upon maze-learning ability of rats: Parrish 2.
Oil and new point of view in food values: Sayre 45.
Oil value, substitute for olive oil and cottonseed oil: Pool.
Starch in various solvents, pyrolysis: Lanning 3.
Starch, war bread, and high protein flour mixtures for baking: Sayre 47..
Corpora lutea extract
Injection in pregnant guinea pigs on vitamin C limited diet: Saffry 2.
Correspondence
Courses, self-instructor method: Fleenor 1.
Study, chemo-self-instructional method: Fleenor 2.
Correspondents, Academy: See Appendix D.
Corynebracterium deptherial
Hemagglutinative behavior of Lipid Antigens: Learned.
Cosmos
Theory of: Knerr 17.
Cottonseed oil
And olive oil, value of corn oil as substitute: Pool.
Cottonwood Limestone
South of Cottonwood Falls, Kansas, description of changes: Yates 3.
Cottonwood River
South fork and Cedar Creek, Chase County, fishes: Cross, F. B. 3.
Coulometer
Iodine, studies: Taft 49, 51, 53.
Coumarins
Acylation in trifluoroacetic acid: Woods.
Counseling
Supervising practicum courses: Cottle 2.
Counselors
Scale to differentiate from teachers: Cottle 3.
Secondary school, professional knowledge of—its measurement and significance: Schuyler.
Counties
Wheat specialty, analysis of changes, level-of-living indexes, 1930–1950: Dost, J. E.
County, Barber, Kansas
Record, brown skink (*Scincella lateralе*) and prairie skink (*Eumeces septentrionalis*): Stains.
County, Brown, Kansas
Celestite: Schoewe 12.
Geology, celestite deposits: Fishburn, M. D.
County, Cowley, Kansas
Gastropods: Metcalf, A. L. 2.
Drought: Hoyle 2.
Prehistoric mounds: Gould 1.
Soil fauna: Hetzer 1.
County, Dent, Missouri
Amphibians and reptiles, Montana State Park: Myers, C. W. 2.
County, Ellis, Kansas
Occurrence, activities of *Peromyscus leucopus aridulus*: Frydendall.
County, Foard, Texas
Human clavarium: Boss, W, M.
County, Foard, Texas
Human skull, associated fauna: Dalquest, W. W. 4.
County, Gove, Kansas
Soil-vegetation relationships, chalkflat range site: Linnell.
County, Logan, Kansas
Nickel mines: Snow 40.
County, Rooks, Kansas
Chemical analysis, ground water resources: Schmidt, G. W.
Course
Offerings and curricular requirements of psychology in schools of diversified technology: Alm 2.

Cover
Restoration in Kansas: King, Harold C.
Cow
Superfetation, probable case: Harman 1.
Cowley County, Kansas
Drought: Hoyle 2.
Gastopods: Metcalf, A. L. 2.
Prehistoric mounds: Gould 1.
Soil fauna: Hetzer 1.
Cowper's gland
And seminal vesicles, wether sheep, influence of diethylstilbestrol, estradiol and progesterone: Herrick, E. H. 12.
Cows
Dairy, herd, social organization: Guhl 4.
Coyote
Dog hybridization: Bee.
Kansas, winter food: Tiemeier 4.
On natural area, northeastern Kansas: Fitch 2.
Parasites, Kansas: Ameel 2.
Crabs
Commensal, demonstration of "host-factor": Johnson, Irving S.
Crawford County, Kansas
Fleshy fungi: Travis.
List of butterflies: Randolph 1.
State Park, flora: Gier, Leland J. 4.
State Park, preliminary survey of flora: Ross.
Survey of green algae: Marnoni.
Crayfish
Kansas, new records: Minckley 2.
New distribution records, two new species: Metcalf, A. L. 1.
Six new, genus *Orconectes*, from Arkansas, Missouri and Oklahoma: Williams, Austin B.
Cream
And milk, influence of separator upon the distribution of bacteria: Havenhill 2.
Creek
Turkey and two ponds, limnological conditions: Willis.
Wakarusa, history: Todd 3.
Cresols
And phenol in various solvents, bromination: Johnson, S. H.
Cretaceous
Codell Sandstone, Kansas: elopid fish, depositional environment: Miller, H. W., Jr. 4.
Comanche, Kansas, fossil insects: Gould 4.
Cretaceous—Continued
Crocodile *Dakotasuchus*: Vaughn, Peter Paul 2.
Dakota, Kansas and Nebraska: Gould 6.
Forests, migrations: Mudge, B. F. 9.
Kansas, new turtle: Williston 16.
Niobrara, Kansas, new Plesiosaur: Williston 8.
Niobrara and Laramie: Sternberg, Charles H. 9.
Niobrara, western Kansas: Williston 10.
Reptiles, fishes, Prostegagigas from Kansas chalk: Sternberg, Charles H. 3.
Rocks in Kansas, eastern extension, formation of sandhills: Hay 23.
Upper, Black Mesa, Arizona, geological notes: Reagan 41.
Upper or lower? Dakotah formation: Todd 2.
Upper System, Ellis County, Kansas, lime content of rocks: Rarick.
Upper System, Osborne County, Kansas, lime content of rocks: Search.
Crevecoeur, F. F.
Versatile Kansas naturalist, 1862–1931: Smith, Roger C. 2.
Cricket
Snowy tree, *Oecanthus nigricornis orgentinus*, effects of X-ray: Beach 2.
Crinoids
Fragmentary, Lower Permian, Manhattan area: Byrne 4.
Crocodile *Dakotasuchus*
Cretaceous, specimen: Vaughn, Peter Paul 2.
Crop
Cash, areas in Midwest, physical factors of environment, relation: Hoag.
Damage by jackrabbits: Bronson, F. H. 2.
Grain, factors in winter killing: Salmon.
Industries of Kansas: Call 2.
Kansas weather, effect: Flora 2.
Season, 1902, review: Jennings, T. B. 2.
Crops
Excess water effects: Mittra, M. K.
Croton capitatus
Poisonous forage plant: Boughton.
Croton monanthogynus
And *Lespedeza striata* as bank covers: Stevens 4.
Crustacea
Eastern Kansas: Leonard, A. B. 4.

Crustacean zooplankton, limnetic
Northeastern Kansas, species composition, seasonal distribution: Armitage, K. B. 2.
Crystalline liquids
Porter 2.
Culinary utensils
Composition: Bailey, E. H. S. 2.
Culex tarsalis
Kansas, biological study: Lungstrom 1.
Larva and pupa, additional observations, recognition features: Lungstrom 2.
Culture
Artificial, factors affecting sporulation of *Phyllosticta solitaria*: Mix 1.
Emergence of man: Thompson, A. H. 11.
Kansas wheat farm, implications for guidance at Kansas State College: Gordon, Ira J.
Wild flowers: Baker, Harvey W.
Cupric-ammonia
Ion in acetic acid solution, analogue: Davidson, A. W. 1.
Curare
Purification: Gold 1.
Curators, Board
Report: Thompson, A. H. 9.
Currents
Action, recording: Bartley.
Curricular requirements
And course offerings of psychology in schools of diversified technology: Alm 2.
Curvilinear squares
Mapping electric fields: Koopman 1.
Cuscuta glomerata
Union with its host: Stevens 1.
Cyanides
Detection: Cady 1.
Cyanosis
Infant, methods of control, public health significance of high nitrate waters as cause: Metzler 1.
Cyathaxonia
Fern Glen formation: Conkin 2.
Cycad
Rare Mexican: Wilson, W. B. 2.
Cyclical sedimentation
Cherokee: Abernathy 1.
Cyclohexanone
Allylation: Brownlee.
Cyclones
Origin: Graham, A. A. 2.
Cyclosis, plant
Effects of epinephrine solution: Donald, Anne.
Cynaractine
Upper Oligocene, South Dakota: Green, Morton 4.
Cynarctoides arcidens
Northeastern Colorado: Galbreath 6.
Cysticercus
Infestation, cottontail rabbit, associated cellular proliferation: Leonard, A. B. 2.
Cysts
In pituitary glands of fowls and rats, occurrence and nature: Herrick, Earl H. 10.
Cytophagas
Soil, isolation study: Thomas, Olive E.
Cytoplasmic movements
Flowing, and pseudopodia in living germ cells: Baumgartner 4.
Cytoplasmic structures, dynamic
Mitochondria?: Payne 1.
Cystoporites varius
Sporangium: Baxter 6.

D

Dairy
Cows, social organization in herd: Guhl 4.
Dakota
Cretaceous, Kansas and Nebraska: Gould 6.
Epoch, fossil turtle cast: Parmenter.
Formation, Upper or Lower Cretaceous?: Todd 2.
Hogback, evidence of stream piracy, between Golden and Morrison, Colorado: Schoewe 2.
In the: Hay 3.
Lignite, horizon: Hay 12.
Lower, northern Kansas, gastroliths: Schaffner, D. C. 1.
Rocks, discovery and significance of stipules in dicotyledonous leaves: Snow 39.
Sandstone, fossil bird-track: Snow 37.
Sandstone, flora, University of Kansas collection of fossil plants: Baxter 5.
Sandstone formation, Ellsworth County, Kansas, ecology of pasture: Blair, Byron O. 1.
Sandstone, Washington County: Charles.
Dances
Memez Pueblo Indians: Reagan 2.
Dandelion
New form, *Taraxacum laevigatum f. scapifolium*: Gates, Frank 21.

Daphnia pulex
Speed of toxic action of mercuric chloride: Breukelman 1.
Darkness
Effect, stomata of leaves: Hempler.
Darwinism
And experimentation in botany: MacDougal.
Darwin's last letter?
Taft 17.
David (Geary) County
Mounds: Parker 4.
DDT
Effect of various condensing agents and inert solvents in production: Castonguay 2.
Production: Castonguay 1.
Deer
Kansas, preliminary survey: Taylor, D. L.
Delinquents
Study, clinical application of psychological tests: Weber, George H. 1.
Dental
And color abnormalities in Aplodontia: Anderson, Sydney 2.
Anomaly, two cases, early Tertiary mammals: Wilson, R. W. 1.
Caries in wild bears: Hall, E. Raymond 1.
Dent County
Missouri, amphibians and reptiles: Myers, C. W. 2.
Dentition
Mammalian, evolutionary lines in tooth attachment and replacement: Smith, H. M. 13.
Deposits
Metamorphic, Woodson County, Kansas: Mudge, B. F. 12.
Michigan, gypsum, origin: Grimsley 7.
Depressions
Upland, mixed prairie: Franke.
Derivatives
1-phenyl-3(p-chlorophenyl)-2-propanol: Horning.
Organosulfur, review, hydrogen sulfide as reagents, inorganic quantitative analysis: Kolling, O. W. 8.
Dermal covering
Mosasauroid reptile: Snow 20.
Dermatophytes
In chick embryo membranes, morphological studies: Showalter 3.
Desert
Colorado, of California—origin and biota: Cockerell 4.
Design
Mouse-carrying rocket: Mennemeyer.
Nature's, Great Plains, man's disorder: Albertson 11.
Desoxycorticosterone acetate
In scorbutic guinea pigs: Herrick, Earl H. 6.
Detector
Metal, electronic: Zohner.
Determination
Spectrophotometric of keytones by borohydride reduction: Lichtenstein.
Diagnosis
Reliability, test scores: Collister.
Diagrams
Interpretation, indicator: Corp 1.
Diamond
Drill prospect hole, Atchison: Langworthy.
From McPherson College: Hershey 14.
Synthetic: Hershey 3.
Synthetic, recent work: Hershey 12.
Diatomaceae
Kansas: Curtis, George E. 2.
Diatoms
Methods, collecting, cleaning, and mounting: Crotty 1.
Diazinon
P^{32}-labeled, guinea pigs, distribution and excretion: Kaplanis.
Diazo-amido-benzene
New derivative: Bartow 3.
Diazo-thio-ethers
Of thio-beta-nephthol, preparation: Dunn.
Dickinson County, Kansas
Birds seen, August, 1898, to August, 1900: Lantz 7.
Dicotyledons
Herbaceous, preliminary key, Cherokee Strip, southeast Kansas: Gier, Leland J. 1.
Leaves, Dakota Rocks, discovery and significance of stipules: Snow 39.
Diemethyl acetal
Of alpha-hydroxy beta, methoxy-beta-phenyl propiopheonone—investigation, composition of mother liquor: Rankin 2.
Diet
Adequate, observations, effect of addition of iron: Potter, Myra.
Effect on growth of channel catfish: Gray, J. L.
Diets, five
Effects on growth and mortality, fry to fingerling channel catfish (*Ictalurus punctatus*): Gray.

Dietary
Foreign additions: Bailey, E. H. S. 36.
Dietaries
Study, Lawrence, Kansas: Bailey, E. H. S. 25.
Diethylstilbestrol
Estradiol and progesterone, influence on Cowper's gland and seminal vesicles on wether sheep: Herrick, E. H. 12.
Diffraction
Grating, wave length measurement: Weber, L. R. 3.
Digitalis
Kansas grown: Havenhill 5.
Dikkomys
Rodent, additional specimen, Miocene, Nebraska: Galbreath 3.
Dinosaurs
American Jurassic: Williston 4.
Armoured, from Kansas Chalk: Sternberg, Charles H. 7.
Dione vanillae
Preliminary study, life history and habits: Randolph 2.
Diplocaulus
Skull and extremities: Williston 17.
Diptera
Kansas: Tucker 8.
Kansas, additions to list: Crevecoeur 6.
Kansas and New Mexico: Cockerell 2.
Table of families: Williston 5.
Discoveries
Recent, fossil footprints in Kansas: Mudge, B. F. 3.
Disease
And mosaic virus—characteristics of wheat streak: Sill 1.
Canker, gardenias: Obee 3.
Contagious, among chinch-bugs, experiments for artificial dissemination: Snow 45, 49.
Distemper-like, raccoons and isolation of *Histoplasma capsulatum* and *Haplosporagium parvum*: Menges.
Gramineous virus—wheat streak mosaic: Sill 5.
Health, and longevity, noise—relation to: McWarf 3.
Kansas, wheat foot-rot: Melchers 5.
Newcastle virus, effect of certain chemical agents, special reference to action of urethane: Bower, R. K.
Newcastle virus, inoculation time differentials, expression of interference by swine influenza virus in chick embryos: Carr, J. H.
Newcastle virus, structure: Liao 2.
Plant, climate, relation to: Melchers 8.
Disease—Continued
Plant, and fungi, Egypt: Melchers 6.
Plant, heretofore unreported in Kansas, reported 1914: Melchers 3.
Plant, Kansas, 1941: Johnston, C. O. 6.
Plant, problems, Egypt: Melchers 7.
Plant, report, Kansas, 1917: Melchers 2.
Plant, survey report, Kansas, 1918: Melchers 4.
Take-all, wheat, Kansas: White, R. P.
Unusual, development, wheat, Kansas: Johnston, C. O. 2.
Diseases
Black-tailed jack-rabbit: Bowen.
Disinfectant
And antiseptics, nature's use: Sayre 51.
And insecticides, standardization: Sayre 35.
Kitchen: Pattly.
Dissemination
And germination of seeds: Speckman.
Artificial, contagious disease among chinch-bugs, experiments: Snow 45.
Distribution
And excretion, P^{32}-labeled diazinon, guinea pigs: Kaplanis.
Equilibrium, form, function: Andrews, F. C.
Nuptial tubercles, catostomid fishes: Branson, B. A. 1.
Small mammals, tall-grass prairie plot, microclimate effect: Hays, H. A. 1.
Ditch
Roadside, *Streptocephalus seali*: Prophet.
Dividends
Agricultural and industrial research: Mitchell, H. L. 6.
Divining-rod
Observations: Killian.
Dog
Persistent left superior vena cava: Stoland.
Coyote hybridization: Bee.
Kansas, incidence of helminths: Gaafar.
Prairie, habits: Brous 2.
Tapeworm, *Taenia pisiformis* Bloch, the domestic cat, host: Ackert 1.
Unusual collection of polyradiate tapeworms: Dobroulny, Charles G. 3.
Doniphan Lake
Formation of, spring and early summer, 1891: Knerr 4.
Douglas County
Additions, list of Kansas Coleoptera, 1879 and 1880: Snow 22.
And Franklin counties, ecological

Douglas County—Continued
study of prairie and pasture lands: Hetzer 3.
Cestoda of poultry: Ferry.
Grasses: Lawson 2.
Kansas, ages and sizes of 29 flathead catfish, Kansas River: Cross, F. B. 5.
Kansas, flora: McGregor 2.
Kansas, food of long-eared owl: Rainey 2.
Kansas, nesting of the yellow-headed blackbird: Setzer.
Mastodon remains: Savage, Joseph 2.
Mosquitos: Overman.
Shawnee, and Johnson counties, Kansas, glacial erratics: Schoewe 1.

Doves
Mourning, twenty-two taken during 1940 hunting season, food: Jennings, Dolf 2.

DP-apathy
So-called, Germany's DP camps: Bakis 1.

DP camp
Germany's, so-called DP-apathy: Bakis 1.

Dragon flies
Of southeastern Kansas: Allison.

Drainage
Kansas ice sheet: Todd 1.

Drawings
And photographs, preparation, reproduction in the "Transactions": Baumgartner, W. J. 8.

Drill hole
At Wichita: Mead, J. R. 6.

Drilling
Fluid, radioactivity of oil-well, with depth of wells: Johnston, Milford W.

Drosophila
Controling pupation site: Schlager, G.

Drought
Cowley County, Kansas: Hoyle 2.
Effects, animal population, western Kansas: Wooster, L. D. 2.
1934, effect on trees in Kansas: Stiles.
1934, water resources, Johnson County: Jewett, J. M. 5.
1939, analysis of seed production, native Kansas grasses: Branson, Lester R.
Resistant plant, anatomical study of *Melampodium leucanthum*: Volle 1.

Drug
And Food Act, new, official preparations, relation: Havenhill 1.
And Food Law, analysis of food accessories: Sayre 31.

Drug—Continued
And Food Law, contributions of drug laboratory, University of Kansas, enforcement: Watson, G. N. 3.
And Pure Food Law, report, analysis of preparations: Sayre 29.
And spices, percentage of extractive as a means of identification and analysis: Sayre 26.
End of Food and Drug Law, problems connected with administration: Sayre 33.
Has the quality improved since the enactment of the Food and Drug Law: Wedal, M. N.
Modern antimalarial: Burchalter.
Standardization, importance of physiological assay: Ziefle.
Standards, reference to Pure Food and Drug Law: Sayre 22.

Duck
Black, Kansas: Mathews, R. 2.
Kansas, new species, *Rumex alluvius*: Gates, Frank 37.

Duncan, Robert Kennedy
Necrology 11.

Durability and function
Silicones on masonry materials: Lanning, F. C. 8.

Dust
Coal, examination, after explosions in mines, southeastern Kansas: Bartow 5.
Storms, distribution, seeds: Runyon, H. Everett 2.
Storms, Great Plains, classification: Keith 4.

Dusting
And grazing intensities on yield of short-grass prairies, western Kansas, effect of climate: Lacey.

Duty-free
Importations, rights, educational institutions?: Bailey, E. H. S. 27.

Dyche, Lewis L.
Necrology: Wilson, Guy West 1.

Dyes
Determination of ionization constants: Bunkhard.
Organic, diffusion in gelatin gel: Kolling 1.

E

Eagle
The golden: Dyche 5.

Earth
Astronomic polar measurement: Wilcox.
Internal heat: Mudge, B. F. 10.

Earth—Continued
Moon theory: Hughbank.
Resistivity as affected by presence of underground water: Warner.
Structure, interior: MacElwane.
Worm, double tailed: Harnly 3.
Worm, peripheral nervous system: Coonfield 1.
Ebullition
Classroom experiment: Nichols 2.
Echinacea
Combination and use: McWarf 9.
Roots: Sayre 20.
Echo-location
Failure in migratory bats: Van Gelder.
Failure in red bat: Janes, D. W.
Ecological comparison
Plains prairie dog and Zuni species: Scheffer 9.
Three genera, moles: Scheffer 10.
Ecological evaluation
Predators, mixed prairie area, western Kansas, attempt at: Wooster, L. D. 5.
Ecological paradox
Sperry, T. M. 1.
Ecological study
Four species of sumac, relation to development and growth on eroded soil: Boyd 3.
Wolf's Bog, Cheboygan County, Michigan: Dutro.
Ecology
And taxonomy of *Equisetum laevigatum*: Hartman, E. L.
Brief outline: Hitchcock 6.
Of a pasture in Dakota Sandstone Formation, Ellsworth County, Kansas: Blair, Byron O. 1.
Economic force
Water solubility: Bailey, E. H. S. 41.
Economic geography
Mineral resources—geography of Kansas, pt. IV: Schoewe 29.
Economic research, agricultural
Mathematical programing—new tool: Orazen 1.
Economic value
By-product foods: Bailey, E. H. S. 39.
Economy
Kansas, current botanical research: Sperry, T. M. 2.
Editor's page: See also Appendix E.
Schoewe, 32, 33, 34.
Taft, 11, 12, 13, 14, 15, 16, 19, 20, 21, 23, 24, 25, 26, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 41, 44, 46, 48, 50, 52, 54, 56, 57, 58, 59, 60, 61, 62, 64, 65, 66, 67, 68, 69.
Edson Quarry
Fauna, Middle Pliocene, Kansas, notes: Hibbard 7.
Education
American, stake of business: Abrams.
And heredity: Wooster, L. C. 15.
Institutions, rights to duty-free importations?: Bailey, E. H. S. 27.
Meteorological, Kansas: Lokke 1.
Physical and mental: McWarf 12.
Research and medical: Roofe 3.
Science in: Williston 15.
Trends, secondary schools of the State, respect of basic science, report of committee: Alm 3.
Eel
New finless ophichthid, Gulf of California, description: Bohlke 3.
Effect
Darkness on stomata of leaves: Hempler.
Hibernation, ornate box turtle, physiological study: Peters, K.
Microclimate, distribution, small animals, tall-grass prairie plot: Hays, H. A. 1.
Orally-administered flavonoids on procaine-bisulfite mortality on mice: Wenzel, D. G.
Effects
Antisera against rabbit tissual proteins, rabbit electrocardiograms and guinea pig anaphylaxis: Leone, C. A. 5.
Controlled conditions, morphology of *Helianthus annuus* L.: Ungar, I. A.
Colchicine on fission in planarian: Long, C. A. 1.
Epinephrine solution on plant cyclosis: Donald, Anne.
Excess water on different crops: Mittra, M. K.
Extracellular products of streptococcus pyogenes on tissue culture cells: Wolf, D. J.
Five diets, growth and mortality of fry to fingerling channel catfish (*Ictalurus punctatus*): Gray.
Grazing and trampling on soil: Knoll, G.
Of hypoxia on embryos, pregnant mice: McCluskey.
Reserpine analogs, on fish: Bernstein.
Salts on acid–base indicators in glacial acetic acid: Kolling, W. O. 7.
Effingham Ridge
Geology: Wilson, J. W.
Egg
Chicken, white, electrophoretic analysis: Andrews, A. C. 3.

Egg—Continued
Masses, chironomic, identification: Branch 5.
Egypt
Plant disease and fungi: Melchers 6.
Plant disease problems: Melchers 7.
El Dorado
City Lake, Butler County, Kansas, fishes: Greer.
Kansas, comparative study of character and conduct among Scouts and non-Scouts: Hawkins.
Electric fields
Mapping in curvilinear squares: Koopman 1.
Electric light wire
Insulation resistance: Blake 3.
Electric properties, thermo- and actino-
Molybdenite, preliminary report: Johnson, Otis.
Electrical hygrometer: Blake 4.
Electricity
Sound transmission: Lovewell 1.
Electrode
Quinhydrone, use of, in determination of activity of hydrogen ion in solution of sucrose which is undergoing catalytic inversion by hydrochloric acid at 25°: Floyd 1.
Electro-deposition
Lead, addition agents: Taft 8.
Silver from solutions of silver nitrate in presence of wetting agents: Taft 9.
Some metals from solutions of their sulfamates: Choguill, H. S. 1.
Tin from solutions of its complex salts: Hess.
Zinc, in presence of organic addition agents: Senter.
Electron
Atom collision effects in mercury vapor: Foard.
Electrons
Moved by interference between their waves: Lyon 2.
Electronegativity
Organic radicals: Brewster 2.
Electronic
Metal indicator: Zohner.
Electronics
Based upon wartime practices, revamped laboratory course: Zinszer, H. A. 6.
Theory, application, simple organic reactions: VanderWerf 2-4.
Electrophoretic analysis
White of chicken egg: Andrews, A. C. 3.
Electrophoretic studies
On γ-irradiated ovalbumin: Leone 3.
Electrophoresis
Paper: Choguill, C. L.
Electrostatic capacity
With self-inductance, Maxwell's method of comparing: Shirk 1.
Electrostatic inductor alternator: Lyon 1.
Elementary schools
Graded and ungraded, comparative achievement in high school of graduates: Reed, H. B. 1.
Elements
New, in *Uintacrinus*: Martin, H. T. 2.
Eleodes
Riley County, Kansas: McColloch 2.
Elephants
Extinct, found in Kansas, analyses, fragments, tusks of four specimens: Brubaker 3.
Grave yard: Schaffner 3.
Elgaria kingii Gray
Two races: Tihen, J. A. 4.
Elimination
And cacao bean: Barton 3.
And cacao—some personal experiences: Barton 5.
Elk
Kansas, early observation: Hoffmeister 1.
Ellis County, Kansas
Check list, amphibians and reptiles: Brennan, L. A. 2.
Lime content of rocks, Upper Cretaceous System: Rarick.
Occurrence of *Peromyscus leucopus aridulos*: Frydendall.
Radioactive properties, subterranean waters: Lippert, Verne.
Russell, and Trego counties, bromine and iodine content of subsurface water: Runyon, H. Everett 1.
Russell and Trego counties, oil well waters: Runyon, H. E. 3.
Study of woody plants along streams: Griswold.
Soils, proper mixtures for adobe construction and their physical properties: Read, B. W. 1, 2.
Ellsworth County, Kansas
Ecology of pasture in Dakota Sandstone formation: Blair, Byron O. 1.
Newly discovered salt beds: Bailey, E. H. S. 9.
Plants: Weber, Clement 1.
Ellsworth formation
And Castine formation, stratigraphic relations, Castine, Maine: Wingard.

Elm
Dead and dying, insects collected and bred from: Tucker 5.
Leaf spot, distribution, Kansas: Kramer, C. L. 1.
Twig-girdler: Parrott.
Tree, studies of 189-year-old American, west-central Kansas: Albertson 2.
Elmdale
Deep wells: Smith, Alva J. 8.
Elopid fish
Codell Sandstone, Kansas: Miller, H. W., Jr. 4.
Intestinal casts in *Pachyrhizodus*, Niobrara Formation, Kansas: Miller, H. W., Jr. 2.
Embryo
Chick, abnormalities produced in nervous system: Alsop, Florence.
Chick, retinal pigment: Cobden.
Larvae of *Typhlogobius californiensis* Steindachner, development and reactions of melanophores: Coonfield 2.
Preliminary report, bioelectric potentials: Roofe 5.
Embryos
Chick, inoculation time differentials, expression of interference, Newcastle disease virus, swine influenza: Carr, J. H.
Pregnant mice, effects of hypoxia: McCluskey.
Emission spectroscopy
Agricultural problems, application: Schrenk 1.
Emulsions
Nuclear, interpretation and application: Irvine.
Emporia
City, improved water supply: Smith, Alva J. 6.
Deep well: Smith, Alva J. 5.
K.S.T.C. students, Fascist attitudes: Ingram, Glena V.
Enamel
Mottled, relation to fluorides, Kansas waters: Gottlieb 1.
Ware, manufacture: Landrum.
Encephalitis investigation
Southeastern Kansas, 1949 and 1950, mosquito light-trap collections: Lungstrom 3.
Endocrine
Effect during pregnancy, transplantation of ovaries in guinea pigs for reproduction: Herrick, Earl H. 1.
Glands and other organs of the rat, effects of total body roentgen irradiation: Azarnoff.
Endometrical hyperplasia
In experimental guinea pigs: Saffry 1.
Energy
All is kinetic: Knerr 2.
Engineers
Chemical, and chemists, licensing: Chapman 1.
Engineering
And science, factors influencing teaching: Potter, A. A.
College, recent growth: Marvin 6.
Mount Vernon: Ward.
Research, Kansas: Wilson, M. A.
Standpoint, railroad rates: Dalton 2.
English
Replacement of Indian languages of Kansas: Carman.
Sparrow, embryogeny of os opticus: Tiemeier 3.
Enteletes
Branchiopos genus, description of new species: Bridwell, A. 1.
Entomological accessions
Notations applied: Tucker 13.
Entomological collecting expedition
University of Kansas to Pima County, Arizona, June and July, 1906: Snow 55.
Entomological collections
University of Kansas, notes and descriptions of Orthoptera, western United States: Rehn.
Entomological expedition
University of Kansas to Arizona, 1904 and 1905: Snow 53.
University of Kansas, Coleoptera collected in New Mexico: Snow 56.
Entomological expeditions
Kansas University, 1902–1906, Hymenoptera collected in Arizona: Snow 54.
University of Kansas to Galveston and Brownsville, Texas, 1904 and 1905, results: Snow 52
Entomology
Relation of, to war effort: Hungerford 1.
Science, contribution of Kansas: Dean 3.
Environment
And germ cells, relation between: Allen, B. N. 2.
Depositional, Codell Sandstone (Cretaceous), Kansas, elopid fish: Miller, H. W., Jr. 4.
Ideal, how hens perform: Avery.
Enzymatic
Investigations on the probable nature of complement: Gerundo 2.

Eolian loess
Todd 4.

Eomyid rodent
New, Lower Oligocene, northeastern Colorado: Galbreath 5.

Epeirogenic activity
Giant zones, megashears, relationships of certain recognized lines of weakness in Kansas: Keith 1.

Epinephrine solution
Effects on plant cyclosis: Donald, Anne.

Epithelia
Embryonic, factors in morphogenesis: Saver.

Epoch
Dakotah, fossil turtle cast: Parmenter.
Glacial: Reagan 11.

Equation
Wave, simple, showing barrier: Lyon 3.

Equine sporotrichosis
Peppler 1.

Equilibria
Phase, strontium chloride-acetic acid-water: Chou.

Equilibrium
Distribution form, function: Andrews, F. C.

Equisetum
Laevigatum, taxonomy, ecology: Hartman, E. L.
Species, elasticity, breaking stress, and breaking strain of horizontal rhizomes: Treitel 1.

Equus
(*Asinus*) *Calobatus troxell* and associated vertebrates, Pleistocene, Kansas: Hibbard 19.
Beds, McPherson: Beede 1.
Beds, McPherson County, fossil tusk: Deere 1.
Beds, McPherson, vertebrate fossils: Harnly 4, 7.

Erosion
History, Flint Hills: Frye 8.
Wind, problem of Great Plains, speculation on climate as factor: Zingg.

Erratics
Glacial, Shawnee, Douglas, and Johnson counties, Kansas: Schoewe 1.

Eryngium yuccifolium
Ecological distribution, morphological irregularities: Trent 1.

Erysipheae
Riley County, Kansas: Walters.

Erythrocytes, human
Analysis, several insectan hemolymphs agglutinate: Fickel, Ruth.

Erythroniums
Propagation: Knerr 12.

Erythoronium mesochoreum, n. sp.
Knerr 3.

Esker
Mason, Michigan: Wooster, L. C. 8.

Eskridge shale
Study of: Wells, John D.

Estradiol
Diethylstilbestrol and progesterone, Cowper's gland, seminal vesicles, wether sheep: Herrick, E. H. 12.

Estrogen
And vitamin C in adrenalectomized guinea pigs: Brande.

Etadonomys
New Pleistocene heteromyid rodent, and notes on other Kansas mammals: Hibbard 14.

Etheostoma
Behavior and hybridization, two species: Linder, A. D.

Ethical reactions
And socio-economic level: Pronko 3.

Ethyl
Aceoacetate, condensation with halogenated alcohols: Choguill, H. S. 3.
Bromide, study of synthesis of propionitrile: Kundiger.
Chlorosulfanate, action upon aniline: Bushong 5.

Eucastor tortus Leidy
Occurrence, Phillips County, Kansas: Hibbard 13.

Evacuation
Problems in Britain: Cook, Phillip H.

Evaporation
In Kansas: Schull.

Evidence, potentiometric
Solvolysis of salts, glacial acetic acid: Kolling, W. O. 6.

Evolution
And origin of human face: Thompson, A. H. 8.
Animal life, influence of food selection: Thompson, A. H. 1.
Fifty years of: Thompson, A. H. 14.
In leaves: Kellerman, Mrs. W. A. 1.
Mammal-like reptiles: Byrne 2.
Man and mutations: Thompson, A. H. 12.

Exceptional children
Number in Kansas: Reed, H. B. 5.

Excretion
And distribution of P^{32}-labeled diazinon, guinea pigs: Kaplanis.
Exhibit
Kansas mineral, St. Louis: Grimsley 5.
Expedition
1889, Garfield University, plants collected: Carleton 1.
Kansas University Scientific, 1883 and 1884, Lepidoptera and Coleoptera collected in New Mexico: Snow 33.
Experiments
Artificial dissemination of contagious disease among chinch-bugs: Snow 45, 49.
With *bacillus coli communis*: Agrelius 3.
Explosions
Coal mine, preliminary report on an investigation: Haworth 7.
Exports
United States, implications, world wheat balance: Schnittker.
Extinction
Differential resistance, theoretical examination of an experiment: MacKintosh, Irene 3.
Extension
Eastern, Cretaceous rocks in Kansas, formation of certain sandhills: Hay 23.
Extracellular products
Effects of streptococcus pyogenes on tissue culture cells: Wolf, D. J.
Extract
And ash of certain Kansas weeds, presence of barium: Bailey, E. H. S. 32.
Extraction
Factor, tests for completeness: Sokal.
Extractive substances
Diluted acetic acid as solvent: Sayre 14.
Eye
Human, changes which occur in middle life: Bidwell, W. D.
Movements from stimulation of cortex of puppies with prematurely opened eyes: Fleming.
Muscle imbalance, college students: Askren 1.

F

Face
Human, origin and evolution: Thompson, A. H. 8.
Facial expression
Descent: Thompson, A. H. 7.
Psychology: Thompson, A. H. 6.
Factor extraction
Test for completeness: Sokal.
Factors
Environmental, effects on germination of salt cedar: Hulett.
Psycho-physiological and social behavior related to sexual behavior in birds: Guhl 5.
Row-width and seeding rate, influencing winter wheat yields and components of yield: Stickler, F. C. 1.
Failure
Echo-location, red bat: Janes, D. W.
Fallacies
And frauds, scientific: Hoyt 3.
Fall River Reservoir
Kansas, post-impoundment study of fisheries resources: Schoonover.
Family
Taste differences: Loewen 2.
Farm
College, strip mine lake, limnological study: Burner.
Kansas, rainfall relation: Hilton.
Kansas wheat, culture, implications for guidance, Kansas State College: Gordon, Ira J.
Midwestern, soybeans: Larson, Sara.
Pond, daily movement of channel catfish, *Ictalurus punctatus* (Rafinesque): Stevens, E. D.
Ponds, Flint Hills, limnological observations: Tiemeier 5.
The scientist on the: Wooster, L. C. 14.
Wildlife, management: Brown, Leo 2.
Farmer
Kansas, wheat breeder, Earl, G. Clark: Heyne 3.
Fascist
Attitudes, K. S. T. C. students, Emporia: Ingram, Glena V.
Fat
Factor, beef palatability: MacKintosh, D. L. 1.
Elimination, potash clearing: Bogart.
Fatigue
Physical, chemical products, other possible effects on mental efficiency: Dockeray.
Fauna
Amphibian, Arkansas, addition to: Smith, Hobart M. 2.
Amphibians and reptiles, "Rock City": Burt, Charles E. 4.
Associated, and human skull, Foard County, Texas: Dalquest, W. W.
Collecting, Kansas: Hoyle 1.
Edson Quarry, Middle Pliocene, Kansas, additional notes: Hibbard 7.

Fauna—Continued
Hemiptera, Kansas, contributions to knowledge: Popenoe 3.
Hemipterous, Kansas, additions: Crevecoeur 3.
Kansas, birds new, birds rare in state: Goss 2.
Kansas, observations, herpetology: Cragin 6.
List, Kansas, species of birds added to since 1900, reference to first record: Goodrich 2.
Mammals and birds, "Rock City": Wooster, L. D. 4.
Monument Rocks, Gove County, Kansas: Wooster, L. D. 6.
Of the Mentor: Jones, A. W. 4.
Paleocene Torrejon, New Mexico, a new multituberculate form: Wilson, Robert W. 2.
Permian, central United States: Beede 5.
Pleistocene, new, Meade County, Kansas: Hibbard 9.
Rexroad, contribution: Hibbard 18.
Rexroad, second contribution: Hibbard 20.
Soil, Cowley County, Kansas: Hetzer 1.
Upper Pliocene, Meade County, Kansas: Hibbard 5.

Fears
Nightmares and projective responses, children's expressed, intracomparisons: Bloomer.

"Feather alum"
From Colorado: Bailey, E. H. S. 16.

Features
Geologic, and sinkholes, Kansas: Merriam 1.

Felidae
Two new genera, Middle Pliocene, Kansas: Hibbard 3.

Feeding, supplemental
Increasing size of fingerling channel catfish: Tiemeier, O. W. 8.

Felis concolor
Mead, J. R. 7.

Ferments
Gastric: Menninger.
Proteolytic ferment, Papain: Barton 7.

Ferns
And flowering plants—flora, Saline County: Hancin.
And flowering plants, list: Castle.
Wyandotte County, Kansas: Reed, Minnie 2.

Ferret
Black-footed, notes on recent collection: Taylor, D. 2.

Ferret—Continued
Black-footed, and spotted ground squirrel, Kansas: Jones, J. Knox, Jr. 2.

Ferrocyanides
Of calcium, barium, and magnesium: Dains 2.

Fertility
Judging, females: Thomas, L. C.
Sheep, inheritance: Wentworth.

Fertilizer
Treatment, effect on composition of wheat, different stages of growth, southeastern Kansas: Johnson, W. J.
Treatments, plant succession on land in continuous alfalfa culture: Metzger 1.

Fetal
Membranes of guinea pig: Harman 5.
Pig retained in uterus of sow, remains: Baumgartner, W. J. 3.

Fibers
Report on starch storage, *Polygonum coccineum* var. *pratincola*: Flannagin.

Field
Midcontinental, heating values of gases: Allen, H. C. 1.
Work, Kansas and Texas: Sternberg, Charles H. 15.
Work vs. laboratory work: Wooster, L. C. 20.

Figuarate series
Smyth, B. B. 11.

Filariasis canine
Its transmission: Dobrouolny, Charles G. 1.

Films
Thin metallic, evaporation: Gates, David M. 2.

Filter
Pasteur, experimental tests: Sayre 9.

Fingal's Cave
And Giant's Causeway, notes: Merrill, C. D.

Fire
Screen, improved, notes on thermal resistance: Dinsmore 2.

Fireless
Cooking: Lovewell 10.

Fish
And reptiles, *Prostegagigas*, Cretaceous, Kansas chalk: Sternberg, Charles H. 3.
Cat, flathead, ages and sizes of 29, Kansas River, Douglas County, Kansas: Cross, F. B. 5.
Cat, spotted channel, propagation: Brown, Leo 3.

Fish—Continued
Channel cat, stunting and recovery notes: Tiemeier 6.
Channel cat, effects of diets on growth: Gray, J. L.
Cray, Kansas, annotated catalogue: Harris, J. A.
Cyprinid, identification, reported from Kansas as *Squalius elongatus*: Hubbs.
Effects of reserpine analogs: Bernstein.
El Dorado City Lake, Butler County, Kansas: Greer.
Elopid, Codell Sandstone, Kansas: Miller, H. W., Jr. 4.
Family Characidae, description of new *Hemigrammus*, Rio Negro, Brazil: Bohlke 4.
Food habits, and physico-chemical conditions of water, three strip mine lakes: Maupin.
Fossil bradyodont, Kansas, *Petalodus jewetti*, new species: Miller, H. W. 3.
Growth studies, and limnology of Flint Hills farm ponds 1956: Tiemeier 7.
Kansas, Kansas State College Museum, Manhattan: Jennings, Dolf 3.
Kansas, State University Museum: Breukelman 4.
Kansas, preliminary list: Ingram, I. D.
Marais Des Cygnes, Ottawa, partial list: Wheeler, Wm. 2.
Mineral Lake, Kansas, ecological study: Hall, Harry H. 1.
New species: Crevecoeur 2.
Northwestern Kansas: Breukelman 5.
Paddle, cestodes, Missouri River: Wilson, William D. 1.
Plankton, benthos, strip-mine lakes: Stockinger.
Parasites, Leavenworth County State Lake, Kansas: Wilson, William D. 2.
Rare forms, Kansas: Mudge, B. F. 7.
Siamese, fighting, reserpine analogs: Bernstein.
Sport, Kansas lakes, growth: Cross, F. B. 7.
Survival in deep water, farm ponds during summer: Tiemeier, O. W. 9.
Zebra, effects of increased atmospheric pressure, developing embryo: Goff.

Fisheries
Resources, Fall River Reservoir, Kansas, post-impoundment study: Schoonover.

Fishes
Catostomid, distribution, nuptial tubercles: Branson, B. A. 1.
Cedar Creek and south fork Cottonwood River: Cross, F. B. 3.
Four from Kansas, new records: Cross, F. B. 6.
Little known, from Kansas: Cross, F. B. 4.

Fishing
Conditions, relationships of barometric pressure: Huffman, Elmo W.
Hunting, various tribes of Indians: Reagan 25.

Fission
Planarian, effects of colchicine: Long, C. A. 1.

Flavenoids
Orally administered, effect on procaine-bisulfite mortality of mice: Wenzel, D. G.

Flea
Plague, *Xenopsylla cheopsis*, Kansas: Grundmann.

Flint Hills
Erosional history: Frye 8.
Kansas: Mead, J. R. 12.

Flora
Additions, late Pleistocene deposits, Ashmore, Illinois: Galbreath 2.
Bacterial, artesian well water, Meade County, Kansas: Ellenthorpe.
Central Kansas, factors affecting amount and nature: Robinson, W. J.
Clay County, Kansas: Weber, Clement 2.
Clay County, Missouri—Polyporaceae: Gier, L. J. 17.
Cloud County: Fraser 1.
Coal Age, Kansas—*Calamopitys kansanum*, new species, Pennsylvanian of Kansas: Baxter 3.
Coal Age, Kansas—*Microspermopteris aphyllum* var. *kansensis*, var. nov.: Baxter 2.
Composite, Kansas, relations: Hitchcock 2.
Croticolous lichen, Ozark Mountains: Hale 3.
Crawford County, Kansas, State Park: Gier, Leland J. 4.
Crawford County State Park: Ross.
Dakota Sandstone, University of Kansas collection, fossil plants: Baxter 5.
Douglas County, Kansas: McGregor 2.
Fungous, Kansas, additions: Bartholomew 3.
Fungous, Kansas, second list additions: Bartholomew 4.
Horologe for Kansas: Smyth, B. B. 25.
Kansas: Smyth, B. B. 4, 7, 19, 24, 31.
Kansas, additions: McGregor 9.

Flora—Continued
Kansas, additions, 1956: McGregor 10.
Kansas, contribution: Scribner.
Kansas, gymnosperms and monocotyls: Smyth, B. B. 32.
Kansas, new forms and nomenclatorial combinations: Gates, Frank 23.
Kansas, new forms and nomenclatorial combinations: McGregor 11.
Kansas, personal observations: Slosson, Mrs. A. L. 1.
Micro, grassland and forested soil: Williamson.
Microbial, graded cream: Hunter, O. W. 1.
Montgomery County, preliminary notice: Plank.
Native, examples of proterogyny and proternadry: Mayberry 4.
Osborne County, Kansas: Neher.
"Rock City": Horr 1.
Rosebud Indian Reservation, South Dakota: Reagan 1.
Saline County, ferns and flowering plants: Hancin.
Sandhill, characteristic: Carleton 3.
Sheridan County, Kansas: Weber, Clement 3.
Sheridan County, Kansas, additions: Weber, Clement 4.
Wabaunsee County, Kansas: Maus.

Florida
Herbarium, list of plants: Hitchcock 5.

Flood
1903, central Kansas: Jones, A. W. 5.
1951, Kansas, *Riccia frostii*: McGregor 6.
July, 1951, silt deposited, central Kansas River Valley: Carlson.
Myths of Bois Fort Chippewas: Reagan 22.
Producing rain, 1951, Kansas: Garrett, R. A. 3.

Flour
Baking qualities, influenced by certain chemical substances, milling by-products and germination of the wheat: Willard 21.
Bleached, proposed test: Willard 19.
Determining strength: Wood, T. B.
Mixtures, high protein, war bread, cornstarch, and, for baking: Sayre 47.
Properties and composition: Matthewson 1.

Flour beetle
Tribolium confusum, metabolic rate: Calderwood, W. A.

Flow
Artesian wells, causes, Kansas: 14.

Flower
Making, experiment: Meeker 2.
Wild, Kansas, variations: Crevecoeur 4.
Wild, notes on culture: Baker, Harvey W.

Flu
Among Navajos: Reagan 23.

Fluctuations
Controlling of pupation site in *Drosophila*: Schlager.

Fluids
Burning, testing: Sadler 2.

Fluke
Liver, occurrence, cattle, Rice County, Kansas: Case, A. A. 3.

Fluorescence
Oil-well cuttings under the action of ultraviolet light: Drees 1.

Fluorides
Kansas waters, relation to mottled enamel: Gottleib 1.

Fly
Black, Louisiana, recent years: Tucker 17.
Description of new, family Dobichopodidae, remarks and corrections of preceding papers: Tucker 7.
Dragon, southeastern Kansas: Allison.
Formaldehyde gas not effective: Tucker 11.
House, and fowl tapeworm transmission: Ackert 3.
House, New Mexico and Arizona: Townsend 1.
Red cedar saw: Marlatt 2.

Foard County, Texas
Human calvarium: Bass, William M.
Human skull and associated fauna: Dalquest, W. W. 4.

Focal
Properties, imaginary, conics: Newson.

Foliage
Radiation of heat: Mayer 1.

Follicles
Orthopteran testes, moving forces: Baumgartner, W. J. 1.

Food
Adulterants, convenient card catalogue: Bailey, E. H. S. 34.
And dens of opossum, northeastern Kansas: Sandidge.
And Drug Law, analysis of food accessories: Sayre 31.
And Drug Law, contributions of drug laboratory, University of Kansas, enforcement: Watson, G. N. 3.
And Drug Law, has the quality of drugs improved since the enactment?: Wedal.

Food—Continued
And Drug Law, problems connected with administration of drug end: Sayre 33.
And Drug Act to official preparations, relation: Havenhill 1.
By-product, economic value: Bailey, E. H. S. 39.
Coactions of rabbits, western Kansas, during periods of stress: Riegel 4.
Habits, blue jay: Dyche 8.
Habits, California sea-lions: Dyche 3.
Habits, common garden mole: Dyche 2.
Habits, fall, bobwhite quail, eastern Kansas: Jennings, Dolf 1.
Habits, fish and physico-chemical conditions of water, three strip-mine lakes: Maupin.
Habits, Kansas lizards and batrachians: Hartman, Frank 2.
Habit, plesiosaurs: Williston 11.
High cost: Congdon 2.
In war effort: Call 1.
Long-eared owl, Douglas County, Kansas: Rainey 2.
Nutritive value and cost, consumed by men and women in college residence hall: Atkinson.
Plot, utilization studies of prairie chickens: Jones, Lanny D.
Preliminary investigation, translocation of between vegetative organs and fruits in wheat plant: Bates, J. C. 2.
Preservatives—how far are they injurious to health?: Sayre 18.
Products, needed reforms in packing: Bailey, E. H. S. 40.
Products, gelatinizing agents, pasty materials and thickeners: Congdon 1.
Pure, and Drug Law, drug standards: Sayre 22.
Pure, and Drug Law, report on analysis of preparations: Sayre 29.
Seasonal choices, fox squirrel, western Kansas: Bugbee 4.
Selection upon evolution of animal life, influence: Thompson, A. H. 1.
Value, corn oil, new point of view: Sayre 45.
Various, method for comparing relative economy, sources of dietary essentials: Glaser.
Winter, Kansas coyotes: Tiemeier 4.

Foot
Prints, fossil, recent discoveries, Kansas: Mudge, B. F. 3.
Rot, disease of wheat, Kansas: Melchers 5.
Rot of wheat in Kansas: Melchers 9.

Forage
On mixed prairie, west-central Kansas, yields and utilization: Riegel 8.
Plant, poisonous, *Croton capitatus*: Boughton.
Yields (1945), various native pasture grasses established artificially, Hays, Kansas, 1941: Riegel 7.

Forbs
And weedy plants, relationship between certain insects and some native western Kansas: Brandhorst.
In native pastures, Hays, Kansas, chemical composition: Runyon, Noel R. 2.

Forces
Moving, found in follicles, orthopteran testes: Baumgartner, W. J. 1.
Primary: Baker, H. G.

Ford
And Arkansas City, occurrence of magnetite in Arkansas River bed: Sphar.

Foreign
Additions to dietary: Bailey, E. H. S. 36.

Forests
Ancient, evidence, central Kansas: Towner.
Belts, northwestern part, Clay County, Kansas, development: Schaffner, John H. 1.
Cretaceous, migrations: Mudge, B. F. 9.
Fossil, Jackson County: Shattuck.
Fossil, Ottawa, and giant Kansas calamite: Schoewe 23.
Logan Grove, Geary County, Kansas: Smith, Lloyd F. 1.
Upland, Chautauqua Hills, Kansas: Hale 1.

Form
Equilibrium distribution function: Andrews, F. C.

Formaldehyde gas
Not effective upon flies: Tucker 11.

Formamidines
Reactions: Dains 4.

Formation
Beacon, sedimentologic study, Wind Gully, Victoria Land, Antarctica: Angino 1.

Formations
Correlation, described, Fort Apache region, Arizona, with similar formations in other parts of state: Reagan 16.
Ellsworth and Castine, Castine, Maine, stratigraphic relations: Wingard, P. S.

Formations—Continued
Fern Glen, cyathaxonia: Conkin 2.
Dakotah, is it Upper or Lower Cretaceous?: Todd 2.
Fort Scott
Artesian well, water: Bailey, E. H. S. 4.
Fossil
Beds, Alberta, five years exploration: Sternberg, Charles H. 12.
Beds, Kansas, animals discovered: Sternberg, Charles H. 5.
Beds, northwestern Nebraska, McPherson College 1937 Summer Biology trek: Davis, Philip Bruce.
Bird-track in Dakota Sandstone: Snow 37.
Bradyodont fish from Kansas, *Petalodus jewetti*, new species: Miller, H. W. 3.
Cephalopods, notes, new species: Hay 21.
Description of some of its included, Tertiary-Pleistocene, Navajo County, Arizona: Reagan 42.
Footprints, recent discoveries, Kansas: Mudge, B. F. 3.
Forest, Jackson County: Shattuck.
Forest, Ottawa, and giant Kansas calamite, note: Schoewe 23.
Riley County: Mason, S. C.
Western front: Strickland, Frank P., Jr.
Ground squirrel *Citellus* (*Pliocetellus*) *fricki*, Pliocene, Clark County, Kansas: Hibbard 12.
Insects, Comanche Cretaceous, Kansas, finding: Gould 4.
Jaw of bison, Pliocene, Norton County: Hay 4.
Lagomorphs: Walker, M. V. 2.
Mammal tracks, Graham County, Kansas: Robertson 7.
"Nests," Brownville limestone, Admire Junction, Kansas: Schoewe 8.
Plants collected, vicinity, Onaga, Kansas: Crevecoeur 1.
Plants, Dakota sandstone flora, University of Kansas collection: Baxter 5.
Plants, Permian, Kansas: Sellards.
Pleistocene, McPherson County, Kansas: Nininger 5.
Remarkable, note: Hay 10.
Soil, Kansas Pleistocene stratigraphy, use of: Frye 4.
Turtle cast, Dakotah epoch: Parmenter.
Tusk, *Equus* beds, McPherson County: Deere 1.
Tusk, Franklin County, Kansas: Wheeler, Wm. 1.
Fossil—Continued
Use of in teaching biology: Barnhart.
Vertebrate, McPherson *Equus* beds: Harnly 4, 7.
Vertebrates, Kansas, survey: Lane 1, 3.
Vertebrates, Part III, reptiles Kansas, survey: Lane 4.
Vertebrates, Kansas, survey, birds: Lane 5.
Vertebrates, Kansas, survey, Mammalia: Lane 6, 8.
Vertebrates, Kansas, survey, the Mammals: Lane 7.
Wood: Hay 1.
Fossils
Collecting, from harvester ant mounds: Galbreath 8.
Foster, Professor W.
An identification: Malin 1.
And wheat and geology: Malin 2.
Foucault experiment
Lovewell 8.
Fowl
And rats, occurrence and nature of cysts in pituitary glands: Herrick, Earl H. 10.
Ascarids, retention, atropine sulfate: Ackert 6.
Cestode, *Davainea cesticillus*, transmission: Ackert 2.
Cestodes, new intermediate hosts: Case, A. A. 2.
Domestic, sereological relationships among, as shown by comparisons of protein preparations from corresponding organ system: Martin, Edwin P. 1.
Domestic, observations and experiments on social behavior: Guhl 1.
Gonads, immature, comparison of effects of two gonadotropic hormones: Herrick, Earl H. 3.
Influence of sex hormones on blood cell count and hemoglobin levels: Herrick, Earl H. 11.
Tapeworm transmission and the house fly: Ackert 3.
Fox
Swift, *Vulpes velox velox*, western Kansas: Martin, Edwin P. 2.
Foxhall jaw
Neglected anatomical feature: Eiseley 1.
Franklin County
And Douglas County, Kansas, ecological study, prairie and pasture lands: Hetzer 3.
Kansas, amphibians and reptiles: Gloyd.

Franklin County—Continued
Kansas, fossil tusk: Wheeler, Wm. 1.
Kansas, occurrence of mammoth remains: Charlton 1.
Frauds
And fallacies, scientific: Hoyt 3.
Freedom
For whom?: Leonard, A. B. 5.
Freezing
Influence of on tenderness in "aged" beef: Bray.
Point lines in two component systems, curvature of: Argersinger 1.
Freshmen
College, chemistry marks with some California mental maturity test scores, correlation: Hopka.
Grades and reading test scores, relation between: Rizzo 1.
Frequency
Very high, propagation, construction and communication: Hartnett.
Fringe-footed lizard (*Uma*)
New, Mexico: Williams.
Frog
And frogging: O'Roke 2.
And toads, southeastern United States: Burt, Charles E. 5.
Glossostoma alterrimum Gunther, size and secondary sexual characters: Nelson, C. E.
Frogging
And frogs: O'Roke 2.
Frogs
American hylid, VIII. New species of fringe-limbed tree frog from Mexico: Duellman, W. E.
Frost
Penetration, ground cover affects: Barnett.
Frozen
Pork sausage, influence of wrapping material on keeping quality: Watt.
Fruit
And leaves, Kansas forest trees, identified: Kellerman, W. A. 2.
And vegetative organs in wheat plant, preliminary investigation on translocation of food: Bates, J. C. 2.
Extracts, commercial, composition: Long, Walter S. 2.
Green, occurrence of starch: Bailey, E. H. S. 37.
Jar, Mason, experiments: Murray.
Juices, coloring matter: Bailey, E. H. S. 31.
Function
And durability—silicones on masonry materials: Lanning, F. C. 9.
Function—Continued
Equilibrium distribution, form: Andrews, F. C.
Fungi
And host, relation of certain morphological characters, to identification of loose and covered smuts of oats: Kingsley.
And plant diseases occurring in Egypt: Melchers 6.
Associated with sorghum seed in Kansas: Swarup.
Blue River Valley, list: Jewell, Mrs. E. C.
Cultures, deep frozen storage: Kramer, C. L. 4.
Eastern Kansas: Wilson, Guy West 2.
Fleshy, Crawford County, Kansas: Travis.
Fleshy, Kansas: Shaffer.
Fleshy, Stubbs collection, University of Kansas: Showalter 1.
Imperfecti, Kansas aeromycology XI: Kramer 13.
Inhibition and growth on rose Bengal media by light: Kramer, C. L. 14.
Isolation, acid liquid media: Peppler 3.
Kansas: Kramer, C. L. 6, 7.
Kansas, 1949: Mix 4.
Kansas parasitic, together with host-plants: Kellerman, W. A. 1, 3.
Keratinophilic, isolation from soils: Watson, Bernard B.
Notes, Kansas, 1950–1951: Shields 3.
Furfural
Lyophilic dispersion medium: Taft 6.
Fusilina cylindrica
Shell structure: Smith, Alva J. 1.
Future
Past and present, Kansas Academy of Science: Schoewe 14.
Role of Kansas Academy of Science: Andrews, T. F. 3.

G

Gardenias
Canker disease: Obee 3.
Garfield University
Expedition, 1889, plants collected: Carleton 1.
Gas
Well, Iola: Patrick 6.
Wells, Ottawa: Yates 1.
Gases
Animal life, historical development of relationship: Hershey 10.
Balloon, helium: Cady 5.
Chromatography: Choguill, Charles L. 1.

Gasses—Continued
Engine, commercial development, Kansas: Walker, P. F. 1.
From cottonwood trees, composition: Bushong 6.
From well, Dexter, Kansas, composition: McFarland, D. F. 1.
Illumination and coal, relative heating power, experiments: Bailey, E. H. S. 24.
Natural, argon and neon: Cady 4.
Natural, and coals, analysis and comparative heating values: Allen, H. C. 2.
Natural, Kansas: Hay 8.
Natural, Kansas, helium: Cady 2.
Midcontinental field, heating value: Allen, H. C. 1.
Gastric ferments
Menninger.
Gastric juice
Solubility, chrome yellow: Sayre 4.
Gastroliths
Lower Dakota, northern Kansas: Schaffner, D. C. 1.
Gastropods
Cowley County, Kansas: Metcalf, A. L. 2.
Geary County
Kansas, Logan Grove, forest studies: Smith, Lloyd F. 1.
(Davis) Mounds: Parker, John D. 4.
Gelatin
Influence on form of electrodeposited copper: Taft 2.
Gem stones
And common rocks of Kansas, how to recognize them: Schmidt, M. M.
Genera
Compositae, stomatal counts of Kansas species: Hetzer 2.
North American fresh-water sponges *Paramcyenia*, new genus: Jewell, Minna E.
North American Jassoidea, partial key: Crumb 2.
Two new, *Felidae*, Middle Pliocene, Kansas: Hibbard 3.
Generator
High-voltage electrostatic, Van de Graaff type: Jackson, D. C., Jr.
Genes
More or less potency: Nabours 1.
Genetic
Factors, influence upon eye color in guinea pig: Harman 16.
Lysenko versus Mendel: Leone 1.
Genus
Cololabis, new Pacific saury, coast of Peru: Bohlke 2.
Genus—Continued
Enteletes, brachiopos, description, new species: Bridwell, A. 1.
Nocardia, morphological studies, bright phase contrast observations in living cells: McClung, Norvel M. 2.
Pasturella, antigenic studies: Bond.
Regina, watersnake: Smith, H. 22.
Vitis, Kansas, distribution: Hitchcock.
Geodetic datum
North America and Kansas: Schoewe 25.
Geography
Kansas, Pt. I, political: Schoewe 24.
Kansas, Pt. II, physical: Schoewe 26.
Kansas, Pt. III, hydrography: Schoewe 27.
Kansas, Pt. III concluded, hydrography: Schoewe 28.
Kansas, Pt. IV, economic, mineral resources: Schoewe 29.
Geographical center
United States: Schoewe 20.
Geologic age
Great, viability of bacteria: Reiser, R.
Geologic features
Related, and sinkholes in Kansas: Merriam 1.
Geological notes
Fort Apache region, Arizona: Reagan 40.
Upper Cretaceous, Black Mesa, Arizona: Reagan 41.
Geological development
Kansas: Wooster, L. C. 12.
Geological section
Wilson County, Kansas: Hay 6.
Geological survey
Kansas: Mudge, B. F. 5.
Kansas State, nomenclature Kansas coal-measures: Haworth 5.
State, is it a necessity?: Brown, R. J.
State, relation to work of the National Survey: Thompson, A. H. 4.
Geological studies
Northwestern Washington and adjacent British territory: Reagan 3.
Geological work
Kansas, historical sketch: Hay 7.
Geology
Antelope Hills, notes: Sherwin 1.
Castle Rock area, Gove County, Kansas: Robertson 3.
Celestite deposits, Brown County, Kansas: Fishburn, M. D.
Deep Creek Reservation, Utah: Reagan 37.
Economic, Iola and vicinity: Grimsley 4.

Geology—Continued
Effingham Ridge: Wilson, J. W.
Glass Mountains, western Oklahoma: White, Mark.
Kansas, additional observations: Wooster, L. C. 4.
Kansas, bibliography, annotation: Hay 22.
Kansas, notes: Wooster, L. C. 1.
Leavenworth prospect well: Jameson.
Lyon County, Kansas: Smith, Alva J. 3.
Monument Rocks, Gove County, Kansas: Robertson 1.
More difficult for women than for men?: Schoewe 9.
Norton County, Kansas, preliminary report: Hay 5.
Present war: Frye 1.
Of the Arkansas: Mudge, B. F. 1.
Report: Hay 11.
River counties, Kansas, mineral resources: Hay 24.
Spanish Peaks, notes: Savage, Joseph 6.
Study—its values: Wooster, L. C. 24.
Topography, New Mexico, notes: Jewett, J. J. 2.
Wheat and "Professor" W. Foster: Malin 2.

Geometry
Non-Euclidean: Miller, E. 7.
Of position, methods: Emch 2.

Geomorphic history
Early Pleistocene, Wabaunsee, southeastern Riley, and southern Pottawatomie counties, Kansas: Mudge, M. R. 1.

Geomys bursarius vanacous Swenk
Taxonomic status: Russell, Robert J.

Germany
DP camps, so-called DP-apathy: Bakis 1.

Germ
Cells and the environment, relation between: Allen, B. N. 2.
Cells, living, pseudopodia and flowing cytoplasmic movements: Baumgartner, W. J. 4.
Plasm, hypothesis of Weismann untenable: Wooster, L. C. 7.

Germination
And dissemination of seeds: Speckman.
In vitro, *Ornithogalum caudatum* pollen: Goss, J. A.
Salt cedar, effects of environmental factors: Hulett.
Seed, development of seedling *Commelina virginica*: Bates, J. C. 1.

Germination—Continued
Seed, effect, long-continued soaking: Barton 1.
Sorghum seed affected by moisture and temperature: Evans, W. F.
Spores, *Phyllosticta solitaria*, study of factors influencing: Burgert.
Tests, four species of sumac: Boyd 2.

Gerrhonotus
New, San Luis Potosi: Tihen 3.

Giant's Causeway
And Fingal's Cave, notes: Merrill, C. D.

Gila monster
Poisonous reptile?: Snow 58.
Notes: Smyth, B. B. 30.

Glacial acetic acid
Effects of salts on acid–base indicators: Kolling 7.
Influence of water on titrations: Kolling 5.
Solvolysis of salts: Kolling 6.

Glacial deposits
Literature: Reagan 7.
Pine River Valley, Colorado: Reagan 24.
Probable Eocene, Fort Apache region, Arizona: Reagan 27.

Glacial epoch
Reagan 11.

Glacial lakes
Michigan, closing: Smyth, B. B. 21.

Glacial moraine
Southwest of Topeka: Wooster, L. C. 10.

Glacial moraines
Vicinity of Estes Park, Colorado: Wooster, L. C. 17.

Glacial section
West Atchison: Schoewe 17.

Glacial striae
Kansas, locality 19: Schoewe 13.
Kansas, localities 20, 21, 22, and 23: Schoewe 21.
Kansas, a new locality: Schoewe 10.
Kansas, new localities: Schoewe 6.
South of the Missouri River, a newly found locality: Jewett, J. M. 3.

Glacial striae and grooves
Kansas: Schoewe 4.

Glaciated area
Northeastern Kansas, characteristics: Hay 17.

Glossostoma alterrimum Gunther
Size and secondary sexual characters in frog: Nelson, C. E.

Goat grass
Kansas, jointed: Johnson, C. O. 10.

Gold
Kansas: Lovewell 3.
Kansas shales: Lovewell 4.
Mineral veins and placers, genesis: Lovewell 7.
Montana, occurrence: Mead, J. R. 3.
Prospects in Kansas: Kinney.

Gonads
Immature fowl, comparison of effects of two gonadotrophic hormones: Herrick, Earl H. 3.

Gonadotropid
Effects of capon and normal male blood serum: Herrick, Earl H. 4.

Gophers
Kansas pocket, distributions, natural enemies, breeding habits: Scheffer 3.
Pocket, burrow, eastern Kansas: Smith, Charles F. 1.
Pocket, excavation, runway: Scheffer 8.
Pocket, Rexroad fauna, Blancan Age, southwestern Kansas: Franzen 4.
Three species, Lawrence, Kansas: Dyche 1.

Goss, Col. N. S.
Birds collected, Mexico and Central America: Lantz 6.

Gove County
Kansas, animal life, Castle Rock region: Wooster, L. D. 8.
Kansas, Castle Rock area—vegetation: Albertson 6.
Kansas, Monument Rocks, fauna: Wooster, L. D. 6.
Kansas, Monument Rocks—geology: Robertson 1.
Kansas, Monument Rocks—vegetation: Albertson 3.
Soil–vegetation relationships on chalk-flat range site: Linnell.

Graham County
Kansas, fossil mammal tracks: Robertson 7.

Grain
Crops, factors in winter-killing: Salmon.
Farm-stored, insect infestation, Kansas: Winburn.
Sorghum, phytin content: Wang 6.
Sorghum, soluble sugars: Nordin.
Starch, sorghum, effects of progressive absorption and desorption of palmitic acid: Barham 2.

Grand River
Missouri, more evidence that Platte River, Nebraska, formerly connected with: Todd 11.

Granite
Occurrence, in deep boring, eastern Kansas, note: Hay 20.

Grape
Black rot: Carpenter, Charles P.

Grass
Blue grama, Hays, Kansas, effect of season of growth and clipping: Runyon, Noel R. 1.
Blue grama, a source of study of and the effect of different treatments on establishing stands of grass under field conditions, Hays, Kansas: Riegel 5.
Blue grama, life history and habits: Riegel 2.
Blue grama, variations in growth, from seed produced in various sections of Great Plains region: Riegel 1.
Blue grama, yield and carbohydrate content: Dodd, J. D. 1.
Buffalo, life history and habits: Webb, John 3.
Douglas County: Lawson 2.
Established artificially, Hays, Kansas, 1941, forage yield (1945) of various native pasture: Riegel 7.
Grama, variation in growth of sideoats, Hays, Kansas, from seed produced in various parts of Great Plains region: Hopkins 1.
Kansas: Hitchcock 3.
Kansas, additions: Hitchcock 4.
Kansas, artificial key: Kellerman, W. A. 4.
Land habitats, vicinity of Hays, Kansas, preliminary report on insect orders: Branson, Farrel A.
Land utilization, mixed prairie, ecology: Hopkins 3.
Native Kansas, analysis of seed production during drought of 1939: Branson, Lester R.
New, for Kansas: Webb, John 1.
Plants, studies in breaking the rest period of by treatments with potassium thiocyanate and in stimulating growth with artificial light: Shepherd, Harold R.
Prairie, evaluation of species, interplanting ground cover on eroded soils: Boyd 1.
Seed, blue grama, estimating yield: Cornelius.
Seedlings, pasture, effect of clipping weed competition upon spread: Hase.
Sod-forming, use of regression line to estimate basal cover: Martin, Edwin P. 3.

Grass—Continued
Tritricum and related species hosts for leaf rust of wheat: Johnston, C. O. 5.

Grasslands
North American, research: Shantz, H. L.

Grasshoppers
On overflowed land, Louisiana: Tucker 15.
Populations, Kansas, 1854–1954: Smith, Roger C. 12.

Gravel
Chert, eastern Kansas: Wooster, L. C. 13.
Chert, Lyon County, Kansas: Wooster, L. C. 21.
Chert, north of Atchison, Kansas, reinterpretation of supposed late Tertiary: Frye 7.
Pleistocene, Kansas, notes on basalt artifacts found: Graffham 1.
Pleistocene, southwestern Kansas, preliminary notes: Smith, Harold T. U. 1.

Gravity
Specific, and humidity of soil particles: Perkins 5.

Grazing
And dusting intensities, effect of climate on yield of short-grass prairies in western Kansas: Lacey.
And trampling effects on soil: Knoll, G.

Great Plains
Academy of Science: Hay 18.
Man's disorder of nature's design: Albertson 11.

Grebes
Eared, American, breeding habits: Goss 4.
Pied-billed, nesting: Collette 1.

Grooves
And glacial striae, Kansas: Schoewe 4.

Grosbeak
Problematical hybrid: Nininger 6.

Ground
Cover affects frost penetration: Barnett.
Cover on eroded soils, evaluation of prairie grasses as interplanting: Boyd 1.
School aptitude, prediction of, further studies of learning aptitude in pilots: Baker, W.
Water investigations in Kansas, importance of Pleistocene studies: Frye 5.

Ground—Continued
Water, Kansas bottom, immunity of to changes in composition of Kansas River water: Young, C. C. 3.
Water resources, Chase County, Kansas: O'Connor.
Water resources, chemical analysis, Rooks County, Kansas: Schmidt, G. W.
Water resources, Kansas: Fishel 1.
Water table, lowering of: Cook, W. A. 1.
Waters available for water flooding oil projects, southeastern Kansas: Abernathy 2.

Growth
And mortality of fry to fingerling channel catfish (*Ictalurus punctatus*), effects of five diets: Gray.
And pigmentation, helminthosporium, physiology: Showalter, W. V.
Industrial and development of Kansas, agricultural contributions: Bidwell, O. W.
Inhibition of fungi on rose Bengal media by light: Kramer, C. L. 14.
Reproduction of rats on a vitamin C-free diet: Brill.
Seed yields of native prairie plants in various habitats of mixed prairie: Brown, H. Ray.
Sport fish, Kansas lakes: Cross, F. B. 7.

Gryllus assimilis Fabr.
Reproductive systems: Spann.

Guidance
And student counseling, preparation and certification of workers: Peterson, J. C. 7.
Center, Wichita, evolution of group research project: Zimmerman.
Service, valuable tests: Schrammel 2.

Guillemots
Bird Rock, observations of nesting habits: Goss 1.

Guinea pig
Anaphylaxis, effects of antisera against rabbit tissual proteins on rabbit electrocardiograms: Leone, C. A. 5.

Guinea pigs
Adrenalectomized, vitamin C and estrogen: Brande.
Concerning postnatal obliteration of umbilical vein and arteries, vitelline vein and artery, and ductus arteriosus: Harman 12.
Deprived of vitamin C in diet, effects on cortex of adrenal glands: Harman 21.

Guinea pigs—Continued
Development of external form, between 11 and 20 days of gestation: Harman 4.
Development of external form, between 15 days and 21 days of gestation: Harman 3.
Development of external form between 21 days and 35 days of gestation: Harman 7.
Distribution and excretion of P^{32}-labeled diazinon: Kaplanis.
Endometrical hyperplasia, observed: Saffry 1.
Experiments with vitamin C and its effect on blood: Harman 17.
Fetal membranes: Harman 5.
Further observations on reproduction, fed vitamin C at different levels: Harman 13.
Influence, genetic factors upon eye color: Harman 16.
Investigation into possible relationship between vitamin C and adrenal cortex: Harman 20.
Male, effects of vitamin C deficiency: Harman 18.
Observations on breeding: Harman 6.
Parthenogenesis in ovaries: Harman 9.
Pigment production: Harman 15.
Pregnant, on vitamin C-limited diet, injection of corpora lutea extract: Saffry 2.
Scorbutic, desoxycorticosterone acetate: Herrick, Earl H. 6.
Some effect of experimental diets upon vitamin C content of certain organs: Gillum 1.
Some effects, feeding vitamin C intermittently: Harman 14.
Some effects of experimental diets upon the reproduction and growth: Harman 10.
Some embryological aspects of vitamin C deficiency: Harman 19.
Some observations on development of teeth: Harman 11.
Transplantation of ovaries, for reproduction and endocrine effect during pregnancy: Herrick, Earl H. 1.

Gum arabic
Solvents: Taft 3, 5.

Gymnoascaceae
Antibiotic production, reference to nitrogen source: Paslay.

Gypsum
Deposits, theories of origin: Sherwin 2.
Kansas: Grimsley 1.
Origin, reference to origin of Michigan deposits: Grimsley 7.

H

Habitats
Grassland, vicinity of Hays, Kansas, preliminary report on insect orders: Branson, Farrel A.

Hackberry branch knot
Notes on distribution and ravages: Kellerman, W. A. 6.

Hail
Resistance among varieties of winter wheat: Reitz 1.

Hair structure
Identification of mammals: Oyer.

Hammett equation
Special case: Gilkerson 1.
Theoretical formulation: Gallup 1.

Hare
Silliman and Cooke, relation to American science: Dains 3.

Harmonic forms
Smyth, B. B. 29.
Their construction reduced to a science: Smyth, B. B. 12.

Harvester
Ant mounds, collecting fossils: Galbreath 8.

Hat Island
Lake Michigan, revegetation after bombing: Gates, Frank 34.

Hay
Fever, aspects: Horn, Elsa 1.
Fever, summer, plant survey, Manhattan, Kansas: Horn, Elsa 2.
Prairie and buffalo, gray, composition and digestibility: Willard 13.
Robert, in memoriam: Thompson, A. H. 10.

Hays, Kansas
Chemical composition of forbs in native pastures: Runyon, Noel R. 2.
Comparative study of natural and artificial revegetation of land retired from cultivation: Riegel 6.
Effect of season of growth and clipping of blue grama: Runyon, Noel R. 1.
Forage yields (1945), various native pasture grasses established artificially, 1941: Riegel 7.
Rodent activity, mixed prairie: Brown, Leo 4.
Source study of blue grama grass and effect of different treatments on establishing stands of grass under field conditions: Riegel 5.
Variations in growth of sideoats grama grass, from seed produced in various parts of Great Plains region: Hopkins 1.
Wind injury to trees: Hopkins 5.

Hawk
And owl pellet formation and identification: Moon.
Health
College women, statistics: Crotty 2.
Disease, and longevity, noise—its relation: McWarf 3.
How far are food preservatives injurious?: Sayre 18.
Public, relation to quality of medicines: Sayre 25.
Heart
And its vessels in New World bats: Park 2.
Heat
In cooking, economy: Lovewell 11.
Internal, earth: Mudge, B. F. 10.
Power, relative, power of coal and illumination gas, experiments: Bailey, E. H. S. 24.
Radiation, from foliage: Mayer 1.
Selective absorption, by leaves: Mayer 2.
Heating values
Gases, midcontinental field: Allen, H. C. 1.
Natural gas and coals: Allen, H. C. 2.
Helianthus annuus L.
Effects of controlled conditions on morphology: Ungar, I. A.
Heliostate
In meridian, notes on device for settling: Pettit, Edison 3.
Heliscomys
Heteromyid rodent, Oligocene, deciduous premolars: Galbreath 10.
Skull, Oligocene heteromyid rodent: Galbreath 9.
Helium
A balloon gas: Cady 5.
Kansas natural gas: Cady 2.
Helminth
Parasites of black-tailed jack rabbit in Kansas: Lyons.
Helminths
Cats, eastern Kansas: Ackert 7.
Kansas dogs: Gaafar.
Helminthosporium gramineum
Growth and pigmentation: Showalter, W. V. 4.
Hemagglutinative behavior
Lipid antigens of *Corynebracterium deptheriac*: Learned.
Hemidactylium scutatum
Missouri, second record: Smith, Phillip W. 4.
Hemigrammus
New, description, Rio Negro, Brazil—studies of fishes, family Characidae: Bohlke 4.
Hemiparasite
Comandra pallida, unrecorded hosts: Brooks 1.
Hemiptera fauna
Kansas, additions to list: Crevecoeur 3.
Kansas, contributions to knowledge: Popenoe 3.
Hemocyanin-antihemocyanin
Precipitin reaction, turbidimetric analysis: Leone, C. A. 4.
Hemoglobin
Level and blood cell count in fowls, influence of sex hormones: Herrick, Earl H. 11.
Hemolymphs
Insectan, analysis, agglutinate human-erythrocytes: Fickel, Ruth.
Hens
How perform in an ideal environment: Avery.
White leghorn, unisexual mating in flock: Guhl 2.
Heoderma suspectum
Notes on natural history: Hensley 1.
Heravalent chromium derivatives
Monolysis: Sisler 1.
Herbaceous vegetation
Mapping: Kuchler.
Herbaria
Kansas, plants, new: Horr 3, 5.
Kansas, plants, new: McGregor, 4, 7, 8.
Kansas, plants new, new form of *Liatris punctata*: Horr 7.
Kansas, plants, new, form of *Zinnia grandiflora* and *Petalosteum purpureum*: Horr 8.
Herbarium
My Florida, list of plants: Hitchcock 5.
Specimens, techniques in preparing: Horr 6.
Herd
Dairy cows, social organization: Guhl 4.
Heredity
And education: Wooster, L. C. 15.
Do use and disuse modify?: Wooster, L. C. 18.
In stock breeding: Graham, I. D. 1.
Heron
Great blue, colonies, Kansas: Andrews, Ted F. 2.
Herpetofauna
Vicinity of Wickerburg, Maricopa County, Arizona: Gates, Gerald O.
Herpetological collection
Northeastern Iraq: Reed, C. A.
Western Australia: Taylor 1.

Herpetological reconnaissance
Extreme southwestern Arizona and adjacent Sonora, description of new subspecies of Sonora whipsnake, *Mastichopis billineatus*: Hensley 2.
Herpetological results
University of Illinois field expedition, 1949: Shannon 1.
University of Illinois field expedition, Spring, 1949: Reese.
University of Illinois field expedition, Spring, 1949: Smith, Phillip W. 1.
Herpetology
Of Kansas with observations on Kansas fauna: Cragin 6.
Hessian fly
Infestation in mature wheat plants—parasite emergence holes, aid in determining: Jones, Elmer T. 2.
Resistance in certain wheat varieties: Jones, Elmer T. 3.
Heteromyid rodent
New Pleistocene, *Etadonomys*, notes on other Kansas mammals: Hibbard 14.
Hibernation
Physiological effects—ornate box turtle: Peters.
High school
Comparative achievement, graduates from graded and ungraded elementary schools: Reed, H. B. 1.
Kansas, trends in science teaching, 1940–1950: Reed, H. B. 6.
Marks and college success, relationship, measured by college marks and entrance examination: Davis, Vera.
Subjects, grades, modified alpha examination form 9, correlation between scores: DeMand 2.
Highways
American: Shirk 4.
Kansas, presence of hydrocarbon utilizing bacteria at soil–asphalt interface: Harris, John O. 6.
Histadyl
Antihistamine, isopiestic activity coefficients in aqueous solution at 25° C: Andrews, A. C. 4.
Histamine
Spectrophotometric method for quantitative determination: Lyons.
Historical sketch
Geological work in Kansas: Hay 7.
History
Early Pleistocene geomorphic, Wabaunsee, southeastern Riley and southern Pottawatomie counties, Kansas: Mudge, M. R. 1.
History—Continued
Kaw Lake: Todd 5.
Life of a river: Haworth 6.
Natural, possibilities of Belvidere, Kansas, and vicinity: Gould 5.
Natural reservation, University of Kansas, molluscan record of succession: Fitch 3.
Precambrian, Kansas: Merriam, D. F. 2.
Wakarusa Creek: Todd 3.
Hoary bat
Northwestern Kansas: Baker, Rollin H. 2.
Hobbies
Scientific: Carpenter, A. C. 2.
Hole
Drill, Wichita: Mead, J. R. 6.
Home, minerals: Stevens, R. E.
Honduras
Record, notes Central American snake: Savage, Jay M. 1.
Honey
Production during war time, importance: Parker, R. L. 1.
Production and brood rearing, pollen factor: Rashad.
Horizon
Dacotah lignite: Hay 12.
Hormones
Gonadotrophic, comparison of effects of two, on immature fowl gonads: Herrick, Earl H. 3.
Male sex, work capacity of muscles from animals treated: Herrick, Earl H. 7.
Sex, influence, on blood cell counts and hemoglobin levels in fowls: Herrick, Earl H. 11.
Sex, reduced pituitary activity from influence: Herrick, Earl H. 5.
Horse
Domestic, aspects of sociality: Montgomery.
Flies, New Mexico and Arizona: Townsend 1.
Three-toed, two "herds": Walker, M. V. 1.
Hospital
Topeka State, industrial therapy program: Hooper.
Host
And fungus, relation of morphological characters, to identification of loose and covered smuts of oats: Kingsley.
Dog tapeworm, domestic cat: Ackert 1.
Factor in commensal crabs, demonstration: Johnson, Irving S.

Host—Continued
Intermediate, chicken tapeworms in Kansas: Case, A. A. 2.
Plants, Kansas parasitic fungi: Kellerman, W. A. 1, 3.
New intermediate, fowl cestodes: Case, A. A. 2.
New, record for cestode *Bothridium pithonis* de Blainville, 1828: Loewen 4.
Unrecorded, *Comandra pallida*, a hemiparasite: Brooks 1.

Human
Behavior in history, effect of climate: Wheeler, R. H. 2.
Biology, studies: Herrick, Earl H. 2.
Biology use of IBM cards for large samples: Murrill 1.
Effect of associative inhibition upon performance: Alm 1.
Face, origin and evolution: Thompson, A. H. 8.
Instincts, genesis and development: Wooster, L. C. 2.
Nature, laws: Wheeler, R. H. 1.
Nutrition, need of investigations: Willard 16.
Racial adaptation, aspects: Murrill 2.
Relationships, mutual participation in adjustment techniques, factor in problems involving: Cowan 5.

Humanity
Value, work of the scientist: Yates 2.

Humidity
And specific gravity of soil particles: Perkins 5.
Relative, animal life in synthetic mixture of nitrogen and oxygen under different conditions: Hershey 13.

Hunting
And fishing of various tribes of Indians: Reagan 25.

Hybopsis gelida
Kansas, sturgeon chub: Cross, F. B. 1.

Hybridization
And behavior, to species of *Etheostoma* (*Percidae*): Linder, A. D.
Coyote–dog, an instance: Bee.
Natural, among *Verbena stricta, hastata*, and *urticifolia* in Kansas: Poindexter, J. D.

Hydrocarbons
Microbial utilization: Haas.

Hydrochloric acid
And sodium hydroxide, interpolation table for refractive index—normality relationship for solutions: Olsen 1.

Hydrogen
And calcium ions, study of adsorption by Azotobacter agile: Kline, R. M.

Hydrogen—Continued
And oxygen, synthetic atmospheres of, effects on animal life: Hershey 7.
And tin in "Springers," relation between quantities: Long, Walter S. 4.
Chloride and gaseous ammonia as teaching aid, reaction between: Schultz 1.
Ion concentration and other data—plant sap and juice: Barton 4.
Peroxide, oxidation of tellurium dioxide: Henry.
Sulfide reagents for inorganic quantitative analysis, review of organosulfur derivation: Kolling, W. O. 8.

Hydrometer
New form: Failyer 7.

Hydrostatic pressure
Effect on polarization in an optical system: Zinszer, Richard S. 2.

Hygrometer
Electrical: Blake 4.

Hymenoptera
Kansas: Snow 26.
Kansas: Tucker 9.
Kansas, list: Bridwell, J. C.
Kansas, additions to list: Crevecoeur 7.
Parasitic, habits: Withington 2.
Species, collected in Arizona by University of Kansas Entomological Expeditions, 1902, 1903, 1904, 1905, and 1906: Snow 54.
Western United States, collection of University of Kansas: Viereck.

Hyperchiria zephryria
Grote, preparatory stages: Snow 32.

Hypertrophy
Compensatory, kidney: Creditor.

Hypnosis
Experimental application: Brennan, Margaret.

Hypnotizability
And two tests of suggestibility, relationship between: MacKintosh, Irene 2.
Relationship, descriptive factors: Ehrenreich.

Hypochlorite
Solutions, preparation of chemically stable and bacteriologically: Long, Walter S. 5.

Hypbromites
Alkyl: Bushong 1.

Hypoxia
Effects on embryos of pregnant mice: McCluskey.

I

Ibis
White-faced glossy, second occurrence in Kansas: Goss 14.
IBM
Cards, use for large samples in human biology: Murrill 1.
Ice
Age, Kansas during: Todd 6.
Invasion, additional evidence, south of Kansas River, eastern Kansas: Schoewe 3.
Sheet, Kansas, drainage: Todd 1.
Ichthyology
Kansas, review: Breukelman 7.
Ictalurus punctatus (Rafinesque)
Daily movement of channel catfish in a farm pond: Stevens, E. D.
Effects of five diets on growth and mortality of fry to fingerling channel catfish: Gray.
Ictinia mississippiensis
And *Aegialitis nivosa* nesting in south-central Kansas: Goss 11.
Igneous rocks
Are they in Cherokee County?: Haworth 1.
Kansas: Hay 2.
Illinois
Ashmore, additions to flora of Late Pleistocene deposits: Galbreath 2.
Bats, distribution and habits: Smith, Phillip W. 2.
Kansas, Ohio, and Pennsylvania, Carboniferous quadrupeds, relation to classification of so-called amphibia and stegocephala: Moodie 1.
University, field expedition 1949, herpetological results: Shannon 1.
University, herpetological results, field expedition, spring 1949: Smith, Phillip W. 1.
University, herpetological results, field expedition, Spring 1949: Reese.
Illumination
Municipal: Shirk 3.
Relationship, behavioristic study of American opossum: Gurwell.
Imperfecti
Fungi, Kansas, aeromycology XI: Kramer 13.
Implements
Stone, Trego County: Savage, Joseph 4.
Implications
World wheat balance: Schnittker
Importations
Duty-free, rights, educational institutions: Bailey, E. H. S. 27.
Improvement
Science teacher program, Kansas Academy of Science: Breukelman 10, 11, 12.
Independence, Kansas
Occurrence of bromides and iodides in the water of an artesian well: Bailey, E. H. S. 6.
Indexes
Level-of-living in wheat specialty counties, analysis of changes: Dost, Jeanne E.
Indians
Bois Fort Chippewas, flood myths: Reagan 22.
Children, Mohave, developmental pattern and organic needs: Devereux 2.
Color-blindness: Blake 2.
Hoh and Quilbayuts, myths: Reagan 46.
Hoh and Quileute, plants used: Reagan 45.
Hunting and fishing, various tribes: Reagan 25.
Kansas: Wedel 1.
Kansas, languages, replacement by English: Carman.
Life and character, sketches: Reagan, 5, 8.
Lumni-Noonsack, Washington: Reagan 28.
Memez Pueblo, dances: Reagan 2.
Mohave, post-partum parental observances: Devereux 1.
Navajos, flu: Reagan 23.
Osage, lead-silver molds: Fay 1.
Shoshoni-Goship: Reagan 15.
Indicator
Diagrams, interpretation: Corp 1.
Indicators
Acid–base, effects of salts in glacial acetic acid: Kolling 7.
Industrial and agricultural research
Dividends: Mitchell, H. L. 6.
Industrial research movement
Today: Faragher.
Industries
Animal, Kansas: Weber, A. D.
Crop, Kansas: Call 2.
Mineral, Kansas, during the depression: Landes 3.
Industry
And science, conference: Jewett, J. M. 8.
Looks to science: Thomas, R. W.
Infections
Rickettsial, and yellow fever, wartime advances: Downs, Cora I.

Infections—Continued
Systemic, of *Uromyces caladii*, variations: Pady 1.
Tapeworm, susceptibility of mature chickens: Ackert 4.
Influence
Soil conditioner on nitrification: McCalla 5.
Influenza
Swine virus, interference of Newcastle virus: Carr.
Inherited constitution
Concept: Weir.
Inoculation
Root tubercules and their production: Otis.
Time differentials, expression of interference of Newcastle disease virus by swine influenza virus in chick embryos: Carr.
Virus, in chick embryos, simplified techniques: Liao 1.
Inorganic quantitative analysis
Review of organosulfur derivatives of hydrogen sulfide as reagents: Kolling, W. O. 8.
Insects
And native western Kansas forbs and weedy plants, study of relationship: Brandhorst.
And other animal organisms, subaquatic light traps: Hungerford 2.
Associated with American mistletoe: Tucker 19.
Attacking bindweed in Kansas: Smith, Roger C. 8.
Collected and bred from dead and dying elm: Tucker 5.
Collected at Plano, Texas, determinations and records: Tucker 14.
Collected, Kansas and Colorado: Tucker 12.
Collecting, Kansas and Colorado: Tucker 6.
Collecting at night: Tucker 1.
Collections, tray system: Smith, Roger C. 1.
Collector, conditions to be met, particularly the amateur: Tucker 3.
Fossil, finding, Comanche Cretaceous, Kansas: Gould 4.
Infestation in farm-stored grain, Kansas: Winburn.
Infesting stored rice, research work: Tucker 18.
Injurious, notes: Hunter, S. J. 2.
Kansas, 1934: Smith, Roger C. 5.
Kansas, 1935: Smith, Roger C. 6.
Kansas, 1938: Smith, Roger C. 9.
Kansas, 1940: Smith, Roger C. 10.
Kansas, 1941: Smith, Roger C. 11.
Insects—Continued
Kansas, contributions toward a catalogue, resulting from personal collecting: Tucker 4.
Material, tertiary butyl alcohol as dehydrating agent: Tuck.
Notes: Kellogg 4.
Notes, elementary comparative external anatomy: Kellogg 5.
Orders found in various grassland habitats, vicinity of Hays, Kansas, preliminary report: Branson, Farrell A.
Photography with limited equipment: Jones, Elmer T. 4.
Problems in development of social behavior and communication: Michener.
Soil, identification by their burrow characteristics: Bryson.
Sorghum field, preliminary list: Hayes 1.
Types and cotypes, preliminary list, found in Francis Huntington Snow entomological collections: Withington 3.
Wallace County, Kansas: Snow 16.
Insecticides
And disinfectants, standardization: Sayre 35.
Parathion, new commercial synthesis: Hall, Luther A. R.
Sayre 36.
Institute
Mellon, organization and management: Weidlein.
Institutional research
Argersinger 4.
Institutions
Educational, what rights have they to duty-free importations?: Bailey, E. H. S. 27.
Kansas children's, psychological service: Brigden 4.
Intrinsic factors
That constitute a stable attitude, analysis: Bennett, Betty.
Insulation
Resistance, electric light wires: Blake 3.
Insulin
Shock therapy in psychoses: Drake.
Intellectual ability
Suggestion for analysis: Johnson, Donald M.
Intelligence test
Results, analysis of scatter in, review of the literature: Mayman.
Interference
Newcastle virus by swine influenza virus: Carr.

Interpolation table
For refractive index—normality relationship for solutions of hydrochloric acid and sodium hydroxide: Olsen 1.
Interpretation
Application of nuclear emulsions: Irvin, R.
Inventories
Strong, Kuder, and Bell, relationship of mean scores, with MMPI M-F scale as criterion: Cottle 1.
Investigation
Coal mine explosions, preliminary report: Haworth 7.
Encephalitis, southeastern Kansas, 1949 and 1950, mosquito light trap collections: Lungstrom 3.
Iodides
And bromides, occurrence, in the water of artesian well, Independence, Kansas: Bailey, E. H. S. 6.
In stabilized iodized salt, determination: Enberg 1.
Iodine
And bromine content of subsurface waters, Russell, Ellis, Trego counties, Kansas: Runyon, H. Everett 1.
Content, preliminary report on survey of waters of Kansas: Brubaker 2.
Coulometer: Taft 49, 51, 53.
Monochloride and bromide, action on Schiff's bases: Dains 5.
Iodoform
Boyce, S. R.
Iola
Gas well: Patrick 6.
Kansas mineral well: Kedzie 4.
Vicinity, economic geology: Grimsley 4.
Ion
Cupric-ammonia, analogue, in acetic acid solution: Davidson, A. W. 1.
Exchange, phenomena, thermodynamics: Argersinger 3.
Uptake, by bacteria: McCalla 1.
Ions
Calcium and hydrogen, study of adsorption by azotobacter agile: Kline, R. M.
Ionization
Constants of dyes, method for determination: Burkhard.
Iowa
Central, plague among chickens, summer, 1918: Reagan 26.
Lucas and Marion counties, Chariton Conglomerate: Wallace.
Southwestern, records of mammals: Findley 1.
Iraq
Northeastern, herpetological collection: Reed.
Iron
And cobalt, quantitative estimation by rotating cathode: Curtis, R. W.
Clays, controlling color: Zinzer, W. K. 1.
In nitric acid, destruction of passivity by magnetization: Nichols 5.
Observations, effect of addition, to an adequate diet: Potter, Myra.
Weed in Kansas, Lepidoptera, Hemiptera and Homoptera associated with: Schwitzgebel.
Irradiated-γ
Ovalbumin, electrophoretic studies: Leone, C. A. 3.
Irradiation
Total body roentgen, endocrine glands and other organs of the rat, effect: Azarnoff.
Irrigation
Kansas: Adams, F. G. 2.
Isobutane
Chlorination, reactions of polychlorides obtained: Taft 18.
Isopropyl phenyl carbonate
Laboratory synthesis from benzoyl chloride: Hermanson 2.

J

Jack rabbits (jackrabbits)
Black-tailed, in Kansas, helminth parasites: Lyons.
Black-tailed, notes on body size: Bronson 1.
Black-tailed, southwestern Kansas, use of forms: West, R. R.
Crop damage: Bronson 2.
Diseases, southwestern Kansas: Bowen.
Jackson County
Fossil forest: Shattuck.
Jaguar
Arizona: Lange, K. I.
Jassoidea
Kansas: Crumb 1.
Partial key to North American genera: Crumb 2.
Jaw
Fossil of bison, Pliocene, Norton County, notes: Hay 4.
Jay
Arizona, found in Kansas: Keith 2.
Jester Creek section
Conchostracan-bearing beds of Kansas, preliminary report: Tasch 1.

John Day region
Oregon, University of Kansas expedition: McClung, G. E. 2.
Johnson County
Shawnee and Douglas counties, Kansas, glacial erratics: Schoewe 1.
Water resources, drought of 1934: Jewett, J. M. 5.
Josecito, San Cave
Nuevo Leon, Mexico, Pleistocene Lagomorpha and Rodentia: Jackway.
Juices
Fruit, coloring matter: Bailey, E. H. S. 31.
Junction
Liquid, potentials: Holmen.
Junior Academy
Kansas, aims and opportunities: Branch 3.
News and papers: See Appendix F.
Jupiter
At the opposition, observations, 1915: Pettit, Edison 1.
Rotational period: Hills, Jack.

K

Kanopolis Reservoir
1950, studies: Tiemeier 2.
Kansas economy
And current botanical research: Sperry, T. M. 2.
Kansas
Academy delegate to Academy conference at Boston, report: Frazier 2.
Academy Library, and book collections in State House, future of: Lovewell 13.
Academy of Science: Lantz 5.
Academy of Science, future role: Andrews, I. F. 3.
Academy of Science, Library catalogue: Cragin 4.
Academy of Science, past, present, and future: Schoewe 14.
Academy of Science, progress of science since foundation: Williston 18.
Academy of Science, science teacher improvement program: Breukelman 10, 11, 12.
Admire Junction, fossil "nests" in Brownville Limestone: Schoewe 8.
Aerolite referable to fall of November 9, 1923: Nininger 6.
Aeromycology I, comparison of media: Rogerson, C. T. 6.
Aeromycology II, materials, methods and general results: Kramer, C. L. 8.
Aeromycology III, Cladosporium: Kramer, C. L. 9.
Kansas—Continued
Aeromycology VIII, Phycomycetes: Kramer, C. L. 11.
Aeromycology IX, Ascomycetes: Kramer, C. L. 12.
Aeromycology X, Basidiomycetes: Pady 7.
Aeromycology XI, *Fungi imperfecti*: Kramer, C. L. 14.
Age of: Smyth, B. B. 2.
Agricultural contributions, industrial growth and development: Bidwell, O. W.
Amber: Schoewe 22.
Amphibians and reptiles, records: Legler, J. M. 2.
Amphibian tracks, Osage County: Wooster, L. C. 23.
Analysis of fragments from tusks of four specimens of extinct elephants: Brubaker 3.
Animal industries: Weber, A. D.
Animal polished boulder: Schoewe 5.
And Oklahoma, slugs (Gastropoda: Pulmonata), new records: Branson, B. A. 2.
Annotated catalogue of cray fishes: Harris, J. A.
Arachnida, additions to list: Scheffer 2.
Arizona jay found in: Keith 2.
Artesian wells, causes of flow: Hay 14.
Articulated limb bones of Pteranodon: Sternberg, G. F. 4.
Atchison County, coal: Knerr 9.
Atchison, north of, reinterpretation of supposed late Tertiary chert gravels: Frye 7.
Atlantic vs. Pacific elevations: Hinckey.
Atmosphere, ozone: Kedzie 3, 5.
Barber County, notes on development of a brood of Mississippi kites: Robinson, T. S. 6.
Barber County, record of brown skink (*Scincella laterale*) and prairie skink (*Eumeces septentrionalis*): Stains 5.
Basin, reclamation: Brady 1.
Basis for physiographic subdivision: Frye 6.
Beaver: Dyche 7.
Belvidere, and vicinity, natural history possibilities: Gould 5.
Biological studies on *Culex tarsalis*: Lungstrom 1.
Biology and synonymy of parasites of strawberry leafroller: Summerland.
Biotypes of corn leaf aphid: Pathak.
Bird list, notes: Lantz 12.
Birds: Snow 1, 5, 14, 41, 50, 51, 57.
Birds, 1903: Snow 50.

Kansas—Continued
Birds, 1904: Snow 51.
Birds, additions to catalogue: Goss 5.
Birds, additions to Goss' revised catalogue: Kellogg 6.
Birds, check list: Long, Walter S. 7.
Birds, statistics: Lantz 8.
Birds, three new: Snow 41.
Bison latifrons: Mudge, B. F. 8.
Black duck: Matthews, R. 2.
Bobwhite population, 1951, climatic factors affecting, shown by examination of wings from hunter-killed birds: Robinson, T. S. 1.
Bobwhites, 1952, climatic factors affecting: Robinson, T. S. 2.
Bobwhites, 1953, climatic factors affecting: Robinson, T. S. 3.
Botany, past fifty years: Wooster, L. C. 16.
Botany, 1873: Carruth 2.
Botany, 1874: Carruth 3.
Bottom ground waters, immunity to changes in composition of Kansas River water: Young, C. C. 3.
Bourbon County, Uredineae: Garrett, A. O. 1.
Bourbon County, Uredineae, additions: Garrett, A. O. 2.
Boxelder bug, life history and control: Smith, Roger 7.
Brown County, celestite: Schoewe 12.
Brown County, geology of celestite deposits: Fishburn, M. D.
Bryophites: Gier, Leland J. 12.
Building stones, composition: Bailey, E. H. S. 15.
Bullock oriole: Nininger 7.
Butler County, archaeology: Mead, J. R. 14.
Butler County, fishes of El Dorado City Lake: Greer.
Calamite, giant, and Ottawa fossil forest: Schoewe 23.
Catalogue of plants: Carruth 1.
Cave bats, notes: Hibbard 2.
Central, Comanchean: Twenhofel.
Central, drying up of pools and streams: Mead, S. G.
Central, evidence of ancient forests: Towner.
Central, flood of 1903: Jones, A. W. 5.
Central, Pleistocene drainage history: Fent.
Central, Red sandstone: Mudge, B. F. 2.
Central, river valley, silt deposited by July, 1951, flood: Carlson.
Central, factors affecting amount and nature of flora: Robinson, W. J.
Cervaloes scotti Lydekkerin, occurrence: Hibbard 10.
Kansas—Continued
Chalk: Patrick 2.
Chalk, armoured dinosaur: Sternberg, Charles H. 7.
Chalk beds, and Miocene of Wyoming, expedition: Sternberg, Charles H. 11.
Chalk, and Permian of Texas, explorations: Sternberg, Charles H. 14.
Chalk, my expedition, 1907: Sternberg, Charles H. 6.
Chalk, *Prostegagigas* and other Cretaceous reptiles and fishes: Sternberg, C. H. 3.
Chalk, protozoan remains: Patrick 2.
Chalk, structure: Williston 7.
Chautauqua Hills, survey of upland forests: Hale 1.
Children's institutions, psychological service: Brigden 4.
Chase County, ground-water resources: O'Connor.
Chase and Lyon counties, list of amphibians and reptiles: Breukelman 2.
Chase and Lyon counties, revised list of amphibia and reptiles: Breukelman 8.
Chemical analysis of ground water resources, Rooks County: Schmidt, G. W.
Chemistry in, past fifty years: Bailey, E. H. S. 38.
Cicadellidae: Lawson 1.
City and Lawrence, chert gravels of Kansas River Valley: McFarquhar.
Clark County, new fossil ground squirrel *Citellus* (*Pliocitellus*) *fricki*, Pliocene: Hibbard 12.
Clay County, flora: Weber, Clement 2.
Climate: Snow 2, 59.
Climate, 1871: Hutchinson.
Climate and bobwhite quail, 1951–1954: Robinson, T. S. 4.
Climate and bobwhites, 1955: Robinson, T. S. 7.
Climate and bobwhites, 1956: Robinson, T. S. 5.
Clouds and climate: Lokke 3.
Coal Age flora, *Calamopitys kansanum*, a new species, Pennsylvanian of Kansas: Baxter 3.
Coal Age flora, *Microspermopteris aphyllum* var. *kansensis*, var. nov.: Baxter 2.
Coal balls, new species of cardiocarpus: Leisman.
Coal beds—coal balls, new discoveries in plant petrifactions: Baxter 1.
Coal, composition: Bailey, E. H. S. 11.
Coal measures, nomenclature, em-

Kansas—Continued
ployed by Kansas State Geological Survey: Haworth 5.
Coals, evaporative power: Blake 1.
Coals: Saunders 1.
Cocoidae: Dean 2.
Codell Sandstone, elopid fish, depositional environment of sandstone: Miller, H. W., Jr. 4.
Coleoptera, list: Popenoe 1.
Coleoptera, additions to catalogue: Popenoe 2.
Coleoptera, collecting notes: Knaus 6.
Coleoptera, 1879 and 1880, Douglas County additions: Snow 22.
Coleoptera, 1881 and 1882: Snow 27.
Coleoptera, 1883–1884: Knaus 1.
Coleoptera, 1885–1886: Knaus 3.
Coleoptera, 1887–1888: Knaus 5.
Coleoptera, 1899–1900: Knaus 7.
Coleoptera, 1901–1902: Knaus 8.
Coleoptera, 1903–1904: Knaus 9.
Coleoptera, 1905: Knaus 10.
Coleoptera, 1906: Knaus 11.
Coleoptera, 1907: Knaus 12.
Coleoptera, 1908: Knaus 14.
Coleoptera, 1909: Knaus 15.
Coleoptera, 1910–1912: Knaus 16.
Coleoptera, 1913–1915: Knaus 17.
Colonies, great blue heron: Andrews, Ted F. 2.
Colorado, insects collected: Tucker 12.
Colorado, additional results of collecting insects: Tucker 6.
Comanche Cretaceous, finding of fossil insects: Gould 4.
Commercial development, gas engine: Walker, P. F. 1.
Common rocks and gem stones, how to recognize them: Schmidt, M. M.
Conchostracan-bearing beds, Jester Creek section: Tasch, Paul 1.
Contribution to *American Men of Science*: Zabel.
Contribution, to science of entomology: Dean 3.
Contribution to flora: Scribner.
Cottonwood Falls, south of, description of changes in Cottonwood Limestone: Yates.
Counties, additional distributional amphibians and reptiles: Tihen 1.
Counties, three adjacent, differential effect of presence or absence of glaciation upon Pteropsida: Fish.
Cover restoration: King, Harold C.
Cowley County, drought: Hoyle 2.
Cowley County, gastropods: Metcalf, A. L. 2.
Cowley County, soil fauna: Hetzer 1.
Coyotes, winter foods: Tiemeier 4.
Crawford County, fleshy fungi: Travis.
Kansas—Continued
Crawford County, list of butterflies: Randolph 1.
Crawford County State Park, flora: Gier, Leland J. 4.
Crayfish, new records: Minckley 2.
Cretaceous, new turtle: Williston 16.
Cretaceous rocks, eastern extension, and formation of sandhills: Hay 23.
Crop industries: Call 2.
Cyclic sedimentation, Permian period, evidence: Jewett, J. M. 1.
Deer, preliminary survey: Taylor, D. L.
Development of science: Wooster, L. C. 3.
Dexter, composition of gas from well: McFarland, D. F. 1.
Diatomaceae: Curtis, George E. 2.
Dickinson County, birds seen, August 1898 to August 1900: Lantz 7.
Diptera: Tucker 8.
Diptera, additions to list: Crevecoeur 6.
Distribution of elm leaf spot: Kramer, C. L. 1.
Distribution of genus *Peromyscus*: Sprague 1.
Distribution of genus *Vitis*: Hitchcock 1.
Distribution of hispid cotton rats: Cockrum 1.
Distribution of microtine rodents: Haines.
Distribution of white-tailed jackrabbit: Brown, Leo 1.
Distributional notes, amphibians and reptiles, Clarke, R. F. 2.
Distributional records, amphibians and reptiles: Legler, J. M. 2.
Dogs, incidence of helminths: Gaafar.
Douglas County, ages and sizes of 29 flathead catfish from Kansas River: Cross, F. B. 5.
Douglas County, flora: McGregor 2.
Douglas County, food of long-eared owl: Rainey 2.
Douglas County, nesting of yellow-headed blackbirds: Setzer.
Drought of 1934, effect on trees: Stiles.
During Ice Age: Todd 6.
East central, migration reports of birds: Miller, R. F. 5.
Eastern, on barite and associated minerals in concretionary rocks: Bailey, E. H. S. 14.
Eastern, burrow of pocket gopher: Smith, Charles F. 1.
Eastern, chert gravels: Wooster, L. C. 13.
Eastern, Crustacea: Leonard, A. B. 4.
Eastern, evidences of relocation of

Kansas—Continued
West Drift Border: Schoewe 19.
Eastern, fall food habits of bobwhite quail: Jennings, Dolf 1.
Eastern, helminths of cats: Ackert 7.
Eastern, insoluble residues of Missouri Series: Keroher, Grace C. 1.
Eastern, Lepidoptera: Snow 8.
Eastern, mineralogical analyses: Whitla.
Eastern, occurrence of granite in a deep boring: Hay 20.
Eastern, *Ranunculus abortuus f. giganteus*, new form: Gates, Frank C. 4.
Eastern Sedgwick County, terrace sands: Michaelson.
Eastern, shallow aquifers: Jewett, J. M. 6.
Eastern, fungi: Wilson, Guy West 2.
Eastern, south of Kansas River, additional evidence of an ice invasion: Schoewe 3.
Eastern, variation of *Ceratophyllum demersum*: McGregor 5.
Eastern, white-footed mouse: Rainey 3.
Edible mushrooms: Bartholomew 2.
Elk, early observation: Hoffmeister 1.
Ellis County, check list, amphibians and reptiles: Brennan, L. A. 2.
Ellis County, lime content of rocks, Upper Cretaceous System: Rarick.
Ellis County, radioactive properties of subterranean waters: Lippert, Verne.
Ellis County, study of woody plants along streams: Griswold.
Ellsworth County, ecology of pasture in Dakota Sandstone Formation: Blair, Byron O. 1.
Ellsworth County, new discovered salt beds: Bailey, E. H. S. 9.
Ellsworth County, plants that grow in: Weber, Clement 1.
Elopid fish, Codell Sandstone: Miller, H. W., Jr. 4.
Engineering research: Wilson, M. A.
Evaporation: Schull.
Fall River Reservoir, post-impoundment study of fisheries resources: Schoonover.
Farmer wheat breeder, Earl G. Clark: Heyne 3.
Farming, rainfall, relation: Hilton.
Fauna, birds new, and birds rare in state: Goss 2.
Faunal collecting: Hoyle 1.
Faunal list, species of birds added to since 1900 with reference to first record: Goodrich 2.
Fauna, Monument Rocks, Gove County: Wooster, L. D. 4.

Kansas—Continued
Fauna, herpetology of Kansas: Cragin 6.
Fish, Kansas State College Museum, Manhattan: Jennings, Dolf 3.
Fish, little known: Cross, F. B. 5.
Fishes, preliminary list: Ingram, I. D.
Fishes, State University Museum: Breukelman 4.
Flint Hills: Mead, J. R. 12.
Floods, 1951, *Riccia frostii* after: McGregor 6.
Flood producing rains, 1951: Garrett, R. A. 3.
Flora: Smyth, B. B. 4, 7, 19, 24, 31, 32.
Flora, additions: McGregor 9.
Flora, additions, 1956: McGregor 10.
Flora, gymnosperms and monocotyls: Smyth, B. B. 32.
Flora, new forms and nomenclatorial combination: Gates, Frank 16.
Flora, new forms and nomenclatorial combinations: McGregor 11.
Flora, personal observations: Slosson, Mrs. A. L. 1.
Floral horologe: Smyth, B. B. 25.
Foot-rot of wheat: Melchers 9.
Forest trees identified by leaves and fruit: Kellerman, W. A. 2.
Fossil beds, animals discovered: Sternberg, Charles H. 5.
Fossils
Pleistocene, McPherson County, Kansas: Nininger 5.
Franklin County, amphibians and reptiles: Gloyd.
Franklin and Douglas counties, ecological study of prairie and pasture lands: Hetzer 3.
Franklin County, fossil tusk: Wheeler, Wm. 1.
Franklin County, mammoth remains: Charlton 1.
Fungi: Kramer, C. L. 5, 7.
Fungi, associated with sorghum seed: Swarup.
Fungi, 1949: Mix 4.
Fungi, 1950–1951: Shields 2.
Fungous flora, additions: Bartholomew 3.
Fungus flora, second list, additions: Bartholomew 4.
Geodetic datum of North America: Schoewe 25.
Geography: Schoewe 24, 26, 27, 28, 29.
Geologic making: Jewett, J. M. 7.
Geological development: Wooster, L. C. 12.
Geological Survey: Mudge, B. F. 5.
Geology, bibliography, with annotation: Hay 22.
Geology, notes: Wooster, L. C. 1.

Kansas—Continued
Geology, additional observations: Wooster, L. C. 4.
Glacial striae and grooves: Schoewe 4.
Glacial striae, new localities: Schoewe 6.
Glacial striae, new locality: Schoewe 10.
Glacial striae, locality 19: Schoewe 13.
Glacial striae, localities 20, 21, 22, and 23: Schoewe 21.
Glaciated part, fluctuation of water table: Schoewe 11.
Gold: Lovewell 3.
Gold prospects: Kinney.
Gove County, animal life of Castle Rock region: Wooster, L. D. 8.
Gove County, Castle Rock Area—vegetation: Albertson 6.
Gove County, Monument Rocks, geology: Robertson 2.
Gove County, soil-vegetation relationships on chalk-flat range site: Linnell.
Graham County, fossil mammal tracks: Robertson 7.
Grasses: Hitchcock 3.
Grasses, additions: Hitchcock 4.
Grasses, artificial key: Kellerman, W. A. 4.
Grasses, native, analysis of seed production, drought, 1939: Branson, Lester R.
Grasshopper populations, 1854–1954: Smith, Roger C. 12.
Great Plains, upsetting the balance of nature: Smith, Roger C. 3.
Ground water resources: Fishel.
Grown alfalfa, survey of boron content: Smith, F. M.
Grown alfalfa, zinc content: Schrenk 4.
Grown digitalis: Havenhill 5.
Gypsum: Grimsley 1.
Habitat, *Aplectrum hyemale*: Kramer, C. L. 3.
Hays, comparative study of natural and artificial revegetation of land retired from cultivation: Riegel 6.
Hays, effect of season of growth and clipping of blue grama: Runyon, Noel R. 1.
Hays, forage yields (1945) of various native pasture grasses established artificially, 1941: Riegel 7.
Hays, rodent activity in mixed prairie: Brown, Leo 4.
Hays, source study of blue grama grass and effect of different treatments on establishing stands of grass under field conditions: Riegel 5.
Kansas—Continued
Hays, vicinity, preliminary report on insect orders found in various grassland habitats: Branson, Farrel A.
Hays, wind injury to trees: Hopkins 5.
Helminth parasites, black-tailed jack rabbit: Lyons.
Hemiptera—fauna, contributions to knowledge: Popenoe 3.
Herbaria, Kansas plants, new: Horr 3, 5.
Herbaria, Kansas plants, new: McGregor 4, 7, 8.
Herbaria, Kansas plants new, including new form of *Liatris punctata*: Horr 7.
Herbaria, Kansas plants new, including new form of *Zinnia grandiflora* and *Petalostemum purpureum*: Horr 8.
Herpetology, with observations on Kansas fauna: Cragin 6.
High Plains surface: Frye 2.
High schools, biology teaching: Gentry.
High schools, trends in science teaching, 1940–1950: Reed, H. B. 6.
Highways, presence of hydrocarbon utilizing bacteria, soil-asphalt interface: Harris, John O. 6
Historical sketch, geological work: Hay 7.
History of Precambrian: Merriam, D. F. 2.
How lakes came to: Stene 2.
Hymenoptera: Snow 26.
Hymenoptera: Tucker 9.
Hymenoptera, list: Bridwell, J. C. 1.
Hymenoptera, additions to list: Crevecoeur 7.
Ice sheet, drainage of: Todd 1.
Ichthyology, review: Breukelman 7.
Identification of cyprinid fish reported as *Squalis elongatus*: Hubbs.
Igneous rocks: Hay 2.
Importance of Pleistocene studies for ground water investigations: Frye 5.
Independence, bromides and iodides in the water of artesian well: Bailey, E. H. S. 6.
Indians: Wedel 1.
Insects, 1934: Smith, Roger C. 5.
Insects, 1935: Smith, Roger C. 6.
Insects, 1938: Smith, Roger C. 9.
Insects, 1940: Smith, Roger C. 10.
Insects, 1941: Smith, Roger C. 11.
Insects attacking bindweed: Smith, Roger C. 8.
Insects, contributions toward catalogue, resulting from personal collecting: Tucker 4.

Kansas—Continued
Insect infestation in farm-stored grain: Winburn.
Intermediate hosts of chicken tapeworms: Case, A. A. 2.
Iola, mineral well: Kedzie 4.
Ironweed, Lepidoptera, Hemiptera and Homoptera associated with: Schwitzgebel.
Irrigation: Adams, F. G. 2.
Is rainfall increasing?: Murphy, E. C. 3.
Is rainfall increasing?: Snow 34.
Jassoidea: Crumb 1.
Kingman County, Mollusca: Franzen 1.
Labette County, survey of filamentous green algae: Bailey, L. L.
Lake Wooster, oxygen relationships during wintertime conditions: Minter, K. W.
Lakes, growth of sport fish: Cross, F. B. 7.
Lawrence, daily temperatures for 21 years, 1868–1888: Snow 47.
Lawrence, ecological study of Norway rat and house mouse in city block: King, Otis M.
Lawrence, equation of mean monthly 21-year temperature curve: Murphy, E. C. 1.
Lawrence, gagings of sewage flow: Hoad 2.
Lawrence, probable summer temperature: Murphy, E. C. 5.
Lawrence, study of dietaries: Bailey, E. H. S. 25.
Lawrence, survey of *Phoelm necrosis*: Shields 1.
Lawrence, three species of gopher: Dyche 1.
Leavenworth County State Lake, parasites of fishes: Wilson, William D. 2.
Legumes, five native, during first season of growth, root and top development: Gibbens, Robert.
Lepidoptera: Snow 21.
Lepidoptera, additions to list: Crevecoeur 8.
Limnology, studies—survey of Kansas state lakes: Andrews, Ted F. 1.
List of minerals: Mudge, B. F. 11.
List, new bird, red phalarope: Dyche 6.
List, new bird, taken at Lawrence: Dyche 10.
Lizards and batrachians, food habits: Hartman 2.
Logan County, breathing well: Willard 8.
Logan County, Geary County, forest studies: Smith, Lloyd F. 1.
Lyon County, chert gravels: Wooster, L. C. 21.
Lyon County, freshwater algae: Mentzer.
Lyon County, geology: Smith, Alva J. 3.
Lyon County, check list of vertebrates: Clarke, R. F. 3.
Lyon County, winter population of *Streptocephalus seali* Ryder inhabiting a roadside ditch: Prophet, C.
Madison, analysis of magnesium water: Bushong 3.
Madison, deep well: Bushong 2.
Magnetic declination: Marvin 1.
Magnetic declination, October 1880: Smith, H. S. 1.
Mammal, small, census, five year report: Gier, H. T. 3.
Mammals: Lantz 13.
Mammals, additional records: Anderson, Sydney 1.
Mammals, additions and corrections to list: Lantz 11.
Mammals, check list of: Hibbard 15.
Mammals, list: Lantz 9.
Mammals, notes, and *Etadonomys*, a new Pleistocene heteromyid rodent: Hibbard 14.
Mammals, revised check list: Hibbard 1.
Mammalia: Knox 2.
Mammalia, additions: Knox 3.
Manhattan, annotated list of birds: Lantz 1.
Manhattan, annual precipitation of rain and snow for past thirty-two years: Breese 2.
Manhattan, lachnosterna in vicinity: McColloch 3.
Manhattan, summer hay fever plant survey: Horn, Elsa 2.
Manhattan, wind velocity: Breese 3.
McPherson County, Pleistocene fossils: Nininger 5.
Meade and Clark counties, Mollusca: Leonard, Alice A. 2.
Meade County, litter records of mammals: Rinker.
Meade County, new Pleistocene fauna: Hibbard 9.
Meade County, an Upper Pleistocene fauna: Hibbard 5.
Meteorite, another: Nininger 3.
Meteorite discoveries, 1873–1948: Nininger 10.
Meteorite, new: Nininger 1.
Meteorites: Snow 48.

Kansas—Continued
Meteorites, fall of December 17, 1923: Nininger 2.
Meteorites since 1925: Nininger 9.
Meteorological education: Lokke 1.
Meteorology, bibliography: severe local storms: Lokke 2.
Miami County, growth-ring study of unusually old bur oak: Smith, Lloyd F. 2.
Middle Pliocene, fauna of Edson Quarry: Hibbard 7.
Middle Pliocene, two new genera of Felidae: Hibbard 3.
Milkweed floss collection: Gladfelter, C. F.
Mineral exhibit at St. Louis: Grimsley 5.
Mineral industries during the depression: Landes 3.
Mineral Lake, ecological study of fishes: Hall, Harry 1.
Mineral localities: Carpenter, A. C. 1.
Mineral, new: Willard 1.
Minerals, notes: Haworth 3.
Minerals, revised list: Failyer 11.
Mineral springs and wells: Bailey, E. H. S. 23.
Mineral water: Davies.
Mineral waters: Bailey, E. H. S. 15.
Mineral waters, notes: Failyer 2, 5.
Mines and minerals: Grimsley 3.
Mitchell County, unusual type of sink: Landes 2.
Mitchell County, composition of water from a mineral spring in the vicinity of "The Great Spirit Spring": Bailey, E. H. S. 19.
Mitchell County, Waconda or Great Spirit Spring: Swineford 2.
Mollusca: Franzen 2.
Monument Rocks, Gove County, vegetation: Albertson 3.
Mosquitoes, biological and taxonomic observations: Hill, Mrs. N. D.
Mosses: Reed, Minnie 3.
Mounds: Adams, F. G. 1.
Muscotah, raised marsh: Horr 4.
Mycological notes, 1934: Lefebvre 1.
Mycological notes, 1935: Lefebvre 2.
Mycological notes, 1936–1937: Johnson, C. O. 3–4.
Mycological notes, 1945: Pady 4.
Mycological notes, 1946: Pady 5.
Mycological notes, 1951: Rogerson 1.
Mycological notes, 1952: Rogerson 2.
Mycological notes, 1953–54: Rogerson 3.
Mycological notes, 1955–1956: Rogerson 4.
Mycological notes, 1957: Rogerson 8.
Myxomycetes: Brooks 2.
Kansas—Continued
Myxomycetes: Kramer, C. L. 5.
Nation's salt: Taft 22.
Native lespedezas: Bentley.
Native plants, adapted to cultivation: Meeker 1.
Natural gas: Hay 8.
Natural gas, helium: Cady 2.
Natural History Society and Kansas Academy of Science, founders and workers: Wooster, L. C. 25.
Natural hybridization of *Verbena stricta, hastata,* and *urticifolia*: Poindexter, J. D.
Naturalist, versatile, F. F. Crevecoeur: Smith, Roger C. 2.
Nebraska, correlation of coal measures: Beede 4.
Nebraska, Dakota Cretaceous: Gould 6.
Nebraska, subspecies of gray squirrel: Jones, J. Knox, Jr. 6.
New allium, *Allium perdulce*: Fraser 2.
New amedbelodon: Mohler 1.
New grass: Webb, John 1.
New Mexico, Diptera: Cockerell 2.
New Mid-Pennsylvanian reptiles: Lane 2.
New records, four fishes: Cross, F. B. 4.
New species of duck, *Rumex albuvis*: Gates, Frank 36.
New testudo, Upper Pliocene, additional notes on associated Rexroad mammals: Gelrich.
New variety of Sonoran serpent: Cragin 5.
New weed, star-thistle: Gates, Frank C. 2.
Niobrara Cretaceous, new plesiosaur: Williston 8.
North-central, nesting birds: Cross, F. C.
Northeastern, bats, notes on bat chigger: Jones, J. Knox, Jr. 1.
Northeastern, characteristics, glaciated area: Hay 17.
Northeastern, checklist of parasites from catfishes: Harms.
Northeastern, coyote on natural area: Fitch 2.
Northeastern, ecological study of narrow-mouth toad: Freiburg.
Northeastern, food and dens of opossum: Sandidge.
Northeastern, species composition and seasonal distribution of limnetic crustacean zooplankton: Armitage, K. B. 2.
Northern, gastroliths, Lower Dakota: Shaffner, D. C. 1.

Kansas—Continued
Northwestern, fishes: Breukelman 5.
Northwestern, a hoary bat: Baker, Rollin H. 2.
Northwestern Clay County, development of forest belts: Schaffner, John H. 1.
Northwestern, Sanborn Area, living and fossil pupillidae: Franzen 3.
Norton County, preliminary report on the geology: Hay 5.
Norton County, volcanic ash: Knight 1.
Norton, significance of meteorite: Nininger 11.
Notable trees, I: Agrelius 9.
Notes on basalt artifacts found in Pleistocene gravels: Graffham 1.
Notes, Chironomidae: Branch 2.
Notes, fleshy fungi: Shaffer.
Notes, meteorites: Snow 48.
Number of exceptional children: Reed, H. B. 5.
Nutria, a South American rodent: Hoffmeister 2.
Occurrence and distribution of physiologic races of *Tilletia foetida*: Hansing 1.
Occurrence of *Sclerotium delphini* Welch: Obee 2.
Occurrence of sturgeon chub: Cross, F. B. 2.
Ohio, Illinois, and Pennsylvania, Carboniferous quadrupeds, relation to classification of so-called Amphibia and Stegocephala: Moodie 1.
Oklahoma, *Petalodus* from Permian: Miller, H. W., Jr. 5.
Onaga, list of fossil plants: Crevecoeur 1.
Ornithology, bird review: Lantz 4.
Orthoptera, notes: Isely.
Osage County, description of amphibian tracks: Wooster, L. C. 23.
Osborne County, flora: Neher.
Osborne County, lime content of rocks, Upper Cretaceous system: Search.
Ottawa County, a proposed national monument, symposium on "Rock City": Schoewe 16.
Parasites of catfish: Harms, C. E.
Parasites of coyote: Ameel 2.
Parasitic fungi, together with their host plants: Kellerman, W. A. 1, 3.
Parasitology during last century, review of research: Ackert 11.
Paving brick, notes: Marvin 4.
Pennsylvanian, Bronson group, details of stratigraphy: Jewett, J. M. 2.
Pennsylvanian, the Coal Age flora of Kansas, *Calamopitys kansanum*, new species: Baxter 3.

Kansas—Continued
Pennsylvanian rocks, preliminary study of insoluble residues: Schoewe 15.
Permian, formations of the Marion Stage: Beede 6.
Permian, fossil plants: Sellards.
Permian salt, identification of polyhalite, a potash mineral: Swineford 1.
Permian, vertebrate remains: Williston 14.
Peromyscus, genus, distribution: Sprague 1.
Peromyscus leucopus and *P. maniculatus*, study of baculum: Sprague 2.
Peromyscus leucopus aridulus, occurrence and notes on their activities in Ellis County: Frydendall.
Petroleum: Bartow 1, 4.
Petroleum industry: Nixon, Earl K.
Phillips County, occurrence of *Eucastor tortus* Leidy: Hibbard 13.
Physiographic divisions: Adams, G. I. 2.
Physiography, notes: Beede 2.
Physoderma: Melchers 1.
Phytopathological notes
1947: Hansing 2.
1948: Hansing 3.
1949: Hansing 4.
1950: Johnston, C. O. 7.
1951: Hansing 5.
1952: Johnston, C. O. 8.
1953: Sill 3.
1954: Haskett 2.
1955: Johnston, C. O. 9.
1956: Hansing 6.
1957: Sill 6.
1958: Johnston, C. O. 11.
1959: Hansing 7.
1960: Sill 7.
Place of research in relation to certain phases of stripland reclamation: Eshbaugh.
Plague flea, *Xenopsylla cheopsis*: Grundmann.
Plant disease report, 1917: Melchers 2.
Plant disease survey report, 1918: Melchers 4.
Plant disease, 1941: Johnston, C. O. 6.
Plant, medicinal and economic, with reputed therapeutic properties: Smyth, B. B. 26.
Plants: Smyth, B. B. 10.
Plants, centennial catalogue: Carruth 4.
Plants, disease heretofore unreported, reported in 1914: Melchers 3.
Plants new to Kansas herbaria: Mc-

Kansas—Continued
Gregor 4, 7, 8.
Plants new to Kansas herbaria: Horr 3, 5.
Plants new to Kansas herbaria, including new form of *Liatrus punctata*: Horr 7.
Plants new to Kansas herbaria, including new form of *Zinnia grandiflora* and *Petalostemum purpureum*: Horr 8.
Pleistocene: Williston 13.
Pleistocene, *Equus* (*Asinus*) *Calobatu troxell* and associated vertebrates: Hibbard 19.
Pleistocene, notes, mammals: Hibbard 8.
Pleistocene, notes, vertebrates: Hibbard 6.
Pleistocene stratigraphy, use of fossil soil: Frye 4.
Pocket gophers, distributions, natural enemies, and breeding habits: Scheffer 3.
Poisonous plants: Choguill, H. S. 6.
Pottawatomie County, Crevecoeur's notes on birds: Goodrich 1.
Potwin, recent sink hole: Gordon, Glen H. 1.
Prairie chickens: Baker, Maurice F.
Preliminary survey of deer: Taylor, D. L.
Prevalence and distribution of physiologic races of leaf rust of wheat: Huffman, M. D.
Progress of agrotricum breeding: Schmidt, J. W. 1.
Quercus macrocarpa: Stevens 6.
Rainfall, is it increasing?: Snow 34.
Rare forms of fish: Mudge, B. F. 7.
Rawlins County, summer birds: Tiemeier 1.
Recent discoveries of fossil footprints: Mudge, B. F. 3.
Records of amphibians and reptiles: Legler, J. M. 2.
Red bat, early seasonal record: Rainey 1.
Red bat, echo-location failure and late seasonal record: Janes, D. W.
Relations of composite flora: Hitchcock 2.
Replacement of Indian languages by English: Carman.
Report, amphibians hitherto unknown: Smith, Hobart M. 1.
Reptiles and batrachians, preliminary report: Cragin 1.
Reptiles, distributional and ecological records: Burt, Charles E. 1.
Reservoir, algae: McNaught 1-2.
Rice County, liver fluke in cattle: Case, A. A. 3.
Riley County eleodes: McColloch 2.
Riley County, *Erysipheae*: Walters.
Riley County, ornithology: Blachly.
River basin, *Moxostoma aureolum*: Minckley, W. L. 3.
River counties, notes, geology and mineral resources: Hay 24.
River, Douglas County, Kansas, ages and sizes of 29 flathead catfish: Cross, F. B. 5.
River Valley between Lawrence and Kansas City, chert gravels: MacFarquhar.
River water, immunity of Kansas bottom ground water to changes in composition: Young, C. C. 3.
Rivers, list of Unionidae collected, with localities: Popenoe 4.
Road metal: Marvin 5.
Rooks County and vicinity, annotated list of birds: Imler.
Russell, Ellis, and Trego counties, bromine and iodine content of subsurface waters: Runyon, H. Everett 1.
Salina, silico-barite nodules: Knerr 15.
Salt, analysis: Patrick, G. E. 4.
Salt marshes: Hay 15.
Science, first hundred years: Taft 70.
Science, position and mission: Wilson, W. B. 3.
Scientist, cooperation: Baumgartner, W. J. 7.
Sedgwick County, camps of prehistoric people: Mead, J. R. 2.
Sedgwick County, seed plants: Stieferman.
Shales, gold: Lovewell 4.
Shawnee, Douglas and Johnson counties, glacial erratics: Schoewe 1.
Shawnee ponds and Turkey Creek, limnological conditions, June 8, 1957 to August 16, 1957: Willis, H.
Sheridan County, additions to flora: Weber, Clement 4.
Sheridan County, flora: Weber, Clement 3.
Shrubs and lianas, noteworthy anatomical features from wood: Obee 1.
Sinkholes, related geologic features: Merriam 1.
Snakes, museum of Kansas State University: Mozley.
Snowfall: Younkin.
Sod webworms: Miller, H. D. Oliver.
Soils, analysis: Patrick 3.
Soils, analysis and characteristics: Perkins 9.
Soils, cultivated, loss of nitrogen and organic matter: Swanson, C. O. 1.

Kansas—Continued
Soil moisture and winter wheat: Myers, H. E. 2.
Some news of unusual disease developments on wheat: Johnston, C. O. 2.
South-central, saber-tooth cat: Galbreath, E. C. 7.
South-central, *Ictinia mississippiensis* and *Aegialitis nivosa*: Goss 11.
South-central, westward extension of known geographic range of glass lizard: Stains 1.
Southeast, barrier reefs of Stanton formation (Missourian): Wilson, Frank W.
Southeast, Cherokee strip, preliminary key to herbaceous dicotyledons: Gier, Leland J. 1.
Southeast, scientific development and investigation: Matthews, W. H. 3.
Southeastern, physiography: Adams, G. I. 1.
Southeastern, birds, migration dates: Hall, Harry 2.
Southeastern, dragon flies: Allison.
Southeastern, effect of fertilizer treatment on composition of wheat at different stages of growth: Johnson, W. J.
Southeastern, encephalitis investigations, 1949 and 1950, mosquito light-trap collections: Lungstrom.
Southeastern, geological history of coal lands: Hall, Harry H. 4.
Southeastern, ground waters available for water flooding oil projects: Abernathy 2.
Southeastern, growth and development of black walnut on coal strip-mined land: Rogers, Nelson F.
Southeastern, harvest mouse, *Reithrodontomys montanus griseus*: Brecheisen.
Southeastern, last submersion and emergence of from Carboniferous seas, or those affecting the Carboniferous formation in Kansas: West.
Southeastern, water supplies: Bartow 2.
Southeastern, reclamation of strip-mined areas: Wells, J. Ralph 1.
Southeastern, romance and reclamation of coal lands: Hall, Harry H. 3.
Southeastern, selected records of reptiles and amphibians: Hall, Harry H. 5.
Southern, birds: Mead, J. R. 9.
Southern, westward extension of known geographic range for timber rattlesnake: Hall, E. Raymond 3.
South of Kansas River, eastern Kansas, additional evidence of an ice invasion: Schoewe 3.
Southwestern, birds: Graber.
Southwestern, mammals of Rexroad fauna, Upper Pliocene: Hibbard 11.
Southwestern, pocket gopher, Rexroad fauna, Blancan Age: Franzen 4.
Southwestern, preliminary notes on Pleistocene gravels: Smith, Harold T. U. 1.
Southwestern, rare cameloid from late Pleistocene sands: Riggs.
Southwestern, use of forms by black-tailed jack rabbit: West, R. R.
Species in certain genera of Compositae, stomatal counts: Hetzer 2.
Species of Peronosporaceae: Swingle 1.
Species of pharoh's ant: Smith, Roger C. 4.
Species of *Taphrina*: Mix 3.
Spiders, preliminary list: Scheffer 1.
Spotted ground squirrel and black-footed ferret: Jones, J. Knox, Jr. 2.
Stanton County, vertebrate remains in barn owl pellets: Pettit, Robert M.
State Agricultural College, Kansas Rhyncophora collection: Hayes 2.
State College, Kansas wheat farm culture and implication for guidance: Gordon, Ira J.
State College Museum, Manhattan, Kansas fishes: Jennings, Dolf 3.
State Geological Survey, nomenclature of Kansas coal measure employed: Haworth 5.
State lakes, survey—studies in Kansas limnology: Andrews, Ted F. 1.
State Teachers College students, Emporia, Fascist attitudes: Ingram, Glena V.
State University, Kansas snakes in museum: Mozley.
Streams, origin of names: Mead, J. R. 13.
Sturgeon chub, *Hybopsis gelida*: Cross, F. B. 1.
Survey of fossil vertebrates: Lane 1, 3.
Survey of fossil vertebrates—birds: Lane 5.
Survey of fossil vertebrates—Mammalia: Lane 6, 8.
Survey of fossil vertebrates—the mammals: Lane 7.
Survey of fossil vertebrates—reptiles: Lane 4.
Take-all disease of wheat: White, R. P.
Texas, arachnids collected: Tucker 10.
Texas, field work: Sternberg, Charles H. 15.

Kansas—Continued
Tests of cement manufactured: Murphy, E. C. 2.
Therapeutical notes and descriptions of parts of medicinal plants: Sayre 16.
Traces, mound builders: Mudge, B. F. 4.
Trends, tree migration: Gates, Frank 24.
Triassic rocks: Hay 13.
Troy, extreme case of scaphocephaly from mound burial: Eiseley 3.
"Tuckahoe": Slagg.
Two oil wells, mineralogy of formations and chemical nature of water encountered: Crum.
Two rare birds, white-faced glossy ibis and Clarke's nutcracker: Collette 2.
Two reported meteorite finds: Farquhar 1.
Unitacrinus localities in Niobrara formation: Miller, H. W. 1.
University, academic, vocational and maternal status of three hundred and fifty married women graduates: Sherbon.
University collection of fossil plants, the Dakota Sandstone flora: Baxter 5.
University, Coleoptera collected in New Mexico by entomological expedition: Snow 56.
University, color blindness: Nichols 3.
University, contribution of secondary school chemistry courses to proficiency in general inorganic chemistry and qualitative analysis: Floyd 2.
University drug laboratory, contributions of in enforcement of Food and Drug Law: Watson, G. N. 3.
University entomological expedition to Arizona, 1904 and 1905, results: Snow 53.
University entomological expeditions to Galveston and Brownsville, Texas, 1904 and 1905, results: Snow 52.
University entomological expeditions of 1902–1906, species of Hymenoptera collected in Arizona: Snow 54.
University entomological expedition to Pima County, Arizona, June and July, 1906: Snow 55.
University, Hymenoptera from western United States in collection: Viereck.
University, mountain sheep from state of Washington in collection: Dalquest 2.
University Museum of Vertebrate Paleontology, study of Oligocene Leporidae: Green, Morton 2.
University, Natural History Reservation, lichens: Kramer, C. L. 2.
University, Natural History Reservation, molluscan record of succession: Fitch 3.
University, new water supply: Murphy, E. C. 7.
University, notes and descriptions of Orthoptera from western United States in entomological collections: Rehn.
University, record of zoological majors: Baumgartner, W. J. 2.
University scientific expedition, 1883 and 1884, Lepidoptera and Coleoptera collected in New Mexico: Snow 33.
University, Stubbs collection of fleshy fungi: Showalter 1.
University, two anemometers: Snow 42.
Unusual surface feature: Landes 1.
Uredineae: Bartholomew 1.
Use, misuse and future use of water: Metzler 2.
Variations of *Quercus moehlesbergii*: Yokoyama.
Vegetation, literature: Hopkins 6.
Wabaunsee County, flora: Maus.
Wabaunsee, southeastern Riley and southern Pottawatomie counties, early Pleistocene geomorphic history: Mudge, M. R.
Wallace County, insects: Snow 16.
Water birds, resident, summer, 1955: Mosby.
Water, fluorides, relation to mottled enamel: Gottlieb 1.
Waters, preliminary report on survey to determine their iodine content: Brubaker 2.
Weather
1945: Flora 3.
1946: Flora 4.
1947: Flora 5.
1948: Flora 6.
1949: Garrett, R. A. 1.
1950: Garrett, R. A. 3.
1951: Garrett, R. A. 4.
1952: Garrett, R. A. 5.
1953: Garrett, R. A. 6.
1954: Garrett, R. A. 7.
Weather and its effect on crops: Flora 2.
Weather, fallacies: Flora 1.
Weather service: Lovewell 2.
Weeds, certain, presence of barium in ash and extract of: Bailey, E. H. S. 32.

Kansas—Continued
Weeds, recent migrational trends in distribution: Gates, Frank 25.
Were quails native?: Mead, J. R. 10.
West-central, effect of different intensities and times of grazing and the degrees of dusting upon vegetation on range land: Cressler.
West-central, effects of burning upon prairie: Hopkins 2.
West-central, prairie studies: Albertson 1, 4.
West-central, prairie studies
1940: Albertson 7.
1941: Albertson 8.
1942: Albertson 9.
1943: Albertson 10.
West-central, study of spotted and fallowed wheat field: Blair, Byron O. 2.
West-central, studies of native and red cedars: Albertson 5.
West-central, studies of 189-year-old American elm tree: Albertson 2.
West-central, yields and utilization of forage on a mixed prairie: Riegel 8.
Western, attempt at an ecological evaluation of predators in a mixed prairie area: Wooster, L. D. 5.
Western, cause and control of chlorosis: Myers, H. E. 1.
Western, effect of climate and different grazing and dusting intensities upon yield of short-grass prairies: Lacey.
Western, effect of different intensities of grazing upon three varieties of wheat: Roemer.
Western, effect of drought on animal population: Wooster, L. D. 2.
Western, food coactions of rabbits during periods of stress: Riegel 4.
Western, jack rabbit shifts in range: Carter.
Western, Loup Fork Miocene: Sternberg, Charles H. 4.
Western mammals: Baker, A. B.
Western, mortality of snakes on highways: Bugbee 3.
Western, Niobrara Cretaceous: Williston 10.
Western, notes, condensed vegetation: Reed, Minnie 1.
Western, notes, historic changes in stream courses: Smith, Harold T. U. 2.
Western, outbreak of beet webworm: Wilbur 1.
Western, pasture types in relation to intensity of utilization in past years: Tomanek 1.
Western, plesiosaur skeleton: Sternberg, George F. 3.
Western, Pliocene-Tertiary: Mudge, B. F. 6.
Western, relationship between insects and native forbs and weedy plants: Brandhorst.
Western, seasonal food choices of fox squirrel: Bugbee 4.
Western, status of certain mammals: Wooster, L. D. 1.
Western, subsurface study, black shales: Gordon, Glen H. 2.
Western, swift fox, *Vulpes velox velox*: Martin, Edwin P. 2.
West of hundredth meridian, occurrence of mink: Stains 2.
Wheat farm culture and implications for guidance at Kansas State College: Gordon, Ira J.
Wheat field weed: Johnston, C. O. 1.
Wheat foot-rot disease: Melchers 5.
Wheat, relation of awn to yield: Gemmell.
Wheat stem sawfly: Painter 2.
Why has white-tailed jack rabbit become scarce?: Brown, Leo 5.
Wild flowers, variations: Crevecoeur 4.
Wildlife conservation policies, development: Stene 1.
Wilson County, composition of natural oil: Dains 1.
Wilson County, geological section: Hay 6.
Wilson County, structure and convergence of the formations in Lansing group: Chelikowsky 1.
Winds, should we re-examine?: Albright.
Woodland, *Aplectrum spicatum*: Stevens 9.
Woodson County, first year's invasion of plants, exposed bed of Lake Fegan: McGregor 3.
Woodson County, metamorphic deposits: Mudge, B. F. 12.
Wyandotte County, ferns: Reed, Minnie 2.
Kaolin
Structure, related minerals: Perkins 8.
Kaw
Lake, history: Todd 5.
Reservation, additional notes on timbered mounds: Gould 3.
Reservation, timbered mounds: Gould 2.
River, fluctuations in mineral content: Bushong 7.
Valley anticline: Warfel 2.
Kellerman, William Ashbrook
Willard 20.

Kentucky
Oldham, relations of Liberty-Saluda Whitewater beds: Conkin 1.
Kerr County
Texas, birds: Buechner.
Ketones
Spectrophotometric determination by borohydride reduction: Lichtenstein.
Keynote address
Conference on science and industry: McCain, J. A.
Kidney
Compensatory hypertrophy: Creditor.
Kinetic energy
Knerr 2.
Kingman County
Kansas, survey of Mollusca: Franzen 1.
Kites
Brood of Mississippi, Barber County, Kansas, notes on development: Robinson, T. S. 6.
Knowledge
Application, factors and pitfalls: Peterson, J. C. 8.

L

Labette County
Kansas, survey of filamentous green algae: Bailey, L. L.
Laboratory work
Vs. field work: Wooster, L. C. 20.
Lachnosterna
Vicinity of Manhattan, Kansas: McColloch 3.
Lacustrine beds
Atchison: Todd 8.
Lactose-bile
Test for colon bacillus: Wilson, W. B. 1.
Lagomorpha
And Rodentia, San Josecito Cave: Jakeway, G. E.
Fossil: Walker, M. V. 2.
Lake
Bed, exposed, first year invasion of plants: McGregor 1.
Doniphan, formation of, spring and early summer, 1891: Knerr 4.
El Dorado City, Butler County, Kansas, fishes: Greer.
Fegan, Woodson County, Kansas, first year invasion of plants on exposed bed: McGregor 3.
Kaw, history: Todd 5.
Kansas state, survey—studies of Kansas limnology: Andrews, Ted F. 1.
Michigan glacial, closing: Smyth, B. B. 21.
Lake—Continued
State, Leavenworth County, Kansas, parasites of fishes: Wilson, William D. 2.
Strip mine, college farm, limnological study: Burner.
Three strip mine, food habits of fish and physico-chemical conditions of water: Maupin.
Wooster, Kansas, oxygen relationships during wintertime conditions: Minter, K. W.
Lakes
How they came to Kansas: Stene 2.
Kansas, growth of sport fish: Cross, F. B. 6.
Strip mine, plankton, benthos and fish: Stockinger.
Lamb
Anomalous: Loewen 3.
Lansing group
Wilson County, Kansas, structure and convergence, formations: Chelikowsky 1.
Lantern
Astronomical: Knerr 1.
Languages
Indian of Kansas, replacement by English: Carman.
Laramie
Beds, Converse County, Wyoming, expedition: Sternberg, Charles H. 8.
Beds, Converse County, Wyoming: Sternberg, Charles 10.
Niobrara Cretaceous: Sternberg, Charles H. 9.
Plains, larval trematodes: O'Roke 3.
Larvae
Habits: Gaumer 1.
Law
Zalenski's, on conifer leaves, hearing: Burt, Lucile.
Lawrence
And Kansas City, chert gravels, Kansas River Valley: MacFarquhar.
Kansas, daily temperatures for 21 years, 1868–1888: Snow 47.
Kansas, ecological study of house mouse and Norway rat in city block: King, Otis M.
Kansas, equation of mean monthly temperature curve: Murphy, E. C. 1.
Kansas, gagings of sewage flow: Hoad 2.
Kansas, probable summer temperature: Murphy, E. C. 5.
Kansas, study of dietaries: Bailey, E. H. S. 25.
Kansas, survey of phloem necrosis: Shields 1.

Lawrence—Continued
Kansas, three species of gophers: Dyche 1.
New bird for Kansas list: Dyche 10.
Shales: Yates 4.
Shales, waters from sandstone: Young, C. C. 2.
Lead
Electrodeposition, addition agents: Taft 8.
Electrodeposition, presence of wetting agents: Renich.
Silver molds, Osage Indians: Fay 1.
Leaf
Blight, chrysanthemum, status of *Cylindrosporium chrysanthemi*, as causative agents: Trent 2.
Corn, aphid, Kansas, biotypes: Pathak.
Hopper, *Endria inimica*, host plants: Wilbur 2.
Rust of wheat in Kansas, prevalence and distribution of physiologic races: Huffman, M. D.
Rust of wheat, species of triticum and related grasses as hosts: Johnston, C. O. 5.
Spot, elm, in Kansas, distribution: Kramer, C. L. 1.
Learning
Aptitude in pilots, prediction of ground school aptitude: Baker, W.
Research, teaching and testing, new device: Peterson, J. C. 1.
Reward and punishment: Heilbron.
"Leather Mountain"
Red Rock Canon, Colorado: Knerr 7.
Leavenworth
Prospect well, geology: Jameson.
County State Lake, Kansas, parasites of fishes: Wilson, William D. 2.
Leaves
And fruit, Kansas forest trees identified: Kellerman, W. A. 2.
Conifer, bearing of Zalenski's law: Burt, Lucile.
Dicotyledonous, Dakota, rocks, discovery and significance of stipules: Snow 39.
Evolution: Kellerman, Mrs. W. A. 1.
Needle, age: Shirling.
Selective absorption of heat: Mayer 2.
Stomata, effect of darkness: Hempler.
Lecture
Demonstrations, new: Weber, L. R. 5.
Legumes
Five native Kansas, during first season of growth, root and top development: Gibbens, Robert.
Lenticels
Winter conditions: Kenoyer.
Lepidoptera
And Coleoptera, lists: Snow 28.
And Coleoptera collected in New Mexico by Kansas University Scientific Expeditions, 1883 and 1884: Snow 33.
Eastern Kansas: Snow 8.
Kansas: Snow 8, 18, 21, 24, 28, 33.
Kansas, additions to list: Crevecoeur 8.
List: Snow 18, 24, 28, 33.
Lespedezas
Native, in Kansas: Bentley.
Lespedeza striata
And *Croton monanthogynus* as bank covers: Stevens 4.
Level-of-living
Indexes in wheat counties, analysis: Dost, Jeanne E.
Liatris punctata
New form, Kansas plants new to Kansas herbaria: Horr 7.
Liberalism
And conservatism, personal experiences underlying the formulation of attitudes: Older.
Liberty-Saluda
Relations, Whitewater beds, Oldham, Kentucky: Conklin 1.
Librarian's report
Accessions to the Academy library: See Appendix G.
Library
Kansas Academy of Science catalogue: Cragin 4.
Kansas Academy, and book collections in State House, future of: Lovewell 13.
Lichens
Missouri: Gier, Leland J. 14.
North American, 2, 4-dihydroxy depsides: Hale 2.
University of Kansas Natural History Reservation: Kramer, C. L. 2.
Liesegang's rings
Theories: Hill, J. W. 1.
Light
And water plants, further discussion of municipal ownership: Shirk 2.
Different wave lengths, deterioration of silks: Nelson.
Effect on *Melilotus alba* (sweet clover): Coppedge.
Experiments, upon reproduction, growth and diapause in grouse locusts: Sabrosky.
Inhibition of growth of fungi on rose Bengal media: Kramer, C. L. 14.
Traps, subaquatic, insects and other animal organisms: Hungerford 2.

Lightning
Freaks, 1883: Savage, Joseph 7.
Lignite
Dacotah, horizon: Hay 12.
Limb bones
Articulated, pteranodon in Kansas: Sternberg, G. F. 4.
Lime
And phosphorus, phosphorus absorption of wheat, influenced by applications: Perkins 6.
And sulfur dip, chemical study: Shaw 1.
Content, rocks of Upper Cretaceous System, Ellis County, Kansas: Rarick.
Content, rocks, Upper Cretaceous System, Osborne County, Kansas: Search.
Limestone
Americus: Smith, Alva J. 2.
And coal: Saunders 2.
Atchison, notes on pink barite: Knerr 6.
Brownville, fossil nests, Admire Junction, Kansas: Schoewe 8.
Cottonwood, south of Cottonwood Falls, Kansas, description of changes: Yates 3.
Effectiveness of silicones as water repellents when applied to various types: Lanning 1.
Mississippian, Atchison prospect well, analysis: Porter 1.
Reading Blue: Smith, Alva J. 4.
Silicones, type R Si Y_3 as water repellent: Lanning 5.
Sodium methyl siliconate as water repellent when applied to: Lanning 2.
Limnetic crustacean zooplankton
Northeastern Kansas, species composition and seasonal distribution: Armitage, K. B. 2.
Limnological conditions
Turkey Creek and two ponds: Willis.
Limnological study
College farm strip mine lake: Burner.
Limnology
Kansas, studies, survey, Kansas state lakes: Andrews, Ted F. 1.
Limonite
Octahedral: Haworth 4.
Lion
American, or puma: Dyche 5.
Lipid
Antigens of *Corynebacterium diphtheriae*, hemagglutinative behavior: Learned.
Lipid—Continued
In bone marrow of rat, pig and cat, quantitative studies on distribution: Goodman.
Liquids
Crystalline: Porter 2.
Junction potentials, study: Holmen.
Super-heated, and super-saturation of vapors, experiments: Nichols 1.
Liquor
Mother, diemethyl acetal of alpha-hydroxy-beta-methoxy-beta-phenyl propiopheonone, investigation of composition: Rankin 2.
Lizard
And batrachians, Kansas, food habits: Hartman, Frank 2.
Coleonyx brevis and *Coleonyx variegatus*, relationships: Smith, Hobart M. 4.
Collared, remarks concerning systematics, description of new sub-species: Fitch 1.
Descriptions new, genus *Sceloporus*, Mexico and southern United States: Smith, Hobart M. 5.
Genera *Abronia* and *Xenosaurus*—two new, Los Tuxtlas Range, Veracruz, Mexico: Werler, J. E.
Genus *Phrynosoma*, Mexico: Smith, Hobart M. 6.
Glass, westward extension of known geographic range, south-central Kansas: Stains 1.
Mexican, genus *Anolis*, description of new species: Smith, Hobart M. 3.
New burrowing, Oligocene, central Wyoming: Walker, M. V. 3.
New fringe-footed (*Uma*) Mexico: Williams, K. L. 2.
Scincoid, genus *Eumeces*, proposed changes in nomenclature: Taylor 2.
Southeastern United States: Burt, Charles E. 6.
United States and Canada: Burt, Charles E. 3.
Loam
And clay, effect on strength of Portland cement mortar: Hoad 1.
Locopoison
And locoweed: Sayre 29.
Locoweed
And loco poison: Sayre 29.
Bibliography: Sayre 18.
Sayre 1, 17.
Locust
Flight east of the Mississippi: Riley.
Grouse, experiments with light upon reproduction, growth, and dispause: Sabrosky.

Locust—Continued
Grouse, genetics: Good.
Rocky Mountain: Snow 11.
Loess
Aqueous: Todd 7.
Eolian: Todd 4.
Hills, Sandhills ecotone, central Nebraskan, native vegetation: Hopkins 4.
Logan County
Kansas, breathing well: Willard 8.
Nickel mines: Snow 41.
Logan Grove
Geary County, Kansas, forest studies: Smith, Lloyd F. 1.
Longevity
Health, disease, noise, relation: McWarf 3.
McPherson County: Harnly 6.
McPherson County, study: Mohler 3.
Yale graduates: Lovewell 14.
Los Tuxtlas Range, Veracruz, Mexico
Two new lizards (genera *Abronia* and *Xenosaurus*): Werler, J. E.
Louisiana
Amphibians and reptiles: Burt, Charles E. 8.
During recent years, black flies: Tucker 17.
Overflowed land, grasshoppers: Tucker 15.
Loxia curvirostra
Strickland Ridge, notes: Lantz 2.
Lunar influence
Modulus, not in a lifting, but in a falling movement: Jewett, J. J. 3.
Lyon County
And Chase County, Kansas, list of amphibians and reptiles: Breukelman 2.
And Chase County, Kansas, revised list of amphibia and reptiles: Breukelman 8.
And vicinity, birds: Downs, Theodore 1.
Coal measures: Kelley 1.
Kansas, chert gravels: Wooster, L. C. 21.
Kansas, check list of vertebrates: Clarke, R. F. 3.
Kansas, freshwater algae: Mentzer.
Kansas, geology: Smith, Alva J. 3.
Winter population of *Streptocephalus seali* Ryder inhabiting roadside ditch: Prophet, C.
Lyophilic colloids
Dispersion medium, furfural: Taft 6.
In liquid ammonia, behavior: Taft 1.
Lysiphlebus sp.
Habits: Withington 1.
Lyxozyme
Study of respiration of *Micrococcus lysodeikticus*, presence of: Peniston.

M

Madison
Kansas, analysis of magnesium water: Bushong 3.
Kansas, deep well: Bushong 2.
Maine
Castine, stratigraphic relations between Ellsworth and Castine formations: Wingard.
Maize
Variations in nitrogen content, possibilities for improvement: Willard 9.
Magnesium
Calcium and barium, ferrocyanides: Dains 2.
Manufacture and alloys: Zinszer, W. K. 2.
Serum, magnesium levels in mammalian hibernation: Riedesel.
Water, Madison, Kansas, analysis: Bushong 3.
Magnetic declination
Kansas: Marvin 1.
Kansas, October, 1880: Smith, H. S. 1.
Magnetite
Occurrence, Arkansas River bed between Ford and Arkansas City: Sphar.
Magnetization
Destruction of passivity of iron in nitric acid: Nichols 5.
Maladjustment
Responsibility: Brigden 3.
Mallophaga
Notes: Kellogg 3.
Malvastrum coccineum
Long continued blooming: Reed, Minnie 4.
Mammals
Amphibians and reptiles, Meade County State Park: Tihen 2.
And birds, fauna of "Rock City": Wooster, L. D. 4.
Bones under Sleeping Bear Dune, deposit: Gates, David M. 1.
Early Tertiary, two cases of dental anomaly: Wilson, Robert W. 1.
Eastern Nebraska prairie: Whelan.
From owl pellets taken in Coahuila, Mexico: Baker, Rollin H. 1.
Southwestern Iowa: Findley 1.
Genus *Ondatra*, triangles in teeth: Galbreath 1.
Hibernation, serum magnesium levels, Riedesel.

Mammals—Continued
Identification, studies of hair structure: Oyer.
Kansas: Knox 2.
Kansas, additions: Knox 3.
Kansas: Lantz 13.
Kansas, list: Lantz 9.
Kansas, check list: Hibbard 15.
Kansas, revised check list: Hibbard 1.
Kansas, additions and corrections to list: Lantz 11.
Kansas, notes on other, and *Etadonomys*, a new Pleistocene heteromyid rodent: Hibbard 14.
Kansas, additional records: Anderson, Sydney 1.
Litter records, Meade County, Kansas: Rinker.
Nebraska, subspecific identity, gray squirrel: Jones, J. Knox, Jr. 6.
Parabiosis: Solomon, Phyllis A.
Pleistocene of Kansas, notes: Hibbard 8.
Rexroad fauna, Upper Pleistocene, southwestern Kansas: Hibbard 11.
Rexroad, new testudo, Upper Pliocene, Kansas, additional notes: Oelrich.
Skins, care of, kept for museum purposes: Dyche 11.
Small, contents of owl pellets as indicators of habitat preferences: Wooster, L. D. 3.
Small, in tall-grass prairie plot, effect of microclimate on distribution: Hays, H. A. 1.
Small Kansas, census, five year report: Gier, H. T. 3.
Survey, fossil vertebrates, Kansas: Lane 1, 3, 4, 5, 6, 7, 8.
Tracks, fossil, Graham County, Kansas: Robertson 7.
Two, Clay County, extension of natural range: Schaffner, J. H. 2.
Western Kansas: Baker, A. B.
Western Kansas, present status: Wooster, L. D. 1.

Mammoth Cave
National Park proposed, amphibians and reptiles: Hibbard 4.

Mammoth remains
Franklin County, Kansas: Charlton 1.

Man
Abnormal: McWarf 4.
And microbes: Sundwall.
Antiquity of: Thompson, A. H. 2.
Culture emergence: Thompson, A. H. 11.
Early, experiences, America: Sternberg, Charles H. 1.
Evolution, and mutations: Thompson, A. H. 12.

Manganese
In water, occurrence: Young, C. C. 1.

Manhattan
Area, fragmentary crinoids, Lower Permian: Byrne 4.
Kansas, annotated list of birds: Lantz 1.
Kansas, Lachnosterna, vicinity: McColloch 3.
Kansas State College Museum, Kansas fish: Jennings, Dolf 3.
Kansas, summer hay fever plant survey: Horn, Elsa 2.
Kansas, annual precipitation of rain and snow for past thirty-two years: Breese 2.
Kansas, wind velocity: Breese 3.

Mantis
Common, occurrence of *Podagrion mantis* in eggs: Smyth, Lumina C. Riddle 1.

Mapping
Electric fields in curvilinear squares: Koopman 1.
Field, use of complex numbers: Koopman 2.

Marais des Cygnes River
Ottawa, partial list of fish: Wheeler, Wm. 2.

Marianas
Birds on Tinian: Downs, Theodore 2.

Marine
Tertiary stratigraphy of North Pacific coast, North America: Reagan 12.

Marion
And Wellington formations, southern extension: Gould 8.
Stage, Kansas Permian, formations: Beede 6.

Marisa rotula
Shell repair: Mallory.

Mars
Where did it get its moons: Miller, E. 4.

Marsh
Raised, Muscotah, Kansas: Horr 4.
Salt, Kansas, notes: Hay 15.

Martynia louisiana Mill
Anatomical study: Mayberry 5.

Marvin, Frank Olin
Necrology: Bailey, E. H. S. 35.

Masonry materials
Durability and function of silicones: Lanning, F. C. 8.

Mastodon
Remains, Douglas County: Savage, Joseph 2.

Mathematical models
Emch 1.

Maturation
And writing grade, correlation: Snyder, Dorrice.

McColm, Mr. and Miss
Work of, nature photography in Kansas: Meeker 3.

McPherson
College 1937 summer biology trek, fossil beds: Davis, Phillip Bruce.
College, diamonds: Hershey 15.
County, Equus beds, fossil tusk: Deere 1.
County, Kansas, Pleistocene fossils: Nininger 4.
County, longevity: Harnly 6.
County, provisional list of flowering plants: Harnly 2.
County, study of longevity: Mohler 3.
Equus beds: Beede 1.
Equus beds, vertebrate fossils: Harnly 4, 7.

McVicar, Peter
Necrology: Grimsley 6.

Mead, James Richard
Necrology: Lovewell 12.

Meade County
And Clark County, Kansas, Mollusca: Leonard, Alice A. 2.
Kansas, litter records, mammals: Rinker.
Kansas, new Pleistocene fauna: Hibbard 9.
Kansas, Upper Pliocene fauna: Hibbard 5.
State Park, amphibians, reptiles, and mammals: Tihen 2.

Meadow vole
Spermatogenesis, *Microtus pennsylvanicus*: Beach 1.

Measurement
Astronomical polar, earth: Wilcox, J.

Measurements
Sun City Natural Bridge: Jewett, J. M. 4.

Mechanical power
Development, last decade: Sibley.

Mechanism
Whittaker quantum: Kester.

Media
Comparison: Kansas aeromycology I: Rogerson, C. T. 6.

Medical education
And research: Roofe 3.

Medical pharmaceutical chemistry
Early history: Sayre 47.

Medicinal agents
Standards of purity: Sayre 51.

Medicinal chemicals and organic substances
Chemical processes for detection: Sayre 22.

Medicinal and economic Kansas plants
Reputed therapeutic properties: Smyth, B. B. 26.

Medicinal plants
Growing in Kansas, therapeutical notes and descriptions of parts: Sayre 16.
United States, cultivation: Sayre 39, 44.

Medicinal vegetable substances
Extractive yield: Sayre 11.

Medicine
Bacteriology and the war: Sherwood 1.
Early history: McWarf 10.
Quality of, relation of public health: Sayre 26.

Medullary ray
Element of strength in structural timber: Jones, Frank E.

Megakaryocyte
And blood platelet production in albino rats, effects of radiation from intraperitoneally injected radium chloride: Roofe 1.

Melampsorella
Aecial hosts, preliminary observations: Pady 2.
Further notes on witches' brooms and substomatal pyonic: Pady 3.

Melanism
Meloidae, Sonora, Mexico: Selander, R. B.

Melanophores
Embryos and larvae of *Typhlogobius californiensis* Steindachner, development and reactions: Coonfield 2.

Meleagris ocellata
Notes: Gaumer 3.

Melissodes lupina Gresson
Notes on variation: Cockerell 3.

Mellon Institute
Organization and management: Weidlein.

Meloidae
Sonora, Mexico, melanism: Selander, R. B.

Memorial address: See also Appendix I.
Dr. Snow as a teacher: Sayre 30.
Francis Huntington Snow Memorial: Bailey, E. H. S. 30.
Francis H. Snow: Miller, E. 9.

Memorial address—Continued
Professor Benjamin F. Mudge: Parker, John D. 3.
Professor Snow as a teacher: Stevens 2.
Scientific papers of Dr. Snow: Marvin 7.
Memoriam
James H. Carruth: Bailey, E. H. S. 20.
Joseph Savage: Hay 19.
Robert Hay: Thompson, A. H. 10.
Men
And women in college residence hall, nutritive value and cost of food consumed: Atkinson, Ester.
Mental deficiency
Psychological problems: Lichlyter.
Mental deterioration
Index in diagnosis of organic brain disease, Wechsler's: Kass 2.
Mental efficiency
Some chemical products of physical fatigue and other possible effects: Dockeray.
Mental fatigue
And amoxemia, skin conductance changes: Geldreich 2.
Skin conductance changes: Geldreich 1.
Mental hygiene
Concept of gradient of personality integration as substitute for Freudian concepts: Mason, Harry.
Mental maturity
Test scores, California, correlation of college freshmen chemistry marks: Hopka.
Mental performance
Uniform test: Peterson, J. C. 9.
Mental test
Children exhibiting pattern loss during performance: Cowan 4.
Mental work
Blocks galvanic skin response: Geldreich 5.
Mentor beds
Jones, A. W. 1.
Further studies: Jones, A. W. 3.
New developments: Jones, A. W. 2.
The fauna: Jones, A. W. 4.
Mercuric chloride
Speed of toxic action on *Daphnia pulex*: Breukelman 1.
Mercuric iodide
Banded precipitates, effect of light upon formation: Taft 4.
Mercurous sulfate
For standard cells: Cady 3.
Mercury
And Venus and satellites of solar system, periods of rotation: Miller, E. 2.
Vapor, electron-atom collision effects: Foard.
Meridian
Heliostat, notes on device for settling: Pettit, Edison 3.
Metabolic rate
Of flour beetle, *Tribolium confusum*: Calderwood, W. A.
Metal
Electronic detector: Zohner, J.
Metallic salts
Determining solubilities: Patrick 3.
Metallic sulfamates
Aldehyde derivatives: Morin.
Decomposition: Choguill, H. S. 4.
Metals
Electrodeposition, from solutions of their sulfamates: Choguill, H. S. 1.
Metamorphic deposits
Woodson County, Kansas: Mudge, B. F. 12.
Metamorphism
South Woodson County: Shaffner 2.
Meteors
Observations of November: Short.
Meteorite
And formation of meteorodes, notes on oxidation: Nininger 2.
Brenhan, additional notes: Hay 16.
Discoveries, Kansas, 1873–1948: Nininger 10.
Finds, two reported in Kansas: Farquhar 1.
Kansas: Snow 49.
Kansas, since 1925: Nininger 9.
Kansas: Nininger 5.
Kansas, fall of December 17, 1928: Nininger 3.
Kansas, new: Nininger 1.
Norton, Kansas, significance: Nininger 11.
Waconda: Patrick 8.
Meteorodes
Formation of, notes on oxidation of certain meteorites: Nininger 2.
Meteorological education
In Kansas: Lokke 1.
Meteorological research
Recent developments: Sarle.
Meteorological summary
Snow 26.
1872: Snow 3.
1873: Snow 4.
1874: Snow 6.
1875: Snow 10.

Meteorological summary—Continued
1876: Snow 13.
1877: Snow 20.
1881: Snow 30.
1882: Snow 31.
1883: Snow 32.
1884: Snow 36.
1885: Snow 37.
1886: Snow 39.
1887 and 1888: Snow 44.
1889: Snow 47.

Meteorology
Bibliography, Kansas—severe local storms: Lokke 2.

Method
New, preparation of anhydrous acetates: Adams, Myrl R.

Methods
Comparison of chromatographic and microbiological assay, determination of nucleic acid in Newcastle virus: Newman, F. S.

Mexico
And Central America, birds collected by Col. N. S. Goss: Lantz 6.
And southern United States, description of new lizards, geuns *Sceloporus*: Smith, Hobart M. 5.
Coahuila, mammals from owl pellets: Baker, Rollin H. 1.
Eastern, geographic range of hairy-legged vampire: Dalquest 1.
Eastern, reptiles and amphibians: Darling.
New fringe-footed lizard (*Uma*): Williams, K. L. 2.
New species of Amphibia: Taylor 3.
New species of fringe-limbed tree frog, studies of American hylid frogs—VIII: Duellman, W. E.
Northern, amphibians and reptiles: Webb.
Notes, lizards, genus *Phrynosoma*: Smith, Hobart 6.
Nuevo Leon, San Josecito Cave, Pleistocene Lagomorpha and Rodentia: Jackway.
Oxaca, reptiles: Smith, H. M. 21.
Southern Sonora, 1953, archaeological survey: Fay 2.
Sonora, amphibians and reptiles: Smith, P. W. 5.
Sonora, melanism in *Meloidae*: Selander, R. B.
Tropical, netting bats: Dalquest 3.
Veracruz, Los Tuxtlas Range, two new lizards (genera *Abronia* and *Xenosaurus*): Werler, J. E.
Veracruz, notes on amphibians of Los Tuxtlas Range: Shannon 2.

Miami County, Kansas
Growth ring study of unusually old bur oak: Smith, Lloyd F. 2.

Mice
Albino, social hierarchy: Uhrich.
Effect of orally-administered flavonoids on procaine-bisulfite mortality: Wenzel, D. G.
Pregnant, effects of hypoxia on embryos: McCluskey.
Serum proteins, electrophoretic analyses: Dolyak 2.
White, sex and relative duration in pure oxygen: Hershey 9.

Michigan
Cheboygan County, ecological study of Wolf's Bog: Dutro.
Deposits, origin of gypsum, special reference to origin: Grimsley 7.
Glacial lakes, closing: Smyth, B. B. 21.
Lake, Hat Island, revegetation after bombing: Gates, Frank 34.

Microbial flora
Grades cream: Hunter, O. W. 1.

Microbiological studies
Effect of straw used as mulch: McCalla 2.

Microcamera
New, significance to science teachers and students: Weber, L. R. 4.

Microclimate
Effect on distribution of small mammals: Hays, H. A. 1.

Micrococcus
Cellulose digesting, preliminary description: Garrison.
Lysodeikticus, presence of lysozyme, respiration: Peniston.

Microflora
Grassland and a forested soil: Williamson.

Microbes
And man: Sundwall.

Microorganism
And soil structure: McCalla 4.
And struggle for existence: Bushnell 1.
Effect on physical properties of asphalt: Harris, J. O. 7.
Effects of ultrashort radio waves and ultraviolet light: Gier, Leland J. 3.

Microorganisms
Soil and pipeline coatings: Harris, J. O. 8.

Micropycondon
New name of Pyenomicrodon, Habbard and Graffham not Hay: Hibbard 16.

Microspermopteris aphyllum var. *Kansensis*
Coal Age flora of Kansas: Baxter 2.
Microtus pennsylvanicus
Meadow vole, spermatogenesis: Beach 1.
Microscope
Pocket, new frame: Sayre 8.
Microscopic mounts
Of insect material, tertiary butyl alcohol as dehydrating agent in preparing: Tuck.
Microscopic work
Inexpensive reagent bottle of service in: Knerr 5.
Micro-wave
Phenomena: Gladfelter, Robert E.
Midcontinental field
Heating values of gases: Allen, H. C. 1.
Midwest
Cash crop areas, physical factors of environment, relation: Hoag.
Migrations
Cretaceous forests: Mudge, B. F. 9.
Reports of birds, east-central Kansas: Miller, R. F. 5.
Military service
Loss of teeth as disqualification: Baumgartner, Edward.
Milk
And colostrum, preliminary study of vitamin A content: Kunerth 2.
And cream, influence of separator upon the distribution of bacteria: Havenhill 2.
Biological assay, with lacto flavin as standard for vitamin C: Kunerth 4.
Source of Riboflavin (vitamin C): Kunerth 5.
Weed floss collection in Kansas: Gladfelter, C. F.
Millet
Investigation: Sayre 32.
Millstones
One of the first: Graham, A. A. 1.
Mine
And minerals, Kansas: Grimsley 3.
Center mining district, Ontario, and adjacent territory in United States: Reagan 17.
Coal, preliminary report, investigation of explosions: Haworth 7.
Nickel, Logan County: Snow 41.
Strip, area, southeastern Kansas, reclamation: Wells, J. Ralph 1.
Mineral
Absorption caused by gibberellic acid: Breck.
Mineral—Continued
At home: Stevens, R. E.
Composition, dehydrated alfalfa: Shrenk 2.
Content, Kaw River, fluctuations: Bushong 7.
Content, sweet clover, varietal and seasonal differences: Kroeker.
Exhibit, Kansas, at St. Louis: Grimsley 5.
Industries, Kansas, during the depression: Landes 3.
New, Kansas: Willard 1.
Lake, Kansas, ecological study of the fishes: Hall, H. H. 1.
Localities, Kansas: Carpenter, A. C. 1.
Potash, in Kansas Permian salt, identification of polyhalite: Swineford 1.
Resources—economic geography of Kansas: Schoewe 29.
Resources of river counties of Kansas and their geology: Hay 24.
Spring in the vicinity of "The Great Spirit Spring," Mitchell County, Kansas, on composition of water from: Bailey, E. H. S. 18.
Veins and placers, the genesis of gold in: Lovewell 7.
Water, Kansas: Davies.
Waters: Failyer 6.
Waters, Atchison and Nemaha County: Knerr 10.
Waters, Kansas: Bailey, E. H. S. 13.
Waters, Kansas: Failyer 5.
Waters, Kansas, notes: Failyer 2.
Waters, utilization of: Bailey, E. H. S. 3.
Minerals
And mines, Kansas: Grimsley 3.
Associated, and barite, concretionary rocks, eastern Kansas: Bailey, E. H. S. 14.
Decomposition by grinding: Parkert.
Kansas, notes: Haworth 3.
Kansas, revised list: Failyer 11.
List, Kansas: Mudge, B. F. 11.
Phosphate fixation by soil: Perkins 7.
Related, and structure of kaolin: Perkins 8.
Springs and wells of Kansas, report: Bailey, E. H. S. 23.
Well, Iola, Kansas: Kedzie 4.
Mineralogical analyses
Eastern Kansas: Whitla.
Mineralogy
Formations and chemical nature of water encountered, two Kansas oil wells: Crum.
Oxygen and its relation: Cooper 1.
Study for self-culture: Cooper 2.

Mining
Coal, Atchison County: Knerr 19.
Mink
Occurrence west of hundredth meridian in Kansas: Stains 2.
Minnesota
Bois Fort Indian Reservation and adjacent territory, birds: Reagan 14.
Nett Lake, plague of cholera infantum, fall, 1913: Reagan 18.
Minnow
Bullhead, intergradation: Hampton.
Bullhead, nomenclature in Pimephalinae: Cross, F. B. 1.
Minnows
Pimephales promelas Rafinesque, notes, captive: Burage.
Minutes and reports, Academy secretary: See Appendix L.
Miocene
Loup Fork, western Kansas: Sternberg, Charles H. 4.
Nebraska, additional specimen, rodent *dikkomys*: Galbreath 3.
Wyoming and chalk beds of Kansas, expedition: Sternberg, Charles H. 11.
Mirages
Observation: Smyth, B. B. 27.
Mississippi
Kites, brood, Barber County, Kansas, notes on development: Robinson, T. S. 6.
Locust flights, east of: Riley.
Mississippian limestone
Atchison prospect well: Porter 1.
Missouri
Algae: Gier, Leland J. 13.
Arkansas, and Oklahoma, six new cray fishes, genus *Orconectes*: Williams, Austin B.
Clay County flora Polyporaceae: Gier, L. J. 17.
Grand River, more evidence that Platte River, Nebraska, connected with: Todd 11.
Clay County, flowering plants: Gier, Leland J. 9.
Lichens: Gier, Leland J. 14.
Montana State Park, Dent County, amphibians and reptiles: Myers, C. W. 2.
Nematodes from silos: Case, A. A. 4.
Pacudacris streckeri illinoensis: Smith, Phillip W. 3.
Prairie habit, contents of pellets of short-eared owl, *Asio flammeus*: Long, C. A. 2.
River, notes on cestodes in paddlefish: Wilson, William D. 1.
River—Continued
River, south of, newly found locality of glacial striae: Jewett, J. M. 3.
Second record of *Hemidactylium scutatum*: Smith, Phillip W. 4.
Series, eastern Kansas, insoluble residues: Keroher, Grace 1.
Washington State Park, Washington County, amphibians and reptiles: Myers, Charles W. 1.
Missourian Stanton Formation
Southeast Kansas, barrier reefs: Wilson, Frank W.
Mistletoe
American, associated insects: Tucker 19.
Mitchell County, Kansas
Composition of water from a mineral spring in the vicinity of "The Great Spirit Spring": Bailey, E. H. S. 19.
Unusual type of sink: Landes 2.
Waconda or "Great Spirit Spring": Swineford 2.
Mitochondria
Are they dynamic cytoplasmic structures?: Payne 1.
Mitotic phases
Root tips, periodicity and rhythmicity under varying light conditions: Solomon.
Modulus
Lunar influence, not in a lifting, but in a falling movement: Jewett, J. J. 3.
Moisture
And temperature, affecting sorghum seed and germination: Evans, W. F.
Relations and shoot root ratio: Gier, Leland J. 7.
Soil, and winter wheat in Kansas: Myers, H. E. 2.
Molasses
Comparative analysis: Perkins 4.
Mole
Common garden, food habits: Dyche 2.
Investigating: Scheffer 4.
Runway studies: Scheffer 6.
Three genera, ecological comparison: Scheffer 10.
Molds
Lead-silver, Osage Indians: Fay 1.
Mollusca
Kansas, new state records: Franzen 2.
Kingman County, Kansas: Franzen 1.
Meade and Clark counties, Kansas: Leonard, Alice A. 2.
Records of succession, University of Kansas Natural History Reservation: Fitch 3.

Molybdate
Reduced, thiocyanate complexation of molybdenum in solution: Kolling 4.
Molybdenite
Preliminary report on thermo- and actino-electric properties: Johnson, Otis.
Molybdenum
Thiocyanate complexation, solution of reduced molybdate: Kolling 4.
Monotidae
Habits: Gaumer 2.
Monster
Pig, double-*Thoracopagus disymmetros*: Baumgartner, W. J. 6.
Montana
Notes on gold: Mead, J. R. 3.
Montana State Park
Dent County, Missouri, amphibians and reptiles: Myers, C. W. 2.
Montezuma
Birthplace, holiday excursion: Case, Theo. S.
Montgomery County
Preliminary notice of flora: Plank.
Monument
Proposed national, Ottawa County, Kansas, symposium on "Rock City," introduction, history and geology: Schoewe 16.
Rocks, Gove County, Kansas—fauna: Wooster, L. D. 6.
Rocks, Gove County, Kansas—geology: Robertson 1.
Rocks, Gove County, Kansas—vegetation: Albertson 3.
Sand Dunes State, preliminary report: Smith, Harold T. U. 3.
Moon
Earth theory: Hughbanks.
Motion, discrepancies between theory and observation: Bardwell 2.
New theory of surface markings: Miller, E. 3.
Preliminary studies: Marlatt, F. A.
Where did Mars get its: Miller, E. 4.
Moraines
Buried, of the Shunganunga: Smyth, B. B. 20.
Glacial, vicinity of Estes Park, Colorado: Wooster, L. C. 17.
Of the glacier southwest of Topeka: Wooster, L. C. 10.
Morphogenesis
Of embryonic epithelia, factors: Sauer.
Morphological characters
Host and fungus to identification of loose and covered smuts of oats, relation: Kingsley.
Morphological studies
Dermatophytes in chick embryo membranes: Showalter 3.
Genus *Nocardia*, bright phase contrast observations of living cells: McClung, Norvel M. 2.
Morphology
And life history of *Plascosphaera opaca*: Showalter 2.
Helianthus annuus L., effects of controlled conditions: Ungar, I. A.
Of *Veronicastrum virginicum*: Dill 1.
Of the wheat seedling, relation of depth of planting: Lunsford.
Mortality
And growth of fry to fingerling channel catfish (*Ictalurus punctatus*), effects of five diets: Gray.
Of mice, effect of orally-administered flavonoids on procaine-bisulfite: Wenzel, D. G.
Mortars
Portland cement, effect of clay and loam on strength: Hoad 1.
Mosaic
Virus, wheat streak, summary of known host range: Sill 2.
Virus and disease—characteristics of wheat streak: Sill 1.
Wheat streak—a gramineous virus disease: Sill 5.
Mosasaur platecarpus
Calcified tympanic membranes: Vaughn, Peter Paul.
Mosquito
Light-trap collections, encephalitis investigation, southeastern Kansas, 1949 and 1950: Lungstrom 3.
Mosquitoes
Douglas County: Overman.
Kansas, biological and taxonomic observations: Hill, Mrs. N. D.
Mosses
Kansas: Reed, Minnie 3.
Motion
Moon's, discrepancies between theory and observation: Bardwell 2.
Moths
Collected by Professor Snow in New Mexico: Grote 2.
Three notes on early stages: Marlatt, C. L. 3.
Mother
Fixation as expression of child's doubt of parent's affection: Cowan 3.
Motor
Repetition vs. pattern repetition in memorization of music, preliminary study of relative efficiency: Brigden 2.

Mound
Builders, civilization: Fellow, H. C.
Builders, traces, Kansas: Mudge, B. F. 4.
Burial near Troy, Kansas, extreme case of scaphocephaly: Eiseley 3.
Davis (Geary) County: Parker, John D. 4.
Kansas: Adams, F. G. 1.
Prehistoric, Cowley County: Gould 1.
Timbered, Kaw Reservation: Gould 2.
Timbered, Kaw Reservation, additional notes: Gould 3.

Mounds
Harvester, collecting fossils: Galbreath 8.

Mountain
Amethyst, christening: Savage, Joseph 5.
Baboquivari, birds, during June and July: Adams, L. A.
Glass, western Oklahoma, geology: White, Mark.
Leather, Red Rock Canon, Colorado: Knerr 7.

Mount Vernon
Engineering: Ward.

Mouse
Cage, inexpensive: Wenzel 1.
Harvest, *Reithrodontomys montanus griseus*, southeastern Kansas: Brecheisen.
House, and Norway rat in city block, Lawrence, Kansas, ecological study: King, Otis M.
Effects of X-radiation on intestinal photophatase: Howieson.
White-footed, eastern Kansas: Rainey 3.

Moxostoma aureolum
Kansas River Basin: Minckley, W. L. 3.

Mudge, Mrs. Mary E.
Necrology: Willard 15.

Mudge, Professor Benjamin F.
Memorial: Parker, John D. 3.

Mulch
Effects on yield and cover in mixed prairie: Hopkins 7.
Microbiological studies, effect of straw used: McCalla 2.

Multituberculate
New, from Paleocene Torrejon fauna, New Mexico: Wilson, Robert W. 2.

Municipal illumination
Shirk 3.

Municipal ownership
Water and light plants: Shirk 2.

Muscles
Animals treated with male sex hormone, work capacity: Herrick, Earl H. 7.
Eye, imbalance among college students: Askren 1.
Infrahyoid, unusual course of cervical nerve fibers: Latimer 1.

Museum
Kansas State College, Manhattan, Kansas, fishes: Jennings, Dolf 3.
Kansas State University, Kansas, snakes: Mozley.
Purposes, care of mammal skins: Dyche 11.
State University, Kansas fishes: Breukelman 4.
Use, comparison of preservative fluids: Kellogg 1.
Vertebrate paleontology, study of Oligocene Leporidae in Kansas University: Green, Morton 2.

Mushrooms
Edible, Kansas: Bartholomew 2.

Muskrat
Teeth, growth and development: Galbreath 4.

Mustard
Estimation of volatile oil: Sayre 6
Oil, xenyl, as reagent for amines: Brewster 3.

Mutations
And the evolution of man: Thompson, A. H. 12.

Mycological notes, Kansas
1934: Lefebvre 1.
1935: Lefebvre 2.
1936: Johnston, C. O. 3.
1937: Johnston, C. O. 4.
1945: Pady 4.
1946: Pady 5.
1951: Rogerson 1.
1952: Rogerson 2.
1953–1954: Rogerson 3.
1955–1956: Rogerson 4.
1957: Rogerson 5.

Mycology
And osteology of tree sciurids with regard to adaptation to arboreal, olisant, and fossorial habits: Peterka.

Mydaidae
Notes and descriptions: Williston 11.

Myxomycetes
Clay County, Kansas: Shaffner.
Kansas: Brooks 2.
Kansas: Kramer, C. L. 6.

N

Nails
Stop biting: Anderson, B.

Names
Origin, Kansas streams: Mead, J. R. 13.

Naphthalene
Two beta arsenical derivatives: Brown, Harold P. 1.

National Monument
Proposed, Ottawa County, Kansas, symposium on "Rock City," introduction, history, and geology: Schoewe 16.

Natural gas
Kansas, helium: Cady 2.
Neon and argon: Cady 4.

Natural history
Heoderma suspectum, notes: Hensley 1.
Notes, 1859: Mead, J. R. 8.
Possibilities of Belvidere, Kansas, and vicinity: Gould 5.
Reservation, University of Kansas, lichens: Kramer, C. L. 2.
Society and Kansas Academy of Science, founders and workers: Wooster, L. C. 25.

Naturalist
Versatile Kansas, F. F. Crevecoeur: Smith, Roger C. 2.

Nature
Color: Todd 9.
Design in Great Plains, man's disorder: Albertson 11.
Photography in Kansas, the work of Mr. and Miss McColm: Meeker 3.
Upsetting the balance, special reference to Kansas and the Great Plains: Smith, Roger C. 3.

Nebraska
And Kansas, the Dakota Cretaceous: Gould 6.
And Kansas, correlation of the Coal Measures: Beede 4.
Central, native vegetation of Loess Hills–Sandhills ecotone: Hopkins 4.
Hot Bluff: Kedzie 2.
Mammals checklist: Jones, J. Knox, Jr. 4.
Miocene, additional specimen of rodent dikkomys: Galbreath 3.
Northwestern, fossil beds observed on McPherson College 1937 Summer Biology trek: Davis, Phillip Bruce.
Platte River, more evidence that it formerly connected with Grand River, Missouri: Todd 11.
Prairie, eastern, mammals: Whelan.

Nebraska—Continued
Subspecies, gray squirrel, Kansas: Jones, J. Knox, Jr. 6.

Necrology: See Appendix I.

Necrosis
Phloem, observations: Shields 3.
Phloem, survey, Lawrence, Kansas: Shields 1.

Needle leaves
Age: Shirling.

Nemaha
And Atchison County mineral waters: Knerr 10.

Nematode
Capillaria, occurrence of in colony of pigeons and methods of control: Cauthen.
Found in *Blastella germanica*, experimental investigation into the life history of *Blatticola blattae*: Bozeman.
From silos in Missouri: Case, A. A. 4.
Parasites of American cockroach: Dobrouolny, Charles G. 2.

Neon
And argon in natural gas: Cady 4.

Neosho River
Basin, Upper, water supply and laws of rainfall: Wooster, L. C. 23.

Nerve
Excitability and cell permeability, sodium-calcium balance as a function: Hall, J. Lowe 1.
Fibers, cervical, unusual course of to infrahyoid muscles: Latimer 1.

Nervous system
Chick embryo, abnormalities: Alsop, Florence.
Peripheral, earthworm: Coonfield 1.
Recent advances: Herrick, C. Judson.

Nesting
Record, new, pine siskin: Crevecoeur 9.

Nests
Fossil, Brownville limestone, Admire Junction, Kansas: Schoewe 8.

Nestrums
Sayre 35.

Newcastle
Virus, interference by swine influenza virus: Carr.

Newcastle disease
Bushnell 2–12.
Virus, catalase production in infected chick embryos: Eisenstark 1.
Virus, inoculation time differentials for expression of interference by swine influenza virus in chick embryos: Carr.

Newcastle disease—Continued
Virus, special reference to action of urethane, effects of certain chemical agents: Bower.
Virus, structure: Liao 2.

Newcastle virus
Comparison of chromatographic and microbiological assay methods for determination of nucleic acid: Newman, F. S.

New Hampshire
A mutant red-phase wood salamander: Burt, Charles E. 7.

New Mexico
And Arizona, horse-flies: Townsend 1.
And Kansas Diptera: Cockerell 2.
Coleoptera: Knaus 13.
Coleoptera collected in, by entomological expedition of Kansas University: Snow 57.
First list of the hymenopterous families Tenthredinidae, Siricidae, Chrysididae, Prototrypidae, Cynipidae, Chalcidides and Braconidae collected: Cockerell 1.
Lepidoptera and Coleoptera collected by Kansas University scientific expeditions, 1883 and 1884: Snow 34.
Moths collected by Professor Snow: Grote 2.
New multituberculate from Paleocene Torrejon fauna: Wilson, Robert W. 2.
Notes on topography and geology: Jewett, J. J. 2.
Pueblo ruins, results of explorations: Mead, J. R. 1.
Santa Fe Canon, Coleoptera collected: Snow 24.
Utah, and Arizona, amphibians and reptiles: Chenoweth.
White Sands National Monument, animal occurrence and activity: Bugbee 2.

Newspapers
Science in: Schoewe 7.

New Zealand
Pink and white terraces: Savage, Joseph 8.

Nickel mines
Logan County: Snow 41.

Nicotine
Effects of on albino rats: Branch 6.

Nightmares
Fears and projective responses, children's expressed, intracomparison: Bloomer.

Nigrotasciatum
Cichlasoma, behavior: Armitage 2.

Nine-point
Circle, Simpson line, relation to: Mathews, L.

Niobrara
And Laramie Cretaceous: Sternberg, Charles H. 9.
Cretaceous of Kansas, new plesiosaur: Williston 6.
Cretaceous of western Kansas: Williston 10.
Formation of Kansas, intestinal casts in *Pachyrhizodus*, elopid fish: Miller, H. W. 2.
Formation of Kansas, *Uintacrinus* localities: Miller, H. W. 1.

Nitrates
In rain waters: Failyer 8.
In well waters: Bailey, E. H. C. 22.

Nitric acid
And ammonia in rain water collected at Agricultural College: Failyer 9.
Iron in, on destruction of passivity of by magnetization: Nichols 5.

Nitrification
Influence of soil conditioner: McCalla 5.

Nitro compounds
Oxidizing agents: Fletcher 1.
Oxidizing agents: Martin, Elmore L.

Nitrogen
Analysis, comparison of total, of urine for one- and four-day periods: Kunerth 1.
And organic matter in cultivated Kansas soils, loss of: Swanson, C. O. 1.
And oxygen, animal life in synthetic mixtures: Hershey 4.
And oxygen, animal life in synthetic mixtures, under different conditions of relative humidity: Hershey 14.
Content of maize, variations in and possibilities for improvement: Willard 9.
Intake of college women indicated by nitrogen output: Evers.
Oxygen, and water vapor, synthetic mixture, animal life: Hershey 16.
Physiological effects of oxygen atmospheres diluted: Hershey 2.
Source, antibiotic production in Gymnoascaceae: Paslay.

Nitrogenous constituents
Alfalfa, effect of dehydration and sun curing: Mitchell, H. L. 1.

Nitroparaffins
And aliphatic amines, reagents for detection and estimation: Matthewson 2.

Nitropropane
2-Chloro-2, Raman effect: Gibbens, E. Elliott 1.

Nitrous oxide
And oxygen, synthetic atmosphere, effect of on animal life: Hershey 11.
Noctuidae
New western: Grote 1.
Nodules
Barite, in wood: Knerr 11.
Silico-barite, Salina, Kansas: Knerr 15.
Noise
Relation to health, disease, and longevity: McWarf 3.
Nomenclature
In Pimephalinae, special reference to bullhead minnow: Cross, F. B. 1.
Of Kansas Coal Measures employed by Kansas State Geological Survey: Haworth 5.
Norms
Beck's Rorschach, applied to children, evaluation: Jacobson.
North American
Bats, reproduction: Cockrum 2.
Coleoptera, description, new species: LeConte.
Geodetic datum, Kansas: Schoewe 25.
Fresh-water sponges *Parancyenia*, new genus, genera: Jewell, Minna E.
Grassland, research: Shantz, H. L.
Jassoidea, partial key to genera: Crumb 2.
Lichens, 2, 4-dihydroxy depsides: Hale 2.
Norton County, Kansas
Pliocene, notes on fossil jaw of bison: Hay 4.
Preliminary report on the geology: Hay 5.
Volcanic ash: Knight 1.
Norton, Kansas
Meteorite, significance: Nininger 11.
Note
Additional, Brenham meteorite: Hay, R. 16.
Canker disease of gardenias: Obee, D. J. 3.
Detection of cyanides: Cady, H. D. 1.
Device for settling a heliostat in meridian: Pettit, E. 3.
Formulas, design of reinforced concrete beams: Hubbard, A. K.
Giant Kansas, calamite, Ottawa fossil forest: Schoewe, W. H. 23.
Habit of red ants: Hay, R. 9.
Habits, Cincindalae: Williston, S. W. 2.
Measurement of wave length by diffraction grating: Weber, L. R. 3.
Mortality of snakes, highways, western Kansas: Bugbee, R. E. 3.
Note—Continued
New Kansas mineral: Willard, J. T. 1.
New variety of Sonoran serpent from Kansas: Cragin, F. W. 5.
Occurrence of eastern Wisconsin plants: Schoewe, C. G.
Occurrence of granite, deep boring, eastern Kansas: Hay, R. 20.
Oviposition of wood-borer: Popenoe, E. A. 5.
Precision, solar attachment, engineer's transit: Marvin, F. O. 2.
Preliminary, origin and maturation of ovum in porcellio: Cragin, F. W. 3.
Reducing action of anhydrous hydrogen iodide: Brewster, R. Q. 1.
Remarkable fossil: Hay, R. 10.
Three-electrode gap as applied to instantaneous photograph: Denio, E. A.
Waters from sandstone, Lawrence shales: Young, C. C. 2.
Notes
Additional fauna, Edson Quarry, Middle Pliocene, Kansas: Hibbard, C. W. 7.
Additional, timbered mounds of Kaw Reservation: Gould, G. H. 3.
Amphibians and reptiles, northern Mexico: Webb, R. G.
Amphibians, Los Tuxtlas Range, Veracruz, Mexico: Shannon, F. A. 2.
Analysis of agricultural products: Willard, J. T. 6.
Anciently inhabited caves, Vernal, Utah, district and Nine Mile Canyon: Reagan, A. B. 43.
Animal occurrence and activity, White Sands National Monument, New Mexico: Bugbee, R. E. 2.
Antiquity of man: Thompson, A. H. 2.
Archaeological, Unitah Basin, northwestern Utah: Reagan, A. B. 44.
Archaeology, Butler County, Kansas: Mead, J. R. 14.
Basalt artifacts, Pleistocene gravels, Kansas: Graffham, A. 1.
Behavior small amoeba, genus *Naegleria*: McCullough, A. W. 1.
Birds, Baboquivari Mountains, 1907: Adams, L. A.
Birds of Kansas, 1903: Snow, F. H. 51.
Birds of Kansas, 1904: Snow, F. H. 52.
Birds, southern Kansas: Mead, R. R. 9.
Birds, southwestern Kansas: Graber, R. and J.
Botanical:
Agrelius 1.
1917: Agrelius 2.
1917–1918: Agrelius 4.

Notes—Continued
1918–1919: Agrelius 6.
1920: Agrelius 7.
1921–1928: Agrelius 8.
1935: Agrelius 10.
1936: Agrelius 12.
1937: Agrelius 14.
1944: Agrelius 15.
1945: Agrelius 16.
1946: Agrelius 17.
1947: Agrelius 18.
1948: Agrelius 19.
1949: Agrelius 20.
1950: Agrelius 21.
1951: Agrelius 22.
1952: Agrelius 23.
1953: Agrelius 24.
1954: Agrelius 25.
1889: Carruth, J. H. 9.
Southwest: Smyth, B. B. 1.
Body size, black-tailed jackrabbits: Bronson, F. H. 1.
Captive minnows, *Pimephales promelas*, Rafinesque: Burrage, B. R.
Cave bats of Kansas: Hibbard, C. W. 2.
Central American snake *Conophis lineatus dunni* Smith, record from Honduras: Savage, J. M. 1.
Cestoda, poultry, Douglas County, Kansas: Ferry, Q. B.
Cestodes in paddle fish, *Polyodon spathula* (Walbaum) from Missouri River: Wilson, W. D. 1.
Circulation of sap: Lighton, W. R.
Chironomidae of Kansas: Branch, Hazel 2.
Collecting Cicindelidae: Lantz, D. E. 10.
Collecting Cicindelidae: Smyth, E. G. 1.
Collecting Cicindelidae II: Smyth, E. G. II.
Collecting, Kansas Coleoptera: Knaus, W. 6.
Comments, American and Mexican Snakes, genus *Tantilla*: Taylor, E. H. 4.
Condensed vegetation, western Kansas: Reed, Minnie 1.
Corn-root worm: Hunter, S. J. 1.
Courtship of turtle, *Terrapene ornata*: Brumwell, M. J. 2.
Crop damage by jackrabbits: Bronson, F. H. 2.
Culture of wild flowers: Baker, H. W.
Defensive behavior of gray and fox squirrels while moving young: Packard, R. L. 1.
Description of Hymenoptera, western United States, collection of University of Kansas: Viereck, H. L.

Notes—Continued
Description of Mydaidae: Williston, S. W. 11.
Descriptions, North American Tabanidae: Williston, S. W. 4.
Descriptions of Orthoptera, western United States, entomological collection, University of Kansas: Rehn, James A. G.
Development, brood of Mississippi kites, Barber County, Kansas: Robinson, T. S. 6.
Developmental pattern and organic needs of Mohave Indian children: Devereux, G. 2.
Diamonds, McPherson College: Hershey, J. W. 15.
Distribution and habits, bats, Illinois: Smith, P. W. 2.
Distribution and ravages of hackberry branch knot: Kellerman, W. A. 6.
Distributional, amphibians and reptiles of Kansas: Clarke, R. F. 2.
Early stages of three moths: Marlott, C. L.
Effects of drought, animal population, western Kansas: Wooster, L. D. 2.
Elementary comparative external anatomy of insects: Kellogg, V. L. 5.
Evaporation of the thin metallic films: Gates, D. M. 2.
Evolution of mammal-like reptiles: Byrne, F. 2.
Faunal collecting in Kansas: Hoyle, W. L. 1.
Fleshy fungi of Kansas: Shaffer, R. L.
Food habits of California sea-lions: Dyche, L. L. 3.
Fossil jaw of bison, Pliocene, Norton County: Hay, R. 4.
Fossil lagomorphs: Walker, Myrl V. 2.
Frosted poor will: Lantz, E. D. 3.
Fungi, eastern Kansas: Wilson, G. W. 2.
Geological, Fort Apache Region, Arizona: Reagan, A. B. 40.
Geological, Upper Cretaceous, Blace Mesa, Arizona: Reagan, A. B. 41.
Geology, Antelope Hills: Sherwin, R. S. 1.
Geology, Spanish Peaks: Savage, J. 6.
Giant's Causeway and Fingal's Cave: Merrill, C. D.
Gila monster (*Heloderma suapectum*): Smyth, B. B. 30.
Green bug in Texas: Tucker, E. S. 16.
Ground-water resources, Chase County, Kansas: O'Connor, H. G.
Habits of Momotidae: Gaumer, G. F. 2.

Notes—Continued
Hawk and owl pellet formation and identification: Moon.
Herpetological collection, western Australia: Taylor, E. H. 1.
Historic changes, stream courses, western Kansas: Smith, H. T. V. 2.
Injurious insects: Hunter, S. J. 2.
Insects: Kellogg, V. L. 4.
Kansas aeromycology:
I—Comparison of media: Rogerson 6.
II—Materials, methods, general results: Kramer, C. L. 8.
III—Cladosporium: Kramer, C. L. 9.
IV—Alternaria: Kramer, C. L. 10.
VIII—Phycomycetes: Kramer, C. L. 11.
IX—Ascomycetes: Kramer, C. L. 12.
XI—*Fungi imperfecti*: Kramer, C. L. 13.
Kansas bird list: Lantz, D. E. 12.
Kansas botanical, 1923–1928: Gates, F. C. 1.
1928–1929: Gates, F. C. 3.
1930: Gates, F. C. 5.
1931: Gates, F. C. 6.
1932: Gates, F. C. 7.
1933: Gates, F. C. 8.
1934: Gates, F. C. 9.
1935: Gates, F. C. 10.
1936: Gates, F. C. 12.
1937: Gates, F. C. 13.
1938: Gates, F. C. 14.
1939: Gates, F. C. 15.
1940: Gates, F. C. 16.
1941: Gates, F. C. 17.
1942: Gates, F. C. 18.
1943: Gates, F. C. 19.
1944: Gates, F. C. 20.
1945: Gates, F. C. 28.
1946: Gates, F. C. 29.
1947: Gates, F. C. 30.
1948: Gates, F. C. 33.
1949: Gates, F. C. 35.
1950: Gates, F. C. 39.
1951: Gates, F. C. 40.
1952: Gates, F. C. 41.
1953: Gates, F. C. 42.
1954: Gates, F. C. 43.
Kansas fungi I: Kramer, C. L. 5.
II: Kramer, C. L. 7.
Mix, A. J. 4.
1950–1951: Shields, I. J. 2.
Kansas geology: Wooster, L. C. 2.
Kansas Mammals: Lantz, D. E. 9, 13, 14.
Kansas meteorites: Snow, F. H. 49.
Notes—Continued
Kansas meteorites, fall, Dec. 17, 1928: Nininger, H. H. 3.
Kansas minerals: Haworth, E. 3.
Kansas mineral waters: Failyer, 2.
Kansas mycological:
1934: Lefebvre, C. L. 1.
1935: Lefebvre, C. L. 2.
1936: Johnston, C. O. 3.
1937: Johnston, C. O. 4.
1946: Pady, S. M. 5.
1951: Rogerson, C. T. 1.
1952: Rogerson, C. T. 2.
1953–1954: Rogerson, C. T. 3.
1955–1956: Rogerson, C. T. 4.
1957: Rogerson, C. T. 5.
Kansas Orthoptera: Isely, F. B.
Kansas paving brick: Marvin, F. O. 4.
Kansas physiography: Beede, J. W. 2.
Kansas phytopathological:
1947: Hansing, E. D. 2.
1948: Hansing, E. D. 3.
1949: Hansing, E. D. 4.
1951: Hansing, E. D. 5.
1956: Hansing, E. D. 6.
1959: Hansing, E. D. 7.
1950: Johnston, C. O. 7.
1952: Johnston, C. O. 8.
1955: Johnston, C. O. 9.
1958: Johnston, C. O. 11.
1953: Sill, W. W., Jr. 3.
1957: Sill, W. W., Jr. 6.
1960: Sill, W. W., Jr. 7.
Kansas road metal: Marvin, F. O. 5.
Kansas salt marshes: Hay, R. 15.
Larvae of *Cuterebra* sp. (Diptera: Oestridae) infecting Oklahoma cottontail rabbit: Leonard, A. B. 1.
Larval trematodes from Laramie Plains: O'Roke, E. 3.
Late Cenozoic shrews: Hibbard, C. W. 21.
Lexia curvirostra Strickland Ridge: Lantz, E. D. 2.
Lizards, genus *Phyrnosoma* from Mexico: Smith, H. M. 6.
Lumni-Noonsack Indians, Washington: Reagan, A. B. 28.
Magnetic declination in Kansas: Marvin, F. O. 1.
Mallophaga: Kellog, V. L. 3.
Mammals, Pleistocene, Kansas: Hibbard, C. W. 8.
Mansfield Museum's Mexican reptiles collected by Wilkinson: Smith, H. M. 8.
Meleagris ocellata, Cuvier: Gaumer, G. F. 3.
Mental and physical control observed in birds: Keith, B. A. 3.
Mercurous sulfate for standard cells: Cady, H. P. 3.

Notes—Continued
Mexican lizards, genus *Anolis* with description of a new species: Smith, H. M. 3.
Miscellaneous chemical: Bailey, E. H. S. 6.
Moraine of glacier southwest of Topeka: Wooster, L. C. 10.
Mosquitoes, Douglas County: Overman, C.
"Mountain Leather," Red Rock Canon, Colorado: Knerr 7.
Natural history, 1859: Mead, J. R. 8.
Natural history of *Heoderma suspectum*: Hensley, M. M. 1.
Nesting habits, yellow-throated vireo: Goss, N. S. 3.
New species of fossil cephalopods: Hay, R. 21.
Occurrence of gold in Montana: Mead, J. R. 3.
Olympic Peninsula, Washington: Reagan, A. B. 9.
Oxidation, meteorites and formation of meteorodes: Nininger, H. H. 2.
Photography of wild birds: Parker J. S.
Pleistocene gravels, southwestern Kansas: Smith, H. T. U. 1.
Recent collection, black-footed ferret: Taylor, D. L. 2.
Salivary glands, albino rat: Thompson, M. E.
Second setting, cement: Dalton, B. J. 1.
Small collection of amphibians and reptiles, Pinacate Lava Cap, northwestern Sonora, Mexico: Smith, P. W. 5.
Soil fauna, Cowley County, Kansas: Hetzer, W. A.
Sorghum smuts: Kellerman, W. A. 7.
Species of taphrina: Mix, A. J. 6.
Stunting and recovery of channel catfish: Tiemeier, O. W. 6.
Summer birds, Estes Park, Colorado: Kellogg, V. L. 2.
Tea analysis: Bull, H. R.
Theories, origin of gypsum deposits: Sherwin, R. S. 2.
Therapeutical, description of parts of medicinal plants growing in Kansas: Sayre, L. E. 16.
Three species of gophers found at Lawrence, Kansas: Dyche, L. L. 1.
Topography and geology, New Mexico: Jewett, J. J. 2.
Trees, shrubs and vines, Cherokee Nation: Gould, C. N. 9.
Type specimens and descriptions of new North American Bombyliidae: Painter, R. H. 1.
Types of bacteria associated with plant roots: Clarke, Francis E. 2.
Variation of *Melissoces lupina* Cresson: Cockerell, T. D. A. 3.
Vertebrates, Pleistocene, Kansas: Hibbard, C. W. 6.
Witches' brooms and substomatal pycnic of melampsorella: Pady, S. M. 3.
Yellow-tailed cassigue: Goss, N. S. 12.

Notice
Vertebrate remains, Kansas Permian: Williston, S. W. 12.

Notulae herpetologicae
Savage, Jay M. 3.

Nuclear
Emulsions, interpretation and application: Irvine.
Fission and atomic bombs: Seagondollar.
Structure and mass defeats: Strickler.

Number
Suggestions of true theory: Bardwell 3.
Whole, 1–100, simplified percentage table: Jones, Elmer T. 5.

Nutria
South American rodent, Kansas: Hoffmeister 2.

Nutritional factors
Influencing vision—review of literature: Askren 2.

Nutrition
Human, need of investigation: Willard 17.

Nutritive value
And cost of food consumed by men and women in a college residence hall: Atkinson, Ester.

Nuevo Leon, Mexico
Pleistocene Lagomorpha and Rodentia, San Josecito Cave: Jackway.

O

Oak
Bur, unusually old, Miami County, Kansas, growth ring study: Smith, Lloyd F. 2.
Lumber, red and white, distinguishing by chemical analysis of their ash: Knerr 18.

Oats
Relation of certain morphological characters of host and fungus to identification of loose and covered smuts: Kingsley.

Oats—Continued
Rusts, notes of distribution in United States: Parker, John H. 1.
Oaxaca
Mexico, reptiles: Smith, H. M. 14.
Observations
Famous early American: Zinszer, H. A. 5.
Paleological, Wellington salt (Hutchinson member): Tasch 2.
Variable stars, by visual photometry: Eberly 1.
Wellington salt, paleoecological: Tasch 2.
Octahedral limonite
Haworth 4.
Officers, Academy: See Appendix J.
Ohio
Kansas, Illinois, and Pennsylvania, Carboniferous quadrupeds, relation to classification of so-called Amphibia and Stegocephala: Moodie 1.
Oil
Coal, legislation: Sadler 1.
From sumac (*Rhus glabra*), study: Brubaker 1.
Natural, composition, Wilson County, Kansas: Dains 1.
Osage orange: Beal 2.
Projects, southeastern Kansas, ground waters available for water flooding: Abernathy 2.
Well brine disposal, study: Boyce, Ernest.
Well cuttings, fluorescence of, under action of ultraviolet light: Drees 1.
Well drilling fluid with depth of wells, radioactivity: Johnston, M. W.
Wells, two Kansas, mineralogy of formations and chemical nature of water encountered: Crum.
Well waters, Russell, Ellis, and Trego counties: Runyon, H. Everett 3.
Oklahoma
And Kansas, *Petalodus* from Permian: Miller, H. W., Jr. 5.
And Kansas, slugs (Gastropoda: Pulmonata), new records: Branson, B. A. 2.
Beaver County, an antilocaprid from Lower Pliocene: Hibbard 17.
Cottontail rabbit, larvae of *Cuterebra* sp. infecting: Leonard, A. B. 1.
Missouri and Arkansas, six new crayfishes of genus *Onconectes*: Williams, Austin B.
Salt Plains: Gould 7.
Oklahomensis
Phlox, relationship to *P. bifida*: Marsh, D. L.
Oligocene
Central Wyoming, new burrowing lizard: Walker, M. V. 3.
Heteromyid rodent *Helyiscomys*, deciduous premolars: Galbreath 10.
Heteromyid rodent, skull: Galbreath 9.
Leporidae in Kansas University Museum of Vertebrate Paleontology: Green, Morton 2.
Lower, northeastern Colorado, new eomyid rodent: Galbreath 5.
Middle, new myotid bat, northeastern Colorado: Galbreath 11.
Olive oil
And cottonseed oil, value of corn as substitute: Pool.
Olympic Peninsula
Washington, birds: Reagan 10.
Washington, notes: Reagan 9.
Omnivorous animal
Resistance to parasitism, effect of an all plant ration: Ackert 5.
Onaga
Kansas, list of fossil plants: Crevecoeur 1.
Ondatra
Mammalian genus, triangles in teeth: Galbreath 1.
Ontario
Mine center mining district, and adjacent territory in United States: Reagan 17.
Opossum
American, behavioristic study: Gurwell, Bill.
Northeastern Kansas, food and dens: Sandidge.
Optical activity
Petroleum and its significance: Bushong 8.
Optical system
Effect of hydrostatic pressure on polarization: Zinszer, Richard S. 2.
Orchelimum nigripes
Spermatic transformation: Witherspoon 1.
Spermatogenesis: Wildish.
Oregon
John Day region, University of Kansas expedition: McClung, G. E. 2.
Organs
And endocrine glands of rat, effects of total body roentgen irradiation: Azarnoff.
Internal, placement in snakes, relation to ventral scalation: Garrigues.
Vegetative, and fruits in the wheat plant, preliminary investigation on translocation of food: Bates, J. C. 2.

Organic and physiological chemistry: Bailey, E. H. S. 3.
Organic analysis
Elementary, recent methods: Groner.
Organic burrows
Permian: Byrne 3.
Organic chemistry II
Polyphosphoric acid, reagent: Popp.
Organic compounds
Differential thermal analysis: Perkins 10.
Organic dyes
Diffusion of in gelatin gel: Kolling 1.
Organic matter
And nitrogen in cultivated Kansas soils, loss: Swanson, C. O. 1.
Organic radicals
Electronegativity of: Brewster 2.
Organic substances
And medicinal chemicals, chemical processes for detection: Sayre 22.
Organism
Yeast-like, isolated from human scalp: McDonald.
Organization
Social, herd of dairy cows: Guhl 4.
Origin
Tetrapods, aquatic: Eaton 2.
Oriole
Bullock, Kansas: Nininger 6.
Ornate box turtle
Physiological effects of hibernation: Peters.
Ornithogalum caudatum pollen
In vitro germination: Goss, J. A.
Ornithology
Kansas, bird review: Lantz 4.
Riley County, Kansas: Blachly.
Orthoptera
Kansas, notes: Isely.
Western United States in entomological collections, University of Kansas, notes and descriptions: Rehn.
Orthopteran testes
Moving forces found in follicles: Baumgartner, W. J. 1.
Osage County, Kansas
Description of amphibian tracks: Wooster, L. C. 22.
Osborne County, Kansas
Flora: Neher.
Lime content, rocks, Upper Cretaceous System: Search.
Oscillator
Relaxation, measurement of high resistance: Weber, L. R. 1.
Osteology
And myology of tree sciurids, regard to adaptation to arboreal, olisant and fossorial habits: Peterka.
Ostracoderm
New, *Witaspis patteni*, Upper Silurian of Oesel: Robertson 5.
Order Anaspida, description, Upper Silurian material: Robertson 6.
Ottawa
Fossil forest and giant Kansas calamite, note: Schoewe 23.
Gas wells: Yates 1.
Partial list of fishes of Marais Des Cygnes: Wheeler, Wm. 2.
Ottawa County, Kansas
Proposed National Monument, symposium on "Rock City": Schoewe 16.
Ovalbumin
γ-irradiated, electrophoretic studies: Leone 3.
Ovum
In Porcellio, origin and maturation: Cragin 3.
Owl
And hawk pellet formation and identification: Moon.
Barn, pellets from Stanton County, Kansas, vertebrate remains: Pettit, Robert M.
Long-eared, food, Douglas County, Kansas: Rainey 2.
Pellets, contents, indicators of habitat preferences of small mammals: Wooster, L. D. 3.
Pellets taken in Coahuila, Mexico, mammals: Baker, Rollin H. 1.
Short-eared, *Asio flammeus*, contents of pellets, prairie habitat, Missouri: Long, C. A. 2.
Oxidation
Certain meteorites and formation of meteorodes: Nininger 2.
Indicators, P-phenetidine and P-anisidine: Weeks 1.
Oxidizing agents
Nitro compounds: Fletcher 1.
Nitro compounds: Martin, Elmore L.
Ox warbles
Herd of cattle, disappearance: Crow.
Oxygen
And carbon dioxide in relation to animal life, synthetic mixtures: Hershey 6.
And hydrogen, synthetic atmospheres, effect on animal life: Hershey 8.
And nitrogen, animal life in synthetic mixtures: Hershey 4.

Oxygen—Continued
And nitrogen, synthetic mixtures, under different conditions of relative humidity, animal life: Hershey 14.
And nitrous oxide, synthetic atmosphere, effect on animal life: Hershey 11.
Atmospheres diluted by nitrogen, physiological effects: Hershey 2.
Biochemical, demand, mechanism of effect of chlorine: Crain.
Effect upon animal life: Dinsmore 1.
Effect upon animal life: Willard 10.
Relation to mineralogy: Cooper 1.
Nitrogen and water vapor, synthetic mixtures, animal life: Hershey 16.
Pure, sex and relative duration of white mice: Hershey 9.
Relationships, Lake Wooster, Kansas, during wintertime conditions: Minter, K. W.

Oxymitra androgyna
Spore: Wittlake.

Ozone
Kansas atmosphere: Kedzie 3, 5.

P

Pacific
North, coast of North America, marine Tertiary stratigraphy: Reagan 12.
vs. Atlantic elevations in Kansas: Hinckley.

Page, Editor's: See Appendix E.

Paint-adhesion
And surface structure mechanisms of softwoods: Olsen 2.

Paleocene
Torrejon fauna, New Mexico, new multituberculate: Wilson, Robert W. 2.

Paleoecological observations
Wellington salt: Tasch 2.

Paleontology
Vertebrate, Kansas University Museum, study of Oligocene Leporidae: Green, Morton 2.

Palimpsests
Natural study: Grimsley 2.

Palmitic acid
Effects of the progressive absorption and desorption of on the behavior of sorghum grain starch: Barham 2.

Panhandle
Buried city: Eyerly.

P-Anisidine
And P-phenetidine as oxidation indicators: Weeks 1.

P-chlorophenyl
1 phenyl-2 propanol and derivatives: Horning.

Papain
Proteolytic vegetable ferment: Barton 7.

Paper
Chromatography of carbohydrate reserves: Choguill, H. S. 7.
Electrophoresis: Choguill, C. L. 2.

Papers
Commercials, quality: Sayre 5.

Parabiosis
In mammals: Solomon, Phyllis A.

Paradox
Ecological: Sperry, T. M. 1.

Parasites
Catfish from Kansas: Harms.
Coyote, Kansas: Amell 2.
Emergence holes, aid in determining Hessian fly infestation in mature wheat plants: Jones, Elmer T. 2.
Fishes, Leavenworth County State Lake, Kansas: Wilson, William D. 2.
Helminth, black-tailed jack rabbit, Kansas: Lyons.
Nematode, American cockroach: Dobrouolny, Charles G. 2.
Of *Pholus achemon*, new record: Branch 1.
Of the strawberry leafroller, Kansas: Summerland.
Poultry, transmission by birds with special reference to "English" or house sparrow and chickens: Hoyle 3.

Parasitism
Maintenance: Ameel 4.
Resistance of omnivorous animal, effect of all plant ration: Ackert 5.

Parasitology
Kansas, last century, review of research: Ackert 11.

Parent
Affection, phenomenon of mother fixation, expression of child's doubt: Cowan 3.

Parental behavior
Observations of *Chichlasoma nigrofasciatum*: Armitage, K. B. 1.

Park
Mammoth Cave National, proposed, amphibians and reptiles: Hibbard 4.
Prairie National: Hall, E. R. 4.

Parker, John Webster
Necrology: Willard 22.

Parthenogenesis
In ovaries of guinea pigs: Harman 9.

Patent laws
Regard to protection of chemical industry: Sayre 50.

Past
Present and future, Kansas Academy of Science: Schoewe 14.

Pasteur filter
Experimental tests: Sayre 9.

Pasturella
Genus, antigenic studies: Bond.

Pasture
Ecology, Dakota Sandstone formation, Ellsworth County, Kansas: Blair, Byron O. 1.
Lands and prairie, Douglas and Franklin counties, ecological study: Hetzer 3.
Types, western Kansas, relation to intensity of utilization in past years: Tomanek 1.

Pattern
Repetition vs. motor repetition in memorization of music, preliminary study of relative efficiency: Brigden 2.

Peaks
Spanish: Jewett, J. J. 1.

Pelecanum erythrorhynchos
Feeding habits: Goss 10.

Pellet
Hawk and owl, formation and identification: Moon.
Owl, taken in Coahuila, Mexico, mammals: Baker, Rollin H. 1.

Pellets
Contents of short-eared owl, *Asio flammeus* in prairie habitat, Missouri: Long, C. A. 2.

Pennsylvania
Kansas, Ohio, and Illinois, Carboniferous quadrupeds, relation to the classification of so-called amphibia and Stegocephala: Moodie 1.

Pennsylvanian
Kansas, Bronson Group, some details of stratigraphy: Jewett, J. M. 2.
Kansas, Coal Age flora, Kansas, *Calamopitys kansanum*, new species: Baxter 3.
Mid, new, reptiles from Kansas: Lane 2.
Permian, disconformity, Pottawatomie County, stratigraphic range: Harned.
Rocks, Kansas, preliminary study of insoluble residues of: Schoewe 15.

Percentage
Table of whole numbers 1–100, simplified: Jones, Elmer T. 5.

Performance
Tests for screening in business situations: Barnabas 3.

Peridermian gall
Western yellow pine: Gier, Leland J. 2.

Period
Rotational, Jupiter: Hills, Jack.

Periodic tables
Brown, Harold P. 2.

Peripheral nervous system
Earthworm: Coonfield 1.

Permian
Central United States, fauna: Beede 5.
Kansas, formations of Marion Stage: Beede 6.
Kansas, fossil plants: Sellards.
Kansas and Oklahoma, *Petalodus*: Miller, H. W., Jr. 5.
Kansas, vertebrate remains: Williston 12.
Life of Texas: Sternberg, Charles H. 2.
Lower, Manhattan area, fragmentary crinoids: Byrne 4.
Organic burrows: Byrne 3.
Pennsylvanian disconformity, Pottawatomie County, stratigraphic range: Harned.
Period, evidence of cyclic sedimentation in Kansas: Jewett, J. M. 1.
Salt, Kansas, identification of polyhalite a potash mineral: Swineford 1.
South Africa, preliminary report of new mammal-like reptiles: Byrne 1.
Texas, and chalk of Kansas, explorations: Sternberg, C. H. 14.

Peromyscus
Genus, distribution, Kansas: Sprague 1.

Peromyscus leucopus and *P. maniculatus*
In Kansas, study of baculum: Sprague 2.

Peromyscus leucopus aridulus
Ellis County, Kansas, occurrence and notes on their activities: Frydendall.

Peronosporaceae
Kansas species: Swingle 1.

Perrhenate
Reduction of by stannous tin: Kolling 3.

Personality study
Fifteen juvenile automobile thieves: Weber, George H. 2.

Personnel test
Speed-power and verbal quantitative scores: Barnabas 2.

Peru
New Pacific saury (genus *Cololabis*) from off coast: Bohlke 2.

Petalodus
Permian of Kansas and Oklahoma: Miller, H. W., Jr. 5.

Petalostemum purpureum
And *Zinnia grandiflora*, Kansas plants new to Kansas herbaria: Horr 8.

Petrifactions
Plant, new discoveries, Kansas coal beds—coal balls: Baxter 1.

Petroleum
Industry in Kansas: Nixon, Earl K.
Kansas: Bartow 1, 4.
Optical activity, significance: Bushong 8.

pH_5 protein
Physiochemical and biological properties: Leone, C. A. 6.

Pharmaceutical-medical chemistry
Early history: Sayre 47.

Pharmacopoeia
New U. S., botanical features: Sayre 21.

Phasequilibria
Ternary systems by measurement of conductance. The system—potassium flouride, potassium iodide and water: Taft 62.

Pheasant
"Drums," how: Mead, J. R. 5.

Phenol
And cresols in various solvents, bromination: Johnson, Sam H.
Reaction with tertiary butyl chloride: Burket.
Speed of toxic action of different concentrations on *Simocephalus*: Breukelman 3.
3(p-chlorophenyl)-2 propanol and derivatives: Horning.

Phillips County, Kansas
Occurrence of *Eucastor tortus* Leidy: Hibbard 13.

Phloem necrosis
Observations: Shields 3.
Survey, Lawrence, Kansas: Shields 1.

Phlox
Oklahomensis, relationship to phlox *Bifida*: Marsh, D. L.

Pholus achemon
New record relative to parasites: Branch 1.

Phosphate
Fixation by soil, minerals: Perkins 7.
Turnover studies with soil bacteria: Harris, John O. 4.

Phosphorescence
Chlorophane from Pike's Peak: Failyer 4.

Phosphorus
Absorption by wheat influenced by applications of lime and phosphorus: Perkins 6.

Photographs
And drawings, preparation for reproduction in the "Transactions": Baumgartner, W. J. 8.

Photographic image
Solarized latent: Reardon.

Photography
Bird, with reflecting telescope: Miller, R. F. 2.
Celestial, with Washburn telescope: Pettit, Edison 2.
Insect, with limited equipment: Jones, Elmer T. 4.
Instantaneous, methods: Zinszer, Harvey A. 1.
Instantaneous, note on three-electrode gap: Denio.
Nature, in Kansas, work of Mr. and Miss McColm: Meeker 3.
Wild birds: Parker, J. S.

Photometry
Visual, observations of variable stars: Eberly.

Photophatase
Intestinal, in mouse, effects of X-radiation: Howieson.

Phrynosoma coronatum frontale
Montana: Harbauth.

Phthisis
Systemic, utility of history of catalysis: McCartney.

Phycomycetes
Kansas aeromycology VIII: Kramer, C. L. 11.

Phyllosticta solitaria
Artificial culture, factors affecting the sporulation: Mix 1.

Phylogenetic and racial distinctions
In intertemporal-interangular index: Eisley 2.

Physcomitrium collenchymatum
Gier, Leland J. 15.

Physical development
And school life: McWarf 1.

Physico-chemical conditions
Water of three strip-mine lakes and food habits of fish: Maupin.

Physics
Laboratory, uses of storage battery compound: Matthews, W. H. 2.
Relation to war effort: McMillan.
Physiographic divisions
Kansas: Adams, G. I. 2.
Physiographic section
Plains border: Frye 3.
Physiographic subdivision
Kansas, basis: Frye 6.
Physiography
Kansas, notes: Beede 2.
Southeastern Kansas: Adams, G. I. 1.
Physiological and organic chemistry
Bailey, E. H. S. 3.
Physiological effects
Of hibernation on ornate box turtle: Peters.
Physiological effects
Oxygen atmospheres diluted by nitrogen: Hershey 2.
Physiological factors
In psychopathology, changing orientations: Pronko 1.
Physiological study
Effect of hibernation on ornate box turtle: Peters, K.
Physiology
And psychology, organism: Pronko 4.
Physoderma
Kansas: Melchers.
Phytin
Content of sorghum grain: Wang.
Phytopathological notes, Kansas
1947: Hansing 2.
1948: Hansing 3.
1949: Hansing 4.
1950: Johnston, C. O. 7.
1951: Hansing 5.
1952: Johnston, C. O. 8.
1953: Sill 3.
1954: Haskett 2.
1955: Johnston, C. O. 9.
1956: Hansing, E. D. 6.
1957: Sill 6.
1958: Johnston, C. O. 11.
1959: Hansing 7.
1960: Sill, Jr. 7.
Pig
Blood, embryonic, significance of reticulocytes: Youngstrom.
Cat, and rat, quantitative studies on distribution of lipids in bone marrow: Goodman.
Double monster—*Thoracopague disymmetros*: Baumgartner, W. J. 6.
Fetal, remains retained in uterus of sow: Baumgartner, W. J. 3.
Guinea, anaphylaxis, effects of antisera against rabbit tissual proteins
Pig—Continued
on electrocardiograms: Leone, C. A. 5.
Two, with a single chorion, consideration concerning monochorionic twins: Harman 8.
Pigeons
Colony, occurrence of *Capillaria* (Nematoda), and methods of control: Cauthen.
Pigment
Production and stage of growth of *Pseudomonas aeruginosa*, relationship: Harris, John O. 2.
Pigments
Chlorophyll, separation: Hillman.
Pigmentation
And growth of *Helminthosporium gramineum*: Showalter, W. V. 4.
Pigs
Guinea, distribution and excretion of P^{32}-labeled diazinon: Kaplanis.
Pike's Peak
Phosphorescence of chlorophane: Failyer 4.
Pilot
Civilian, training program, effectiveness of aptitude testing: Matheny 1.
Learning aptitude, prediction of flying aptitude: Matheny 2.
Learning aptitude, prediction of ground school aptitude: Baker, W.
Pimephales promelas Rafinesque
Notes on captive minnows: Burrage.
Pinacate lava cap
Northwestern Sonora, Mexico, melanism in Meloidae: Selander.
Northwestern Sonora, Mexico, notes on collection of amphibians and reptiles: Smith, P. W. 5.
Pine
Western, peridermium gall: Gier, Leland, J. 2.
P-Iodophenol
Preparation, some derivatives: Dains 7.
Pipeline
Protective coating materials as growth substrates for soil microorganisms: Harris, J. O. 8.
Pituitary
Activity reduced, from influence of sex hormones: Herrick, Earl H. 5.
And thyroid glands in tadpoles, experiments upon the extirpation: Allen, B. N. 1.
Glands of fowls and rats, occurrence and nature of cysts: Herrick, Earl H. 10.
Gland, anterior, histological observations: Voth.

Placental transmission
Selective, radioactive alkaline earths and plutonium: Wilkinson.
Placers
And mineral veins, genesis of gold: Lovewell 7.
Plague
Chickens, central Iowa, summer, 1918: Reagan 26.
Cholera infantum, Nett Lake, Minnesota, fall, 1913: Reagan 18.
Plains
Border physiographic section: Frye 3.
Central Great, prehistory and environment: Wedel 2.
Fruitful: Laude, H. H. 1.
Great, man's disorder of nature's design: Albertson 11.
Great, speculations on climate as factor in wind erosion problem: Zingg.
High, surface in Kansas: Frye 2.
Prairie dog and Zuni species, ecological comparison: Scheffer 9.
Salt, Oklahoma: Gould 7.
Planarian
Fission in, effects of colchicine: Long, C. A. 1.
Plankton
Benthos and fish in strip-mine lakes: Stockinger.
Plant
And animal instincts, origin and development: Wooster, L. C. 9.
Catalogue, Kansas: Carruth 1.
Collected by Garfield University expedition, 1889: Carlton 1.
Cyclosis-effects of epinephrine solution: Donald, Anne.
Determination of quercetin-like substances: Beal 1.
Disease, climate in relation to: Melchers 8.
Disease and fungi, Egypt: Melchers 6.
Disease heretofore unreported in Kansas, reported 1914: Melchers 3.
Disease report, Kansas, 1917: Melchers 2.
Disease survey report, Kansas 1918: Melchers 4.
Diseases, Kansas, 1941: Johnston, C. O. 6.
Disease problems, Egypt: Melchers 7.
Drought resistant, anatomical study of *Melampodium leucanthum*: Volle 1.
Dryer, rapid: Horr 2.
Eastern Wisconsin, note on occurrence: Schoewe, Charles G.
Exposed bed of Lake Fegan, Woodson County, Kansas, first year invasion: McGregor 3.
Plant—Continued
Exposed lake bed, first year invasion: McGregor 1.
In my Florida herbarium: Hitchcock 5.
Flowering, Clay County, Missouri: Gier, Leland J. 9.
Flowering and ferns, flora, Saline County: Hancin.
Flowering, and ferns, list: Castle.
Flowering, McPherson County, provisional list: Harnly 2.
Fossil, Permian, Kansas: Sellards.
Fossil, collected in vicinity of Onaga, Kansas, list: Crevecoeur 1.
Fossil, Dakota Sandstone flora, University of Kansas collection: Baxter 5.
Host, leaf hopper *Endria inimica*: Wilbur 2.
Kansas: Smyth, B. B. 10.
Kansas, centennial catalogue: Carruth 4.
Kansas, medicinal and economic, reputed therapeutic properties: Smyth, B. B. 26.
Kansas, new to Kansas herbaria: Horr, 3, 5.
Kansas, new to Kansas herbaria, including new form of *Liatris punctata*: Horr 7.
Kansas, new to Kansas herbaria, including new form of *Zinnia grandiflora* and *Petalostemum purpureum*: Horr 8.
Kansas, new to Kansas herbaria: McGregor 4, 7, 8.
Medicinal, cultivation: Havenhill 4.
Medicinal, cultivation in United States: Sayre 39, 44.
Medicinal, growing in Kansas, therapeutical notes and descriptions of parts: Sayre 16.
Native of Kansas adapted to cultivation: Meeker 1.
Native prairie, various habitats of mixed prairie, growth and seed yield: Brown, H. Ray.
Partial list found in Cherokee County, Texas: Slosson, Mrs. A. L. 2.
Periodicity: Smyth, B. B. 6.
Petrifactions, new discoveries, Kansas coal beds—coal ball: Baxter 1.
Poisonous, *Amphiachyris dracunculoides*: Gates, Frank 27.
Poisonous forage, *Croton capitatus*: Boughton.
Ration, effect on resistance of omnivorous animal to parasitism: Ackert 5.
Roots, types of bacteria associated with: Clark, R. F. 2.

Plant—Continued
Sap and juice, data obtained, spring, 1933: Brennan, L. A. 1.
Sap and juice, data for spring, 1934: Barton 6.
Sap and juice, hydrogen-ion concentration and other data: Barton 4.
Science, recent advances: Loehwing.
Seed, Sedgwick County, Kansas: Stieferman.
Succession on land in continuous alfalfa culture influenced by fertilizer treatments: Metzger 1.
Succession: Gates, Frank 26.
Survey, Manhattan, Kansas, summer hay fever: Horn, Elsa 2.
Ellsworth County, Kansas: Weber, Clement 1.
Tissues, aging of, and stress strain curves, modulus of elasticity and specific gravity: Treitel 3.
Tissues of different ages, elasticity, plasticity, water content, and hardness: Treitel 4.
Tissues, elasticity: Treitel 2.
Used by Hoh and Quileute Indians: Reagan 45.
Variable chemical composition of at different seasons illustrated by *Taraxacum dens-leonis*: Sayre 13.
Variations in dominant species: Carleton 2.
Weakening effect on species, continually reproduced by artificial means: Reinisch.
Weedy and forbs, native western Kansas, study of insect relationship: Brandhorst.
Wind on, bibliography of literature relating to effects: Norton.
Woody, along streams which cross Ellis County, Kansas: Griswold.
Woody, native and naturalized, Kansas: Gates, Frank 14.
Yucca, composition and properties: Beath.

Plants
Colors and sugar relationships: Clarke, J. R.
Poisonous, Kansas: Choguill, H. S. 6.

Plascosphaera opaca
Morphology and life history: Showalter 2.

Plaster
Cement, chemical composition: Bailey, E. H. S. 21.
Cement, durability: Bailey, E. H. S. 28.

Platte River
Nebraska, more evidence that it formerly connected with Grand River, Missouri: Todd 11.

Pleistocene
Drainage history of central Kansas: Fent.
Early geomorphic history, Wabaunsee, southeastern Riley and southern Pottawatomie counties, Kansas: Mudge, M. R. 1.
Fauna, new, Meade County, Kansas: Hibbard 9.
Fossils, McPherson County, Kansas: Nininger 4.
Gravels in southwestern Kansas, preliminary notes: Smith, Harold T. U. 1.
Heteromyid rodent, *Etadonomys*, and notes on other Kansas mammals: Hibbard 14.
Late, deposits at Ashmore, Illinois, additions to the flora: Galbreath 2.
Lagomorpha and Rodentia, San Josecito Cave, Nuevo Leon, Mexico: Jackway.
Of Kansas: Williston 13.
Of Kansas, *Equus* (*Asinus*) *calobatus* Troxell and associated vertebrates: Hibbard 19.
Of Kansas, notes on mammals: Hibbard 8.
Of Kansas, notes on vertebrates: Hibbard 6.
Sands, southwestern Kansas, rare cameloid: Riggs.
Stratigraphy, Kansas, use of fossil soil: Frye 4.
Studies, ground-water investigations in Kansas: Frye 5.
Tertiary of Navajo County, Arizona, description of included fossils: Reagan 42.

Plesiosaur
Interesting food habit: Williston 8.
New, from Niobrara Cretaceous of Kansas: Williston 6.
Skeleton from western Kansas: Sternberg, George F. 3.

Plesiosaurium propodial
Embryonic: Moodie 2.

Pliocene
Clark County, Kansas, new fossil ground squirrel *Citellus* (*Pliocetellus*) *fricki*: Hibbard 12.
Lower, an antilocaprid, Beaver County, Oklahoma: Hibbard 17.
Middle, Kansas, notes on additional fauna of Edson Quarry: Hibbard 7.
Middle, Kansas, two new genera of *Felidae*: Hibbard 3.
Norton County, notes on fossil jaw of bison: Hay 4.
Upper, fauna, Meade County, Kansas: Hibbard 5.

Pliocene—Continued
Upper, Kansas, new testudo with additional notes on associated Rexroad mammals: Oelrich.
Upper, southwestern Kansas, mammals of Rexroad fauna: Hibbard 11.
Tertiary, western Kansas: Mudge, B. F. 6.

Plot, prairie
Tall-grass, effect of microclimate on distribution of small mammals: Hays, H. A. 1.

Plutonium
And radioactive alkaline earths, selective placental transmission: Wilkinson.

Podagrion mantis
In eggs of common mantis: Smyth, Lumina C. Riddle 1.

Poison
Glands, rattlesnake during period of hibernation: Dyche 12.
Loco, and locoweed: Sayre 29.

Poisonous reptile
Gila monster?: Snow 58.

Polar
Astronomical, measurement of the earth: Wilcox, J.

Polar regions
Annotated bibliography: Megee.

Polarization
In optical system, effect of hydrostatic pressure: Zinszer, Richard S. 2.

Polenoniales
Kansas, vegetative keys: Aller.

Pollen
Factor in brood rearing and honey production: Rashad.
Ornithogalum caudatum, in vitro germination: Goss, J. A.

Pollution
Underground waters: Crumbine.

Polychlorides
Obtained by chlorination of isobutane, reactions: Taft 27.

Polygamous spirogyra
Newcomb.

Polygonum coccineum var. *Pratincola*
Report on starch storage in separate fibers: Flannagin.

Polyhalite
Identification, a potash mineral in Kansas Permian salt: Swineford 1.

Polyphosphoric acid
Reagent in organic chemistry, II: Popp.

Polyphylla variolosa Harris
Use of antennae: Snow 7.

Polyporaceae
Flora, Clay County, Missouri: Gier, L. J. 17.

Pond
Farm, daily movement of channel catfish, *Ictalurus punctatus* (Rafinesque): Stevens, E. D.
Unionid population: Murray, H. D.

Ponds
Farm, survival of fish in deep waters during summer: Tiemeier, O. W. 9.
Flint Hills farm, limnological observations: Tiemeier 5.
Limnological conditions of Turkey Creek near Shawnee, Kansas, June 8, 1957, to August 16, 1957: Willis, H.

Pools
And streams, central Kansas, drying up: Mead, S. G.

Popenoe, Prof. Edwin A.
Necrology: See Appendix I.

Population
And settlement changes in Sherman County, Kansas, geographic study: Kollmorgen 1.
Unionid, pond: Murray, H. D.
Winter, *Streptocephalus seali* Ryder inhabiting roadside ditch, Lyon County, Kansas: Prophet, C.

Porcellio
Origin and maturation of ovum: Cragin 4.

Pork
Sausage, frozen, bacteria: Hendrickson.
Storage in freezer lockers: Wellington.

Portland
Cement mortars, effect of clay and loam on strength: Hoad 1.

Postcaval
Tributary in thoracic region of domestic cat, unusual anomaly: Ameel 1.

Potash
Clearing, elimination of fat: Bogard.
Mineral in Kansas Permian salt, identification of polyhalite: Swineford 1.

Potassium
Flouride, potassium iodide and water —study of phaseequilibria in ternary systems by measurement of conductance: Taft 63.

Potato
Chips, effects of frying in different ways: Chitwood.
Sweet, stem or root?: Hogue.

Pottawatomie County, Kansas
Crevecouer's notes on birds: Goodrich 1.
Southern, Wabaunsee and southeastern Riley counties, Kansas, early Pleistocene geomorphic history: Mudge, M. R.
Stratigraphic range of Pennsylvanian-Permian disconformity: Harned 1.

Pottery
Types in cornfields—Hopi Buttes region, Arizona: Reagan 36.

Potwin
Kansas, recent sink hole: Gordon, Glen H. 1.

Poultry
Cestoda, Douglas County: Ferry.
Feed, experimental, stability of vitamin A: Parrish 1.
Parasites, transmission, by birds with special reference to "English" or house sparrow and chickens: Hoyle 3.

Power
Selective, sense of taste: Bailey, E. H. S. 17.

P-phenetidine
And P-anisidine as oxidation indicators: Weeks 1.

Practice
And theories, very high frequency propagation, construction and communication: Hartnett.

Prairie
Central region, United States, additional records of reptiles: Burt, Charles E. 2.
Chickens, food plot utilization studies: Jones, Lanny D.
Chickens, Kansas: Baker, Maurice F.
Dog, plains and Zuni species, ecological comparison: Scheffer 9.
Dog, situation in Kansas: Scheffer 5.
Dog town: Scheffer 7.
Dogs, habits: Brous 2.
Eastern Nebraska, mammals: Whelan.
Grasses as interplanting ground cover on eroded soils, evaluation of species: Boyd 1.
Habit, Missouri, contents of pellets, short-eared owl, *Asio flammeus*: Long, C. A. 2.
Mixed, ecology of grassland utilization: Hopkins 3.
Mixed, effects of mulch on yield and cover: Hopkins 7.
Mixed, growth and seed yield of native prairie plants in various habitats: Brown, H. Ray.

Prairie—Continued
Mixed, Hays, Kansas, rodent activity: Brown, Leo 4.
Mixed, study of viable seeds in various habitats: Lippert, Robert D.
Mixed, upland depressions: Franke.
Mixed, western Kansas, attempt at an ecological evaluation of predators: Wooster, L. D. 5.
National Park: Hall, E. R. 7.
Pasture lands in Douglas and Franklin counties, Kansas, ecological study: Hetzer 3.
Plants, native, growth and seed yield of in various habitats of mixed prairie: Brown, H. Ray.
Plot, tall-grass, effect of microclimate on distribution of small mammals: Hays, H. A. 1.
Short grass, western Kansas, effect of climate and different grazing and dusting intensities upon yield: Lacey.
Studies, west-central Kansas: Albertson 1, 4.
1940: Albertson 7.
1941: Albertson 8.
1942: Albertson 9.
1943: Albertson 10.
Effects of burning: Hopkins 2.

Precambrian
Studies, Kansas: Merriam, D. F. 2.

Precipitates
Banded, mercuric iodide, effect of light upon formation: Taft 4.

Precipitation
Annual, rain and snow, Manhattan, Kansas, for the past 32 years: Breese 2.

Precipitin
Reaction, turbidimetric analysis: Leone 4.

Prehistoric people
Sedgwick County, Kansas, camps: Mead, J. R. 2.

Premolars, deciduous
Oligocene, heteromyid rodent *Helyiscomys*: Galbreath 10.

Preparation
Of anhydrous acetates, new method: Adams, Myrl R.

Preparation of manuscripts: See Appendix A.

Present
Past and future, Kansas Academy of Science: Schoewe 14.

Preserve
Unhampered by man: Gates, Frank 11.

Preservative fluids
For museum use, comparison: Kellogg 1.

Preservative food
How far are they injurious to health?: Sayre 20.

Presidential addresses: See Appendix C.

Pressure
High-high temperature region, apparatus for experimental exploration: Luft-Zurakowski.

Procaine-bisulfite
Mortality of mice, effect of orally-administered flavonoids: Wenzel, D. G.

Progesterone
Diethylstilbestrol and estradiol influence, Cowper's gland and seminal vesicles on wether sheep: Herrick, E. H. 12.

Program
Improvement, science teacher, Kansas Academy of Science: Breukelman 10, 11, 12.

Programs
Annual meetings: See Appendix K.

Projective responses
Nightmares and fears, children's expressed, intracomparison: Bloomer.

Propagation
Very high frequency, construction and communication: Hartnett.

Propanol
1-Phenyl-3(p-chlorophenyl) and derivatives: Horning.

Properties
Physiochemical and biological of pH_5 protein: Leone, C. A. 6.

Propionitrile
From ethyl bromide, synthesis: Kundiger.

Prospect hole
Atchison diamond-drill: Langworthy.

Prospect well
Leavenworth, geology: Jameson.

Prostegagigas
And other Cretaceous reptiles and fishes from Kansas chalk: Sternberg, Charles H. 3.

Protein
High, flour mixtures for baking, war bread, cornstarch: Sayre 48.
Preparations from corresponding organ systems, serological relationships among domestic fowl shown by comparisons: Martin, Edwin P. 1.

Protein—Continued
Serum, mice, electrophoretic analyses: Dolyak 2.

Proteins
Rabbit tissual, effects of antisera on rabbit electrocardiograms and guinea pig anaphylaxis: Leone, C. A. 5.

Protozoan
Remains in Kansas chalk: Patrick 8.

Prunella vulgaris
Sayre 41.

Pseudacris streckeri illinoensis
Missouri: Smith, Phillip W. 3.

Pseudacris triseriata
Spermatogenesis: Gier, Leland J. 11.

Pseudomonas aeruginosa
Relationship between stage of growth and pigment production: Harris, John O. 2.

Pseudopodia
And flowing cytoplasmic movements in living germ cells: Baumgartner, W. J. 4.

Psychographs
Study: Weatherly.

Psychological diagnosis
Community program for child welfare, value: Weathers 1.

Psychological magnitude
Unit, validity of just noticeable difference: Newman.

Psychological problems
Mental deficiency: Lichlyter.

Psychological service
Kansas children's institutions: Brigden 4.

Psychological tests
Clinical application of a battery of, in study of delinquents: Weber, George H. 1.
Diagnosis of maladjustment in young children, use: Escalona.
When they do not detect test-detectable brain damage, case report: Kass 3.

Psychologist
Outline of semantics: Gardner.

Psychology
And facial expression: Thompson, A. H. 6.
And physiology, organism: Pronko 4.
And semiotic: Humphreys.
Beginning, study of student opinion regarding instruction: Siple 2.
Clinical, recent developments: Rapaport 1.
Course offerings and curricular re-

Psychology—Continued
quirements of in schools of diversified technology: Alm 2.
Gestalt, and behavioristic psychology of learning, relation: Leeper.
Of individual: Murphy, Paul G.
Jung's, religious implications: Dawson.
In professional group setting, dynamic aspects of training: Ekstein 2.
Scientific change in with implications for social change: Nagge.
Some contributions to war effort: Reed, H. B. 2.

Psycopathology
Physiological factors, changing orientations toward role: Pronko 1.

Psycho-physiological factors
And social behavior related to sexual behavior in birds: Guhl 5.

Psychoses
Insulin shock therapy: Drake.

Psychotherapy
Group, method of analyzing: Croley 2.
Method of supervision: Ekstein 3.
Personality changes as reflected in Rorschach records: Duncan 2.
Reduction of emotional therapy: Brigden 5.

Pteranodon
Kansas, articulated limb bones: Sternberg, G. F. 4.

Pteropsida
Three adjacent Kansas counties, differential effect of presence or absence of glaciation: Fish.

Pueblo ruins
New Mexico, results of explorations: Mead, J. R. 1.

Pulmonata, Gastropoda
Slugs, Oklahoma and Kansas, new records: Branson, B. A. 2.

Puma
Or American lion: Dyche 5.

Punishment
And reward, learning: Heilbron.

Pupation
Site, controlling in *Drosophila*: Schlager, G.

Pupillidae
Living and fossil, Sanborn area, northwestern Kansas: Franzen 3.

Pupils
Scientific measurements of achievement: Kelly, F. J.

Pyenomicrodon
Micropycondon, new name, Hibbard and Graffham not Hay: Hibbard 16.

Pyrolysis
Of cornstarch in various solvents: Lanning 3.

Q

Quail
Bobwhite, and climate, Kansas, 1951–1954: Robinson, T. S. 4.
Bobwhite, eastern Kansas, fall food habits: Jennings, Dolf 1.
Were native to Kansas: Mead, J. R. 10.

Qualitative analysis
In laboratory, color record: Hodge 1.
Semimicro: Bergstresser.

Quarry
Edson, fauna, Middle Pliocene of Kansas, additional notes: Hibbard 7.

Quercetin-like substances
Several midwestern plants, determination: Beal 1.

Quercus macrocarpa
Kansas: Stevens 6.

Quercus muehlesbergii
Variations of in Kansas: Yokoyama.

Quinine
And strychnine, quantitative separation: Watson, G. N. 1.

Quintard, James Bradley
Necrology: See Appendix I.

R

Rabbit
And rodents, coactions of with cactus: Riegel 3.
And rodents, identification of by their fecal pellets: Webbs, John 2.
Black-tailed jack, diseases: Bowen, R. E.
Blood, nature of Forssman antigen-antibody complexes: Gerundo 1.
Blood picture, subjected to various types of smoke: Dennis.
Cottontail, cellular proliferation associated with cysticercus infestations: Leonard, A. B. 2.
Electrocardiograms and guinea pig anaphylaxis, effects of antisera against rabbit tissual proteins: Leone, C. A. 5.
Jack, black-tailed, southwestern Kansas, use of forms: West, R. R.
Jack, body size of black-tailed: Bronson, F. H. 1.
Jack, cottontail, and vegetation in mixed prairie, coaction: Brown, Leo 6.
Jack, crop damage: Bronson, F. H. 2.
Jack, shifts in range in western Kansas: Carter.

Rabbit—Continued
Jack, white-tailed (*Lepus townsendii companius* Hollister), why scarce in Kansas: Brown, Leo 5.
Oklahoma cottontail, larvae of *Cuterebra* sp. (Diptera: Oestridae) infecting: Leonard, A. B. 1.
Subject to tobacco and other smokes, blood pictures: Garlock.
Western Kansas during periods of stress, observations of food coactions: Riegel 4.
White-tailed jack: Mohler 4.

Raccoons
Distemper-like disease, and isolation of *Histoplasma capsulatum* and *Haplosporagium parvum*: Menges.

Racial adaptation
Human, aspects: Murrill, R. I. 2.

Racial and phylogenetic distinctions
Adaptation, human aspects: Murrill 2.
Intertemporal-interangular index: Eisley 2.

Radiation
From intraperitoneally injected radium chloride upon megakaryocyte and blood platelet production in albino rats, effect: Roofe 1.

Radicals
Organic, electronegativity: Brewster 2.

Radio
Waves, ultrashort, and ultraviolet light, effects on microorganisms: Gier, Leland J. 3.

Radioactive alkaline earths
And plutonium, selective placental transmission of: Wilkinson.

Radioactive beta-decay
Inverse processes: Dolecek.

Radioactive properties
Subterranean waters, Ellis County, Kansas: Lippert, Verne.

Radioactivity
Chemical aspects of development: Argersinger 2.
Of oil-well drilling fluid with depth of wells: Johnston, Milford W.

Radium chloride
Intraperitoneally injected, effect of radiation upon megakaryocyte and blood platelet production in albino rats: Roofe 1.
Intraperitoneally injected, effects on thymus of albino rat: Comer 1.

Railroad
Rates from engineering standpoint: Dalton 2.
Tracks, measurements of stresses: Williams, C. C. 1.

Railway
Accidents and color blindness: Fee.

Rain
And snow, Manhattan, Kansas, for the past 32 years, annual precipitation: Breese 2.
Making, artificial: Steps.
Water, occurrence of nitrates: Failyer 8.
Waters collected at Agricultural College, nitric acid and ammonia: Failyer 9.

Rainfall
Of Kansas, is it increasing?: Murphy, E. C. 3.
Kansas, is it increasing?: Snow 35.
Laws, water supply, upper Neosho River Basin: Wooster, L. C. 23.
Relation to Kansas farming: Hilton.
Seven-year periodicity: Murphy, E. C. 6.

Rains
Kansas flood producing, 1951: Garret, R. A. 3.

Raman effect
Adapting laboratory spectrometer, study of: Zinszer, Harvey A. 4.

Range site
Chalk-flat, Gove County, Kansas, soil–vegetation relationships: Linnell.

Ranunculus abortivus f. *giganteus*
New form from eastern Kansas: Gates, Frank C. 4.

Rat
Albino, distribution of trichinealla larvae: Leonard, A. B. 3.
Albino, early developmental stages: Wright.
Albino, effect of human diets upon development and phosphorus content: McCammon 1.
Albino, effect of radiation from intraperitoneally injected radium chloride upon megakaryocyte and blood platelet production: Roofe 1.
Albino, effects of alcohol on the reproductive powers: Branch 4.
Albino, effects of intraperitoneally injected radium chloride on thymus: Comer 1.
Albino, effects of nicotine: Branch 6.
Albino, effects of radiation from intraperitoneally injected radium chloride on thymus: Comer 1.
Albino, salivary glands: Thompson, Mary E.
And fowls, occurrence and nature of cysts in pituitary glands: Herrick, Earl H. 10.

Rat—Continued
Classroom experiments, procedure for use of sodium pentobarbital anesthesia: Samson.
Cotton, standard values of blood and serum: Dolyak 1.
Effects of total body roentgen irradiation on endocrine glands and other organs: Azarnoff.
Female albino, effect of antuitrin growth injections, fed diet deficient in vitamin A: Wimmer.
Growth and reproduction, vitamin C-free diet: Brill.
Hispid cotton, Kansas, distribution: Cockrum 1.
Hypophysectomized, failure of ACTH to maintain testes: Herrick, Earl H. 9.
Norway, and house mouse, city block, Lawrence, Kansas: King, Otis M.
Pig, and cat, quantitative studies on distribution of lipids in bone marrow: Goodman.
Pineal imprints: Lahr.
Similar effects of rations containing butterfat or corn oil upon maze-learning: Parrish 2.
White, goal activity: Brigden 1.
White, histological study of duodenum: Gier, Leland J. 10.
White, effects of olfactory cues on maze learning: DeMand 1.
White, effect of temperature on behavior: Hellmer.
White, effect of temperature changes upon behavior: Moore, Kenneth 2.

Rate
Metabolic, floor beetle, *Tribolium confusum*: Calderwood, W. A.

Ration
Plant, effect on resistance of omnivorous animal to parasitism: Ackert 5.

Rattlesnake
Bite of: Savage, Joseph 1.
Poison glands during period of hibernation: Dyche 12.
Timber, southern Kansas, westward extension of known geographic range: Hall, E. Raymond 3.

Rawlins County
Kansas, summer birds: Tiemeier 1.

Rayon
Fabrics, viscose, cellulose acetate, and cuprammonium, effect of light and heat on breaking strength, color and copper: Houston.

Reaction
Hemocyanin-antihemocyanin precipitin, turbidimetric analysis: Leone 4.

Reading
For information, value of guidance: Peterson 2.
Test scores and freshman grades, relation: Rizzo 1.

Reagent
Polyphosphoric acid in organic chemistry II: Popp.

Reagent bottle
Inexpensive, service in microscopic work: Knerr 5.

Reagents
For inorganic quantitative analysis, review of organosulfur derivatives of hydrogen sulfide: Kolling, W. O. 8.

Reclamation
In Kansas Basin: Brady.

Recording instrument
Autographic, for tension tests: Hood.

Record
Brown skink (*Scincella laterale*) and prairie skink (*Eumeces septentrionalis*) from Barber County, Kansas: Stains 5.
Late seasonal, red bat in Kansas, echolocation failure: Janes, D. W.

Records
Amphibians and reptiles in Kansas: Legler 2.
New distributional for two species of crayfish: Metcalf, A. L. 1.
New, Kansas crayfish: Minckley 2.
Selected, amphibians and reptiles from Arizona: Williams, K. L. 1.
Slugs (Gastropoda: Pulmonata), Oklahoma and Kansas: Branson, B. A. 2.

Recovery
Spontaneous: Hulicka, I. M.

Red bat
Echo-location failure: Janes, D. W.

Red phalarope
New bird for Kansas list: Dyche 6.

Red Rock Canon
Colorado, "Mountain Leather": Knerr 7.

Reduction
By borohydride, spectrophotometric determination of keytones: Lichenstein.

Reforms
Needed, in packing food products: Bailey, E. H. S. 40.

Regina
Genus, water snake: Smith, H. 22.

Relationship
Phlox *Oklahomensis* to phlox *Bifida*: Marsh, D. L.

Relationship—Continued
Soil vegetation, chalk-flat range site, Gove County, Kansas: Linnell.
Relocation
West drift border, eastern Kansas, evidences: Schoewe 19.
Repair
Shell, *Marisa rotula*: Mallory.
Repellents
Water, silicones applied to concrete: Lanning, F. C. 7.
Repetition
Pattern vs. motor repetition in memorization of music, preliminary study of relative efficiency: Brigden 2.
Reproduction
And growth of guinea pig, effects of experimental diets: Harman 10.
And growth of rats on a vitamin C-free diet: Brill.
Cell in growth: Baumgartner, W. J. 5.
In guinea pigs fed vitamin C at different levels: Harman 13.
In North American bats: Cockrum 2.
Transplantation of ovaries in guinea pigs, endocrine effect during pregnancy: Herrick, Earl H. 1.
Reproductive powers
Albino rats, effects of alcohol: Branch 4.
Reproductive systems
Gryllus assimilis Fabr: Spann.
Reptiles
And amphibians, Kansas records: Legler, J. M. 2.
And batrachians of Kansas, preliminary catalogue: Cragin 1.
And fishes, Prostegagigas and other Cretaceous, from Kansas chalk: Sternberg, Charles H. 3.
Animals and amphibians, Rosebud Indian Reservation, South Dakota: Reagan 4.
Central Prairie region of United States, additional records: Burt, Charles E. 2.
Evolutionary lines in tooth attachment and replacement: possible significance in mammalian dentition: Smith, H. M. 18.
Kansas, distributional and ecological records: Burt, C. E. 1.
Mammal-like, evolution: Byrne 2.
Mammal-like, Permian, South Africa, preliminary report: Byrne 1.
Mansfield Museum's Mexican, collected by Wilkinson: Smith, Hobart M. 8.
Mosasauroid, dermal covering: Snow 21.
Reptiles—Continued
New mid-Pennsylvanian, Kansas: Lane 2.
Oaxaca, Mexico: Smith, H. M. 21.
Poisonous, is the gila monster?: Snow 59.
Tooth attachment and replacement: Smith, H. M. 13.
Reptiles and amphibians
And mammals, Meade County State Park: Tihen 2.
Arizona: Williams, K. L.
Chase and Lyon counties, Kansas: Breukelman 2.
Chase and Lyon counties, Kansas, revised list: Breukelman 8.
Dent County, Missouri: Myers, C. W. 2.
Eastern Mexico: Darling.
Ellis County, Kansas, check list: Brennan, L. A. 2.
Franklin County, Kansas: Gloyd.
Kansas counties, additional distributional records: Tihen 1.
Kansas, distributional notes: Clarke, R. F. 2.
Kansas, records: Legler, J. M. 2.
Louisiana: Burt, Charles E. 8.
Mammoth Cave National Park, proposed: Hibbard 4.
Mexican, in Texas cooperative wild life: Smith, H. M. 9.
Mexico, northern, notes: Webb, R. G.
Montana State Park, Dent County, Missouri: Myers, C. W. 2.
New Mexico, Utah, and Arizona: Chenoweth.
Northern Mexico: Webb, R. G.
"Rock City" fauna: Burt, Charles E. 4.
Sonora, Mexico, Pinacate lava cap: Smith, P. W. 5.
Southeastern Kansas, selected records: Hall, Harry H. 5.
Southwestern, annotated records: Gehlbach.
Tinian Island: Downs, T. 3.
Washington State Park, Washington County, Missouri: Myers, C. W. 1.
Report (preliminary)
Conchostracan-bearing beds of Kansas (Jester Creek section): Tasch 1.
Research
Agricultural and industrial dividends: Mitchell, H. L.
And medical education: Roofe 3.
Current botanical and Kansas economy: Sperry, T. M. 2.
Engineering in Kansas: Wilson, M. A.
In parasitology in Kansas during last century, review: Ackert 11.

Research—Continued
Institutional: Argersinger 4.
On North American grasslands: Shantz, H. L.
Play therapy, development of scale to be used: Engel.
Reserpine
Analogs, effects on fish: Bernstein.
Reservation
Kaw, timbered mounds: Gould 2.
Kaw, additional notes, timbered mounds: Gould 3.
Natural history, University of Kansas, molluscan record of succession: Fitch 3.
Reserves
Carbohydrate, paper chromatography: Choguill, H. S. 10.
Reservoir
Cedar Bluff, woody vegetation: Hopkins 8.
Residues
Insoluble, Kansas Pennsylvanian rocks, preliminary study: Schoewe 15.
Insoluble, Missouri series, eastern Kansas: Keroher, Grace C. 2.
Resinous exudation
Examination: Sayre 2.
Resonance curve
Respect to variation of capacity: Hudiburg.
Resources
Ground water, Kansas: Fishel 1.
Ground water, Rooks County, Kansas, chemical analysis: Schmidt, G. W.
Mineral, geography of Kansas, pt. IV: Economic geography: Schoewe 29.
Mineral, river counties of Kansas and their geology: Hay 24.
Natural, state administration of wild life: Hall, E. Raymond 2.
Water, Johnson County, drought, 1934: Jewett, J. M. 5.
Respiration
Common salamander: Snow 45.
Micrococcus lysodeikticus in presence of lysozyme: Peniston.
Responses
Aquisition latencies, acquired under conditions of total and partial reinforcement: MacKintosh, Irene 1.
Reticulocytes
In embryonic pig blood, significance: Youngstrom.
Revegetation
After bombing, Hat Island, Lake Michigan: Gates, Frank 34.
Of land retired from cultivation, Hays, Kansas, comparative study of natural and artificial: Riegel 6.
Review
Organosulfur derivatives of hydrogen sulfide as reagents for inorganic quantitative analysis: Kolling, O. W. 8.
Revision
Senecio aureus Linn and allied species: Barkley.
Reward
And punishment, learning: Heilbron.
Rexroad fauna
Contribution: Hibbard 18.
Mammals, Upper Pliocene, southwestern Kansas: Hibbard 11.
Second contribution: Hibbard 20.
Rhenium
Preparation, chlorine compounds: Kolling 2.
Rhizomes
Horizontal, species of *Equisetum*, elasticity, breaking stress, and breaking strain: Treitel 1.
Rhyncophora
Kansas, collection, Kansas State Agricultural College: Hayes 2.
Rhythms
Experimental study: Sarvia.
Riboflavin (vitamin C)
Milk as source: Kunerth 5.
Riccia frostii
After Kansas floods, 1951: McGregor 6.
Rice
Stored, research work with insects infesting: Tucker 18.
Rice County, Kansas
Liver fluke in cattle: Case, A. A. 3.
Rickettsial infections
And yellow fever, wartime advances: Downs, Cora 1.
Riley County
Fossils: Mason, S. C.
Kansas, eleodes: McColloch 2.
Kansas, erysipheae: Walters.
Kansas, ornithology: Blachly.
Rural school drinking water, quality: Green, Mary M.
Southeastern, Wabaunsee and southern Pottawatomie counties, Kansas, early Pleistocene geomorphic history: Mudge, M. R.
Traces of aborigines: Failyer 1.
Rio Negro
Brazil, description of new *Hemigrammus*, studies of fishes of family Characidae: Bohlke 4.
River
Blue, Valley, list, larger fungi: Jewell, Mrs. E. C.

River—Continued
Bluffs: Parker, John D. 2.
Counties of Kansas, notes of geology and mineral resources: Hay 24.
Dying: Mead, J. R. 4.
Grand, Missouri, formerly connected with Platte River, Nebraska, more evidence: Todd 11.
Kansas, basin, *Moxostoma aureolum*: Minckley, W. L. 3.
Kansas, Douglas County, Kansas, ages and sizes of 29 flathead catfish: Cross, F. B. 6.
Kaw, fluctuations in mineral content: Bushong 7.
Life history: Haworth 6.
Missouri, south of, newly found locality of glacial striae: Jewett, J. M. 3.
Platte, Nebraska, formerly connected with Grand River, Missouri, more evidence: Todd 11.
Valley, Central Kansas, silt deposited by July, 1951, flood: Carlson.
Valley, Kansas, between Lawrence and Kansas City, chert gravels: MacFarquhar.

Road metal
Kansas: Marvin 5.

Rock City: See also Appendix A.
Amphibians and reptiles, the fauna: Burt, Charles E. 4.
Fauna—mammals and birds: Wooster, L. D. 4.
Flora: Horr 1.
Symposium, a proposed National Monument in Ottawa County, Kansas, introduction, history, and geology: Schoewe 16.

Rocket
Mouse-carrying, design: Mennemeyer.

Rocks
Common, and gem stones of Kansas, how to recognize them: Schmidt, M. M.
Concretionary, eastern Kansas, barite and associated minerals: Bailey, E. H. S. 16.
Cretaceous, Kansas, eastern extension, formation of certain sandhills: Hay 23.
Exposures about Atchison: Price, J. N.
Igneous of Kansas: Hay 2.
Igneous, are they in Cherokee County: Haworth 1.
Kansas, Pennsylvanian, preliminary study of insoluble residues: Schoewe 15.
Lime content, Upper Cretaceous system, Osborne County, Kansas: Search.

Rocks—Continued
Monument, Gove County, Kansas, vegetation: Albertson 3.
Triassic, Kansas: Hay 13.
Upper Cretaceous system, Ellis County, Kansas, lime content: Rarick.

Rodent
Activity in mixed prairie near Hays, Kansas: Brown, Leo 4.
Dikkomys, additional specimen, Miocene, Nebraska: Galbreath 3.
Eomyid, new, Lower Oligocene, northeastern Colorado: Galbreath 5.
Helyiscomys, deciduous premolars, Oligocene: Galbreath 10.
Heteromyid, new Pleistocene, *Etadonomys*, notes on other Kansas mammals: Hibbard 14.
Heteromyid, Oligocene, skull of *Heliscomys*: Galbreath 9.
Microtine, Kansas, distribution: Haines.
South American, the *nutria*, in Kansas: Hoffmeister 2.

Rodentia
And Lagomorpha from San Josecito Cave: Jakeway, G. E.

Rodents
And rabbits, coactions of with cactus: Riegel 3.
And rabbits, identification of by their fecal pellets: Webb, John 2.

Role
Future, Kansas Academy of Science: Andrews, T. F. 3.

Rooks County, Kansas
And vicinity, annotated list of birds: Imber.
Chemical analysis of ground water resources: Schmidt, G. W.

Rooster
White leghorn, two pairs of testes: Harnly 5.

Root
Shoot, ratio and moisture relations: Gier, Leland J. 7.
Tubercles and their production by inoculation: Otis, D. H.

Rotula
Marisa, shell repair: Mallory.

Row width
And seeding rate as factors influencing winter wheat yields and components of yield: Stickler, F. C.

Rubber
Artificial: Sayre 42.

Russell County
Ellis and Trego counties, Kansas, bromine and iodine content of subsurface waters: Runyon, H. Everett 1.
Ellis and Trego counties, oil well waters: Runyon, H. Everett 3.

Rusts
Of oats, notes on distribution in United States: Parker, John H. 1.

S

Saber-tooth cat
South-central Kansas: Galbreath, E. C. 7.

Saccharine
Substance in stem of sorghum vulgaris, distribution: Failyer 3.

Sage sphinx
Larva and chrysalis: Snow 9.

Salamanders
Arizona: Lowe.
Common, respiration: Snow 45.
Mutant red-phase wood, New Hampshire: Burt, Charles E. 7.

Salicylic acid
In presence of acetyl salicylic acid, quantitative determination: Watson, G. N. 2.

Salina
Kansas, silico-barite nodules: Knerr 15.

Saline County
Flora, ferns and flowering plants: Hancin.

Salivary glands
Albino rat: Thompson, Mary E.

Salt
Analysis: Patrick 5.
Beds newly discovered, Ellsworth County, Kansas: Bailey, E. H. S. 9.
Cedar, germination, effects of environmental factors: Hulett.
Complex, electrodeposition of tin from solutions: Hess.
Decar (*Tamarix gallica* L.), life history: Merkel.
Kansas and the nation's: Taft 21.
Marshes, Kansas, notes: Hay 15.
Marsh Coleoptera: Knaus 2.
Plains, Oklahoma: Gould 7.
Stabilized iodized, determination of iodides: Enberg 1.
Substrate, effect on stearic acid films on water: Wheat.
Wellington, paleoecological observations: Tasch 2.

Salts
Effects on acid-base indicators in glacial acetic acid: Kolling, O. W. 7.

Salts—Continued
Potentiometric evidence for solvolysis of in glacial acetic acid: Kolling, O. W. 6.
Solvolysis, in glacial acetic acid: Kolling, O. W. 6.

Samia cocropia
Sex attraction: Falls.

Sanborn area
Northwestern Kansas, living and fossil Pupillidae: Franzen 3.

Sand
Dune collecting: Knaus 4.
Dunes State Monument, preliminary report: Smith, Harold T. U. 3.
Terrace, eastern Sedgwick County, Kansas: Michaelson.

Sandhills
Ecotone-Loess Hills in Central Nebraska, native vegetation: Hopkins 4.
Formation, eastern extension of Cretaceous rocks in Kansas: Hay 23.

Sandstone
Codell, Kansas, elopid fish: Miller, H. W., Jr. 4.
Dakota formation, Ellsworth County, Kansas, ecology of pasture: Blair, Byron O. 1.
Dakota, fossil bird-track: Snow 37.
Dakota, Washington County: Charles.
Flora, Dakota, University of Kansas collection of fossil plants: Baxter 5.
In Lawrence shales, water: Young, C. C. 2.
Red, central Kansas: Mudge, B. F. 2.
Waters of great purity: Bailey, E. H. S. 26.

Sanitary engineering practice
Progress: Smith, Alva J. 7.

Sanitary or hygienic value
Public baths: McWarf 13.

Sanitary science: McWarf 2.

Sanitary standpoint
Water supply: Marvin 3.

Sanitary water
Analysis: Bailey, E. H. S. 29.

San Josecito Cave
Lagomorpha and Rodentia: Jakeway, G. E.

Sap
And juice of plants, data obtained spring, 1933: Brennan, L. A. 1.
Circulation: Lighton.

Satellites
Of solar system, periods of rotation of Mercury and Venus: Miller, E. 2.

Saturn
Rings, possible origin: Reagan 13.
Saury
Pacific (genus *Cololabis*), coast of Peru: Bohlke 2.
Sausage
Frozen pork, observations on bacteria: Hendrickson.
Savage, Joseph
In memoriam: Hay 19.
Sawfly
Wheat stem, Kansas: Painter 2.
Scalation
Ventral, placement of internal organs in snakes: Garrigues.
Scaphocephaly
Extreme case, mound burial near Troy, Kansas: Eisely 3.
Schools
Diversified technology, course offerings and curricular requirements of psychology: Alm 2.
Ground, aptitude, prediction of, further studies of learning aptitude in pilots: Baker, W.
Kansas high, biology teaching: Gentry.
Life and physical development: McWarf 1.
Public, science: Kelly, D. S. 2.
Secondary, report of committee to study educational trends with respect to basic sciences: Alm 3.
System, public, experimental study of attitude: Siple 1.
Science
Academies, study of financing: Johnson, George E. 2.
Academy, Great Plains: Hay 18.
Academy, Kansas, past, present, future: Schoewe 14.
America's opportunity: Tidd.
American, Silliman, Hare, and Cooke, relation: Dains 3.
And industry conference: Jewett, J. M. 8.
And industry, conference, keynote address: McCain, J. A.
Anthropology: Thompson, A. H. 13.
Basic, report of committee to study educational trends in secondary schools of the state: Alm 3.
Endless frontier: Bush.
Engineering, factors influencing teaching: Potter, A. A.
Entomology, contribution of Kansas: Dean 3.
For all of life: Mohler 5.
Industry looks to: Thomas, R. W.
In education: Williston 14.
Science—Continued
In newspapers: Schoewe 7.
Kansas Academy: Lantz 5.
Kansas Academy, future role: Andrews, T. F. 3.
Kansas Academy, library catalogue: Cragin 4.
Kansas Academy, and Natural History Society, founders and workers: Wooster, L. C. 25.
Kansas Academy, science teacher improvement program: Breukelman 10, 11, 12.
Kansas, development: Wooster, L. C. 4.
Kansas, first hundred years: Taft 69.
Kansas, position and mission: Wilson, W. B. 3.
Mission and limitation: Willard 13.
Nineteenth century: Miller, E. 6.
Physical, discoveries in having social significance: Hughes.
Plant, recent advances: Loehwing.
Progress since foundation of Kansas Academy of Science: Williston 17.
In public schools: Kelley, D. S. 2.
Relativity: Knerr 14.
Sanitary: McWarf 2.
Social significance of recent developments: Walker, Edwin R.
Teachers and students, significance of new microcamera: Weber, L. R. 4.
Teacher improvement program, Kansas Academy of Science: Breukelman 10, 11, 12.
Teaching, trends in Kansas high schools, 1940–1950: Reed, H. B. 6.
Scientific development
And investigation in southeast Kansas: Matthews, W. H. 3.
Scientific fallacies
And frauds: Hoyt 3.
Scientific hobbies
Carpenter, A. C. 2.
Scientific measurements
Achievements of pupils: Kelly, F. J.
Scientific method
Knowledge among college students: Keurst.
Scientist
On the farm: Wooster, L. C. 14.
Kansas, cooperation: Baumgartner, W. J. 7.
Value, work to humanity: Yates 2.
Sciurids
Tree, regard to adaptation to arboreal, olisant, and fossorial habits, study of myology and osteology: Peterka.
Sclerotium delphinii Welch
Kansas: Obee 2.
Studies, host range: Obee 4

Scolopendra
Heros under laboratory conditions, observations: Campbell, Marion I.
Scott County, Kansas
Soil study: Sewall.
Scouts
And non-scouts in El Dorado, Kansas, comparative study of character and conduct: Hawkins.
Seali
Streptocephalus, roadside ditch: Prophet.
Sea-lions
California, food habits: Dyche 3.
Sea shells
La Push, Washington: Reagan 6.
Seasonal distribution
And species composition of limnetic crustacean zooplankton, northeastern Kansas: Armitage, K. B. 2.
Secretary—reports and minutes: See Appendix L.
Section
Geological, Wilson County, Kansas: Hay 6.
Physiographic, Plains Border: Frye 3.
Sedgwick County, Kansas
Camps of prehistoric people: Meade, J. R. 2.
Seed plants: Stieferman.
Terrace sands: Michaelson.
Sedimentation
Cyclic, Kansas during Permian period: Jewett, J. M. 1.
Cyclical, Cherokee: Abernathy 1.
Seed
Sorghum, fungi associated with in Kansas: Swarup.
Sorghum, germination, affected by moisture and temperature: Evans, W. F.
Seeding rate
And row width as factors influencing winter wheat yields and components of yield: Stickler, F. C.
Seedling
Commelina virginica, seed germination and development: Bates 1.
Seeds
And germination of *Setaria italica* (L.) Beauv.: Keys.
Autolysis: Barton 2.
Blue grama grass, estimating yield: Cornelius.
Dissemination and germination: Speckman.
Distribution by dust storms: Runyon, H. Everett 2.
Seeds—Continued
Germination and development of the seedling of *Commelina virginica*: Bates 1.
Germination, effect of long-continued soaking: Barton 1.
Germination, sorghum kernel smut infection in relation: Melchers 11.
Measurements of internal forces: Shull.
Plants, Sedgwick County, Kansas: Stieferman.
Production of native Kansas grasses during the drought of 1939, analysis: Branson, Lester R.
Selection, improvement of sorghum: Failyer 10.
Viable, in various habitats in mixed prairie: Lippert, Robert D.
Yields and growth of native prairie plants in various habitats of mixed-prairie: Brown, H. Ray.
Semimicro
Qualitative analysis: Bergstresser.
Semiotic
And psychology: Humphreys.
Senecio aureus Linn
Revision and allied species: Barkley.
Serological relationships
Among domestic fowl shown by comparisons of protein preparations from corresponding organ systems: Martin, Edwin P. 1.
Serpent
Sonoran, Kansas, new variety: Cragin 5.
Venomous, and the Coronellidae, comments of G. Jan's papers: Smith, Hobart M. 7.
Serum
And blood of cotton rat, standard values: Dolyak 1.
Magnesium, levels in mammalian hibernation: Riedesel.
Proteins of mice, electrophoretic analysis: Dolyak 2.
Setaria italica (L.) Beauv.
Seed and germination: Keys.
Settlement
And population changes, Sherman County, Kansas, geographic study: Kollmorgen 1.
Sewage
Flow at Lawrence, Kansas, gagings: Hoad 2.
Sex
And relative duration of white mice in pure oxygen: Hershey 9.
Attraction in *Samia cecropia*: Falls.

Sexual behavior
In birds, psycho-physiological factors and social behavior: Guhl 5.

Sexual characters
Size and secondary in frog, *Glossostoma alterrimum* Gunther: Nelson, C. E.

Sexual cycle
Thirteen-lined ground squirrels in laboratory: Johnson, George E. 3.

Shales
Black, western Kansas, subsurface study: Gordon, Glen 2.
Eskridge: Wells, John D.
Kansas, gold: Lovewell 4.
Lawrence, features: Yates 4.
Lawrence, waters from sandstone: Young, C. C. 2.
Preliminary observation, destructive burrowing: Charlton 2.

Shawnee County
Douglas and Johnson counties, Kansas, glacial erratics: Schoewe 1.
Stratigraphy: Beede 3.
Terminal boulder belt: Smyth, B. B. 15.

Shawnee, Kansas
Limnological conditions of Turkey Creek and two ponds, June 8, 1957 to August 16, 1957: Willis, H.

Sheep
Inheritance of fertility: Wentworth.
Mountain, state of Washington, collection of University of Kansas: Dalquest 2.
Wether, influence of diethylstilbestrol, estradiol and progesterone on Cowper's gland and seminal vesicles: Herrick, E. H. 12.

Shell
Repair, *Marisa rotula*: Mallory.

Shell structure
Fusilina cylindrica: Smith, Alva J. 1.

Sheridan County, Kansas
Flora: Weber, Clement 3.
Additions to flora: Weber, Clement 4.

Sherman County, Kansas
Geographic study of population and settlement changes: Kollmorgen 1.

Shock
Insulin, therapy in psychoses: Drake.

Shrew
Dental abnormality: Jones, J. Knox, Jr. 5.
Late Cenozoic, notes: Hibbard 21.
Short-tailed, geographic distribution, Great Plains: Jones, J. Knox, Jr. 3.

Shrubs
Trees and vines in Cherokee Nation: Gould 9.

Shunganunga
Buried moraine: Smyth, B. B. 20.

Siamese fighting fish
Reserpine analogs: Bernstein.

Siderite
Pierceville oxidized: Nininger 12.

Silica
Cement mortars: Tweeddale 2.

Silicates
Complex, stoichometry: Slabaugh.

Silico-barite
Nodules, Salina, Kansas: Knerr 15.

Silicones
As water repellents when applied to various types of brick: Lanning 4.
As water repellents when applied to concrete: Lanning 7.
As water repellents on sandstone: Lanning 6.
Durability and function of on masonry materials: Lanning, F. C. 8.
Effectiveness as water repellents applied to various types of limestone: Lanning 1.
Type R $Si\ Y_3$ as water repellent on limestone: Lanning 5.
Effectiveness as water repellents when applied to concrete: Lanning, F. C. 9.

Silks
Deterioration of by light of different wave lengths: Nelson.

Silliman
Hare and Cooke, relation to American science: Dains 3.

Silt
Deposited by July, 1951, flood, central Kansas River Valley: Carlson.

Silurian
Upper, material, ostracodern order Anaspida, description: Robertson 6.
Upper, of Oesel, *Witaspis patteni*, new ostracodern: Robertson 5.

Silver
Electrodeposition from solutions of silver nitrate in presence of wetting agents: Taft 9.
Molds, lead, of Osage Indians: Fay 1.

Simocephalus
Speed of toxic action of different concentrations of phenol: Breukelman 3.

Simson line
Relation to nine-point circle: Matthews, L.

Sink
Mitchell County, Kansas, unusual type: Landes 2.
Sinkholes
And related geologic features in Kansas: Merriam 1.
Recent, near Potwin, Kansas: Gordon, Glen H. 1.
Wabaunsee County: Savage, Joseph 3.
Siphoning extraction
New glass apparatus: Willard 5.
Siskin
Pine, new nesting record: Crevecoeur 9.
Sisyrinchium
Campestre Bick, variation: McGregor 12.
Site
Controlling pupation in *Drosophila*: Schlager, G.
Sitophilus oryzae and *sasakii*
Rice weevils, determination of possible differences in animo acids: Winden, B. A.
Skeleton
Plesiosaur, western Kansas: Sternberg, George F. 3.
Sketch
Historical, geological work in Kansas: Hay 7.
Skin
Conductance changes occurring during mental fatigue: Geldreich 1.
Conductance changes occurring during mental fatigue and amoxenia: Geldreich 2.
Mammal, care of, kept for museum purposes: Dyche 11.
Response, galvanic, as deception indicator, studies: Geldreich 3.
Response, galvanic, as deception indicator, further studies: Geldreich 4.
Response, galvanic, mental work blocks: Geldreich 5.
Skink
Brown (*Scincella laterale*) and prairie skink (*Eumeces septentrionalis*) record from Barber County, Kansas: Stains 5.
Skull
Malformed, *Aplodinotus grunniens* Rafinesque: Green, Morton 3.
Heliscomys, Oligocene heteromyid rodent: Galbreath 9.
Human and associated fauna, Foard County, Texas: Dalquest, W. W. 4.
Sky
Nichols 6.
Slugs
Gastropoda: *Pulmonata*—Oklahoma and Kansas, new records: Branson, B. A. 2.
Small things
Bailey, E. H. S. 18.
Smell
Classification of sensations: Franklin, W. S. 2.
Sense of, special tests in regard to delicacy: Bailey, E. H. S. 5.
Smut
Infection of sorghum kernel, relation to temperature: Melchers 10.
Infection of sorghum kernel, relation to seed germination: Melchers 11.
Infection in sorghum, uncommon symptoms: Melchers 12.
Loose and covered oats, relation of morphological characters of host and fungus to identification: Kingsley.
Smyth, Bernard Bryan
Necrology: See Appendix I.
Snail
New land: Webb, Glenn R.
Snakes
American and Mexican, genus *Tantilla*, descriptions of new species: Taylor 4.
Central American, with record from Honduras, notes: Savage, Jay M. 1.
Coral, remarks on Mexican subspecies: Mittleman 1.
Highways, western Kansas, mortality: Bugbee 3.
Kansas, Museum of Kansas State University: Mozley.
Milk, taxonomic and distributional study of western subspecies: Tanner 2.
Placement of internal organs, relation to ventral scalation: Garrigues.
Rattle, bite: Savage, Joseph 1.
Thamnophis macrostemma Kennicott, variation: Brumwell 1.
Snowfall
Kansas: Youkin.
Snow, Doctor
As a collector and his collections: Dyche 9.
Scientific papers, memorial address: Marvin 7.
Teacher—memorial address: Sayre 30.
Snow, Francis Huntington
Memorial address: Bailey, E. H. S. 30.
Memorial address: Miller, E. 9.
Teacher—memorial address: Stevens 2.

Snow
And rain, annual precipitation, Manhattan, Kansas, past thirty-two years: Breese 2.
Social behavior
And psycho-physiological factors related to sexual behavior in birds: Guhl 5.
Social organization
In a herd of dairy cows: Guhl 4.
Social significance
Discoveries in physical sciences: Hughes.
Socio-economic level
Ethical reactions: Pronko 3.
Sodium
Chloride and thiourea at 30° C, density, viscosity, and electrical conductance of aqueous solutions: Taft 39.
Chloride, thiourea-water, solubilities in the ternary system: Taft 41.
Diethylbarbiturate, aqueous solutions, conductance and related properties: Taft 42.
Dispersed, standardization and application: Mohilner.
Hydroxide and hydrochloric acid, interpolation table for refractive index-normality relationship for solutions: Olsen 1.
Methyl siliconate as water repellent when applied to limestone: Lanning 2.
Oxalate, sodium malonate, and sodium succinate, physical properties of aqueous solutions: Taft 46, 54.
Pentobarbital anesthesia, procedure for use in classroom experiments with rats: Samson.
Sod webworms
Kansas: Miller, H. D. Oliver.
Softwoods
Surface structure and paint-adhesion mechanisms: Olsen 2.
Soil
Amendments, effect upon bacterial populations associated with roots of wheat: Clark, F. E. 1.
And bacteria: Wooster, L. C. 5.
Asphalt interface of Kansas highways, presence of hydrocarbon utilizing bacteria: Harris, John O. 6.
Bacteria, phosphate turnover studies: Harris, John O. 4.
Base exchange: Perkins 3.
Calcium, comparison of methods for determination: Blair, Byron O. 3.
Conditioner, influence on nitrification: McCalla 5.
Soil—Continued
Cytophagas, isolation study: Thomas, Olive E.
Effect upon composition, continuous cropping of wheat: Willard 11.
Effects of grazing and trampling: Knoll, G.
Ellis County, proper mixtures for adobe construction and their physical properties: Read, B. W. 1, 2.
Eroded, ecological study of four species of sumac in relation to development and growth: Boyd 3.
Eroded, evaluation of prairie grasses as interplanting ground cover: Boyd 1.
Fauna of Cowley County, Kansas: Hetzer 1.
Fossil, use in Kansas Pleistocene stratigraphy: Frye 4.
Insects, identification of by their burrow characteristics: Bryson.
Isolation of keratinophilic fungi: Watson, Bernard B.
Kansas, analysis: Patrick 4.
Kansas, analysis and characteristics: Perkins 10.
Kansas cultivated, loss of nitrogen and organic matter: Swanson, C. O. 1.
Local actinomycetes: McClung, Norvel M. 1.
Microorganisms and pipeline coatings: Harris, J. O. 8.
Moisture and winter wheat in Kansas: Myers, H. E. 2.
Particles, humidity and specific gravity: Perkins 5.
Phosphate fixation, minerals: Perkins 7.
Structure and microorganisms: McCalla 4.
Structure, stability of against falling water drops containing different dissolved materials: McCalla 3.
Study, Scott County, Kansas: Sewall.
Vegetation relationships, chalk-flat range site, Gove County, Kansas: Linnell.
Solanum rostratum
Examination: Amos.
Solar system
Periods of rotation of Mercury and Venus and satellites: Miller, E. 2.
Soluble sugars
Sorghum grain: Nordin.
Solubles
Distillers, supplementing broiler rations: Gish.

Solution
Aqueous, 25° C, isospiestic activity coefficients of antihistamine histadyl: Andrews, A. C. 4.
Solutions
Aqueous, antihistamines at 25° C, conductance studies: Andrews, A. C. 1.
Solvents
Bromination of phenol and cresols: Johnson, Sam H.
For gum arabic: Taft 3, 5.
Solvolysis
Salts in glacial acetic acid, potentiometric evidence: Kolling, O. W. 6.
Sonora, Mexico
Adjacent, and extreme southeastern Arizona, results of herpetological reconnaissance, description of new subspecies of Sonoran whipsnake, *Masticophis billineatus*: Hensley 2.
Melanism in Meloidae (Coleoptera) from Pinacate lava cap: Selander.
Northwestern, notes on collection of amphibians and reptiles from Pinacate lava cap: Smith, P. W. 5.
Sorbopyrus auricularis
Anatomical features: Hortleder.
Sorghum
And corn, water relations: Miller, E. C. 10.
Field, preliminary list of insects: Hayes, W. P. 1.
Grain, phytin content: Wang 6.
Grain, soluble sugars: Nordin.
Grain starch, effects of progressive absorption and desorption of palmitic acid: Barham 2.
Improvement, by seed selection: Failyer 10.
Kernel smut infection, relation to seed germination: Melchers 11.
Kernel smut infection, relation to temperature: Melchers 10.
Saccharatum, observation of formation of sugar crystals in juice: Cowgill.
Seed, associated fungi: Swarup.
Seed, germination, affected by moisture and temperature: Evans, W. F.
Smuts: Kellerman, W. A. 7.
Uncommon symptoms of smut infection: Melchers 12.
Vulgaris, distribution of saccharine substance in stem: Failyer 3.
Vulgare, variations in sugar content: Willard 4.
Sound
Intensities, determination and comparison: Hill, Bruce V.
Transmission by electricity: Lovewell 1.
South Africa
Permian, preliminary report on new mammal-like reptile: Byrne 1.
South America
Patagonia, collecting trip: Martin, H. T. 1.
Rodent, *nutria*, Kansas: Hoffmeister 2.
South Dakota
A cynaractine from Upper Oligocene: Green, Morton 4.
Rosebud Indians Reservation, animals, reptiles and amphibians: Reagan 4.
Rosebud Indian Reservation, notes on flora: Reagan 1.
Sow
Remains of fetal pig retained in uterus: Baumgartner, W. J. 3.
Soybeans
Midwestern farming: Larson, Sara.
Space
Disorientation, visual: Dunmire.
Spanish Peaks
Jewett, J. J. 1.
Geology: Savage, Joseph 6.
Spark discharges
Modes of vapor diffusion: Zinszer, Harvey A. 2.
Sparrow
English, embryogeny of os opticus: Tiemeier 3.
"English" or house and chickens, transmission of poultry parasites by birds: Hoyle 3.
Special publications: See Appendix A.
Special references, manuscript preparation: See Appendix A.
Species
Allied, revision, *Senecio aureus* Linn: Barkley.
American, watersnakes: Nakamura.
Composition and seasonal distribution, limnetic crustacean zooplankton, northeastern Kansas: Armitage, K. B. 2.
Continental, *E. rhois*, analysis of local populations: Bugbee 1.
New, *Cardiocarpus* in Kansas coal balls: Leisman.
New, description, brachiopos genus *Enteletes*: Bridwell, A. 1.
New distributional records, crayfish: Metcalf, A. L. 1.
New, fossil cephalopods, notes: Hay 21.
New, fringe-limbed tree frog from Mexico: Duellman, W. E.
Spectra
Absorption, new method of studying: Franklin, W. S. 1.

Spectrograph
Determination of calcium using the flame photometer as an excitation source: Schrenk 3.

Spectrometer
Laboratory, adapting to study of Raman effect: Zinzser, Harvey A. 4.
Magnetic resonance, construction: Zohner, Linda.

Spectrophotometric determination
Zirconium: Swim.

Spectrophotometric method
Quantitative determination of histamine: Lyons.

Spectroscopic source
AC arc: Sites.

Spectroscopy
Emission, application of to agricultural problems: Schrenk 1.

Spectrum
And spectrum scales: Lovewell 9.

Specularia perfoliata
Flowering behavior, relation to light intensity and light duration: Trent 3.
Life history, special reference to cleistogomy: Trent 4.

Speech defects
One thousand consecutive cases: Palmer.

Speed-power
And verbal-quantitative scores for personnel test: Barnabas 2.

Spermatid transformation
Anasa tristis: Baumgartner, W. J. 9.

Spermatogenesis
In *Chrysochus auratus* Fab.: Paddock.
In *Pseudacris triseriata*: Gier, Leland J. 11.
Of meadow vole, *Microtus pennsylvanicus*: Beach 1.
Of *Orchelimum nigripes*: Wildish.

Sphermophilus richardsonii
Williston 3.

Spices
Analysis: Sayre 28.
And drugs, percentage of extractive as means of identification and analysis: Sayre 25.
Improvement in commercial supply, and cause of same: Sayre 27.

Spiders
Kansas, preliminary list: Scheffer 1.

Sponges
Paramcyenia, fresh water, genera: Jewell, Minna E.

Spontaneous recovery
Hulicka, I. M.

Sporangium
Cystoporites varius: Baxter 6.

Spores
Phyllosticta solitaria, study of factors influencing germination: Burgert.

Sporotrichosis
Equine: Peppler 1.

Sport
Fish, growth in Kansas lakes: Cross, F. B. 7.

Sporulation
Phyllosticta solitaria in artificial culture, factors affecting: Mix 1.

Spring
Great Spirit: Patrick 1.
Great Spirit, Mitchell County, Kansas, composition of water from a mineral spring in vicinity: Bailey, E. H. S. 19.
Great Spirit, or Waconda, Mitchell County, Kansas: Swineford 2.
Mineral, vicinity of "Great Spirit Spring," Mitchell County, Kansas, composition of water: Bailey, E. H. S. 19.
Mineral, and wells of Kansas, report: Bailey, E. H. S. 23.

"Springers"
Relation between quantities for tin and hydrogen: Long, Walter S. 4.

Squalius elongatus
Identification of cyprinid fish reported from Kansas: Hubbs.

Squirrel
Anoestrous male ground, effect of subcutaneous injections of antuitrin S: Baker, Burton L.
Fox, western Kansas, seasonal choices of food: Bugbee 4.
Gray subspecies, Kansas and Nebraska: Jones, J. Knox, Jr. 6.
Grey and fox, notes on defensive behavior while moving their young: Packard.
Ground, fossil, new, *Citellus* (*Pliocitellus*) *fricki*, Pliocene, Clark County, Kansas: Hibbard 12.
Spotted ground, and black-footed ferret in Kansas: Jones, J. Knox, Jr. 2.
Thirteen-lined ground, early life: Johnson, George E. 1.
Thirteen-lined ground, sexual cycle in laboratory: Johnson, George E. 3.
Townsend ground, taxonomic status: Scheffer 11.

Stain
Modified quadruple, for animal tissues: Groverman.

Stake
Business, American education: Abrams.
Standard time
Smith, H. S. 3.
Standardization
Application of dispersed sodium: Mohilner.
Stanton County, Kansas
Vertebrate remains in barn owl pellets: Pettit, Robert M.
Stanton formation
(Missourian), southeast Kansas, barrier reefs: Wilson, Frank W.
Starch
Method for determination: Long, Walter S. 3.
Occurrence in green fruit: Bailey, E. H. S. 37.
Production, extracellular, by species of *Torulopsis*: Goyette.
Sorghum grain, effects of progressive absorption and desorption of palmitic acid on behavior: Barham 2.
Storage in separate fibers, *Polygonum coccineum* var. *Pratincola*: Flannagin.
Stars
Variable, observations of by visual photometry: Eberly, F.
State
Agricultural College, color blindness among students: Breese 1.
Stearic acid films
On water, effect of substrate salts: Wheat.
Stegocephala
Amphibia and, Carboniferous quadrupeds, Kansas, Ohio, Illinois, and Pennsylvania: Moodie 1.
Stemonitales
Myxomycetes, Kansas: Brooks 3.
Stephens College
Standardization of general aptitude test battery for three certification areas: Anderson, Mary R.
Stipules
In certain dicotyledonous leaves of Dakota rocks: Snow 40.
St. Louis
Kansas mineral exhibit: Grimsley 5.
Stoichiometry
Complex silicates: Slabaugh.
Stomachs
And tongues of eight New World bats, gross anatomy: Park 1.
Stomata
Leaves, effect of darkness: Hempler.
Stomatal counts
Kansas species, genera of Compositae: Hetzer 2.
Stone
Building, Kansas, composition: Bailey, E. H. S. 15.
Implements, Trego County: Savage, Joseph 4.
Storage battery
Compound, in physics laboratory, uses: Matthews, W. H. 2.
Storms
Severe local, bibliography, Kansas meteorology: Lokke 2.
Straited spark
Cruise.
Stramonium
Havenhill 3.
Assay of: Havenhill 6.
Stratigraphic range
Pennsylvanian-Permian disconformity, Pottawatomie County: Harned 1.
Stratigraphic relations
Between Ellsworth and Castine formations: Wingard, P. S.
Stratigraphy
Bronson Group, Kansas Pennsylvanian, details: Jewett, J. M. 2.
Kansas Pleistocene, use of fossil soil: Frye 4.
Shawnee County: Beede 3.
Straw
Used as mulch, microbiological studies, effect: McCalla 2.
Strawberry leafroller
Kansas, biology and synonymy of parasites: Summerland.
Stream
Courses, western Kansas, notes on historic changes: Smith, Harold T. U. 2.
Kansas, origin of names: Mead, J. R. 13.
Piracy, evidence, Dakota hogback between Golden and Morrison, Colorado: Schoewe 2.
Streams
And pools, central Kansas, drying up: Mead, S. G.
Streptocephalus seali Ryder
Winter population, roadside ditch, Lyon County, Kansas: Prophet, C.
Streptococcal infections
Experimental studies, host response to the intradermal injection of streptococcal filtrates and whole cultures: Sherwood 2.

Streptococcus pyogenes
Effects of extracellular products on tissue culture cells: Wolf, D. J.

Streptococcus thermophilus
Grown in mixed culture with caseolytic bacteria, heat resistance: Peppler 2.

Striae, glacial
And grooves in Kansas: Schoewe 4.
Kansas, locality 19: Schoewe 13.
Kansas localities 20, 21, 22, and 23: Schoewe 21.
Kansas, new localities: Schoewe 6.
Kansas, new locality: Schoewe 10.
South of Missouri River, newly found locality: Jewett, J. M. 3.

Strickland Ridge
Loxia curvirostra, notes: Lantz 2.

Strip mine
Areas, southeastern Kansas, reclamation: Wells, J. Ralph 1.
Lake, college farm, limnological study: Burner.
Lakes, food habits of fish and physicochemical conditions of waters: Maupin.
Lakes, plankton, benthos and fish: Stockinger.
Land, coal, southeast Kansas, growth and development of black walnut: Rogers, Nelson F.
Land, reclamation, Kansas, place of research in relation to certain phases: Eshbaugh.

Strontium-cadmium
Alloys, properties: Hodge 3.

Strontium chloride
Acetic acid-water, phase equilibria: Chou.

Strychnine
And quinine, quantitative separation: Watson, G. N. 1.

Students
Actual vocational choices and Thurstone Vocational Interest Schedule: Briggs.
College, eye muscle imbalance: Askren 1.
College, knowledge of scientific method: Keurst.
Counseling and guidance, preparation and certification of workers: Peterson 7.
Mature, predictions of college achievement: Birrer.
Probationary college, remedial program: Rizzo 2.
State Agricultural College, color blindness: Breese 1.

Studies
Electrophoretic, γ-irradiated ovalbumin: Leone, C. A. 3.
Training in college reading, technique for selecting: Smith, V. T.

Study
Behavioristic, American opossum, relationship to illumination: Gurwell.

Sturgeon
Chub, *Hybopsis gelida* (Girard), Kansas: Cross, F. B. 1.

Subcutaneous injections
Antuitrin-S on the anoestrous male ground squirrel, effect: Baker, Burton L.

Subspecies
Gray squirrel, Kansas and Nebraska: Jones, J. Knox, Jr. 6.

Substances
Bitter, relative bitterness: Bailey, E. H. S. 7.

Substrate salts
Effect on stearic acid films on water: Wheat.

Substrates, growth
For soil microorganisms, pipeline protective coating materials: Harris, J. O. 8.

Sucrose
Solution, use of quinhydrone electrode in determination of activity of hydrogen ion, undergoing catalytic inversion by hydrochloric acid at 25°: Floyd 1.

Sugar
Content, sorghum vulgare, variations: Willard 4.
Crystals, formation in juice of sorghum saccharatum: Cowgill.
Invert, sweetness, notes on its preparation: Willard 3.
Powdered, of commerce: Bailey, E. H. S. 33.
Relationships and colors in plants: Clarke, J. R.
Ultramarine blue: Raymond.
Of watermelons: Willard 7.

Sugars
Soluble, sorghum grain: Nordin.

Suggestibility
Two tests, hypnotizability, relationship: MacKintosh, Irene 2.

Suggestions
To Academy authors: Schoewe 31.

Sulfamates
Cadmium and copper, transference numbers: Choguill, H. S. 5.
Metallic, decomposition potentials: Choguill, H. S. 4.

Sulfate
Atropine, retention of fowl ascarids: Ackert 6.
In water, determination: Bruckmiller.
Sulfur
And lime dip, chemical study: Shaw 1.
Sulphates
Alkyl: Bushong 4.
Sumac
Ecological study of four species, relation to development and growth on eroded soil: Boyd 3.
Four species, germination tests: Boyd 2.
(*Rhus glabra*) study of oil: Brubaker 1.
Wild, atypical or staghorn branch: Deere 2.
Summer
Survival of fish in deep water, farm ponds: Tiemeier, O. W. 9.
Sun
Corona: Miller, E. 5.
Sun City
Natural Bridge, measurements: Jewett, J. M. 4.
Superfetation
In cow, probable case: Harman 1.
Sunflowers
Mutations: Kellerman, W. A. 8.
Supplies
Water, southeastern Kansas: Bartow 2.
Surface
Features, unusual, Kansas: Landes 1.
Structure and paint-adhesion mechanisms of softwoods: Olsen 2.
Survey
Geological, Kansas: Mudge, B. F. 5.
Geological, Kansas State, nomenclature of Kansas Coal Measures employed: Haworth 5.
Geological, of the state, is it a necessity?: Brown, R. J.
Preliminary, deer in Kansas: Taylor, D. L.
Survival
Fish, deep water, farm ponds, during summer: Tiemeier, O. W. 9.
Swine
Influenza virus, chick embryos, interference of Newcastle virus: Carr.
Symmetry
In visual memory: Perkins 2.
Symposium
On "Rock City," proposed national monument, Ottawa County, Kansas, introduction, history and geology: Schoewe 16.
Synthesis
Commercial, insecticide parathion: Hall, Luther A. R.
Laboratory, isopropyl phenyl carbonate from benzoyl chloride: Hermanson 2.
Synthetic atmosphere
Effects upon animal life: Hershey 5.
Hydrogen and oxygen, effects on animal life: Hershey 8.
Synthetic atmospheric mixtures
Carbon dioxide and oxygen in relation to animal life: Hershey 6.
Synthetic atmospheres
Nitrous oxide and oxygen, effects on animal life: Hershey 11.
Synthetic diamonds
Hershey 3.
Recent work: Hershey 13.
Synthetic mixtures
Nitrogen and oxygen, animal life in: Hershey 4.
Nitrogen and oxygen under different conditions of relative humidity, animal life: Hershey 14.
Nitrogen, oxygen and water vapor, animal life: Hershey 16.
Systems
Component, on the curvature of freezing point lines: Argersinger 1.

T

Tabanidae
North American, notes and descriptions: Williston 4.
Tables
Periodic: Brown, Harold P. 2.
Water, fluctuation, glaciated part of Kansas: Schoewe 11.
Tadpoles
Experiments upon extirpation of pituitary and thyroid glands: Allen, B. M. 1.
Tails
Comets, speculations: Bardwell 1.
Tapeworms
Chicken, Kansas, intermediate hosts: Case, A. A. 2.
Dog, *Taenia pisiformis* Bloch, domestic cat, host: Ackert 1.
Fowl, transmission, and the house fly: Ackert 3.
Infections, susceptibility of mature chickens: Ackert 4.
Larval, artificial evagination: Edgar.
Polyradiate, from a dog, unusual collection: Dobrouolny, Charles G. 3.

Taphrina
Additions and emendations to a monograph of genus: Mix 5.
Kansas, species: Mix 3.
Notes on some species: Mix 6.
Species, new, Kansas: Mix 2.
Taraxacum officinal "Weber"
Anatomy: Gier, Leland J. 5.
Taraxacum root
Further experiments, view of ascertaining its varied chemical composition at different seasons: Sayre 15.
Taste
And the acidity of certain acids, experiments: Bailey, E. H. S. 10.
Differences in a family: Loewen 2.
Sense of, selective power: Bailey, E. H. S. 17.
Taxonomic and biological observations
Mosquitos of Kansas: Hill, Mrs. N. D.
Taxonomic status
Geomys bursarius vanaceus Swenk: Russell, Robert J.
Townsend ground squirrel: Scheffer 11.
Taxonomy
And ecology of *Equisetum laevigatum*: Hartman, E. L.
Tea
Analysis, notes: Bull.
Is the alkaloidal strength of an index of its commercial value: Sayre 3.
Teaching
Large classes in biology: Breukelman, J. 9.
Science, trends in Kansas high schools, 1940–1950: Reed, H. B. 6.
Testing and research in learning, new device: Peterson, J. C. 1.
Teacher
Science, improvement program, Kansas Academy of Science: Breukelman 10, 11, 12.
Teachers
Scale to differentiate counselors: Cottle 3.
Vocation, worth and dignity: McWarf 7.
Techniques
Interpretation and practical application of nuclear emulsions: Irvine, R.
Technology
Diversified, schools, course offerings and curricular requirements of psychology: Alm 2.
Teeth
Guinea pigs, development: Harman 11.
Teeth—Continued
Loss of, disqualification for military service: Baumgartner, Edward.
Muskrat, growth and development: Galbreath 4.
Triangles, mammalian genus *Ondatra*: Galbreath 1.
Telescope
And camera eyepiece, combination: Miller, R. F. 3.
College, selecting and installing: Zinszer, Harvey A. 3.
Eleven and one-half inch, equatorial, Washburn College observatory: Woods 1.
Magnifying power for objects at close range: Miller, R. F. 1.
Reflecting, bird photography: Miller, R. F. 2.
Reflecting, use and care: Hoyt 2.
Washburn, celestial photography: Pettit, Edison 2.
Tellurium dioxide
Hydrogen peroxide oxidation: Henry.
Temperature
And moisture, affecting sorghum seed germination: Evans, W. F.
Changes, effect upon behavior of white rat: Moore, Kenneth 2.
Curve, Lawrence, Kansas, equation of mean monthly, 21-year: Murphy, E. C. 1.
Effect, behavior of white rats: Hellmer.
Effect upon local lesion response of cowpea inoculated with cucumber virus: Sill 4.
High-high pressure region, apparatus for experimental explosion: Luft-Zurakowski.
Lawrence, Kansas, for twenty-one years, 1868–1888: Snow 48.
Probable, summer in Lawrence, Kansas: Murphy, E. C. 5.
Sorghum kernel smut infection, relation: Melchers 10.
Tension
Emotional, in psychotherapy, reduction: Brigden 5.
Tests, autographic recording instrument: Hood.
Ternary system
Ethylene glycol-diethylene glycol-water, some physical properties: Tombaugh.
Sodium chloride-thiourea-water, solubilities at 30° C: Taft 41.
Study of phase equilibria, measurement of conductance. The system—potassium flouride, potassium iodide and water: Taft 62.

Terraces
Pink and white, new Zealand: Savage, Joseph 8.

Tertiary
Butyl alcohol as dehydrating agent in preparing microscopic mounts of insect material: Tuck.
Butyl chloride, reaction of phenols: Burket.
Late, chert gravels north of Atchison, Kansas, reinterpretation: Frye 7.
Mammals, early, two cases of dental anomaly: Wilson, Robert W. 1.
Marine, stratigraphy, North Pacific coast, North America: Reagan 12.
Pleistocene, Navajo County, Arizona, description included fossils: Reagan 42.
Pliocene, western Kansas: Mudge, B. F. 6.

Tests
Five, comparison for completeness: Sokal.
For children with acuity disabilities, attempted standardization: Weathers 2.
For completeness of factor extraction: Sokal.
For leadership in industry: Shultz 2.
General aptitude, battery, for three certification areas at Stephens College, standardization: Anderson, Mary R.
Germination, on four species of sumac: Boyd 2.
MacQuarrie mechanical performance ability, comparison of scores of design engineering personnel with factory workers: Shultz 3.
Objective, further economics and new values: Peterson, J. C. 4.
Performance, for screening in business situations: Barnabas 3.
Personnel, speed-power and verbal-quantitative scores: Barnabas 2.
Reading, scores and freshman grades, relation: Rizzo 1.
Reducing costs, without impairment of value: Peterson, J. C. 3.
Results, group interpretations: Mueller.
Scholarship, purpose, origin, plan of procedure, and values, nationwide: Schrammel 3.
Scores for diagnosis, reliability: Collister.
Similar learning, study of individual variations: Shultz 1.
Special, regard to delicacy of sense of smell: Bailey, E. H. S. 5.

Tests—Continued
Teaching, and research in learning, new device for use: Peterson, J. C. 1.
Twelve that have proved practical in commercial applications: Barnabas 1.
Valuable, for guidance service: Schrammel 2.
With differentially weighted items, economical method of scoring: Peterson, J. C. 5.

Testes
Orthopteran, moving forces in follicles: Baumgartner, W. J. 1.

Testudo
New, Upper Pleistocene, Kansas with additional notes on associated Rexroad mammals: Oelrich.

Tetrapods
Aquatic origin: Eaton 2.

Texas
And Kansas, arachnids collected: Tucker 10.
And Kansas, field work: Sternberg, Charles H. 15.
Cherokee County, partial list of plants: Slosson, Mrs. A. L. 2.
Coleoptera, determination: Tucker 2.
Cooperative Wild Life, Mexican amphibians and reptiles: Smith, Hobart M. 9.
Foard County, human calvarium: Bass, W. M.
Foard County, human skull and associated fauna: Dalquest, W. W. 4.
Galveston and Brownsville, University of Kansas entomological expedition, 1904 and 1905, results: Snow 54.
Green bug: Tucker 16.
Kerr County, birds: Beuchner.
Permian, and chalk of Kansas, explorations: Sternberg, Charles H. 14.
Permian life: Sternberg, Charles H. 2.
Plano, determinations and records of insects collected: Tucker 14.
Noteworthy records of amphibians: Sanders.

Thelia lescurrii
Environmental form: Gier, Leland J. 16.

Thematic apperception test
Diagnosis of Nazi war criminal: Kass 1.

Theories
And practice, high frequency propagation, construction, and communication: Hartney.

Theory
And practice, where meet: Gregory.

Therapeutic properties
Reputed, medicinal and economic Kansas plants: Smyth, B. B. 26.
Therapeutic value
Recently introduced chemicals: Sayre 12.
Therapy
Industrial, Topeka State Hospital: Hooper.
Insulin shock, psychoses: Drake.
Play, research, development of scale to be used: Engle.
Thermodynamics
And ion exchange phenomena: Argersinger 3.
Theses, 1962: Schoewe 30.
Thiazolidones
Di-substituted, constitution: Long, Walter S. 6.
Thio-beta-naphthol
Preparation of some diazothio-ethers: Dunn.
Thiocyanate
Complexation of molybdenum in solution of reduced molybdate: Kolling 4.
Thiourea
And sodium chloride at 30° C, density, viscosity, and electrical conductance of aqueous solutions: Taft 41.
Water-sodium chloride, solubilities at 30° C in ternary system: Taft 39.
Thoracic region
Domestic cat, unusual anomaly of postcaval tributary: Ameel 1.
Thyroid
And pituitary glands in tadpoles, experiments upon extirpation: Allen, B. N. 1.
Tilletia foetida
Physiologic races, Kansas, occurrence and distribution: Hansing 1.
Timber
Structural, medullary ray as an element of strength: Jones, Frank E.
Time
Concept in stratigraphic classification: Jewett, J. M. 9.
Differentials, inoculation, for expression of interference of Newcastle disease virus by swine influenza virus in chick embryos: Carr.
Personal, expenditure near battlefront, factor analysis: Bakis 2.
Standard: Smith, H. S. 3.
Tin
And hydrogen in "Springers," relation between quantities: Long, Walter S. 4.
Tin—Continued
Electrodeposition, from solutions of its complex salts: Hess.
"Salting" enterprises in the United States: Kedzie 1.
Stannous, reduction of perrhenate: Kolling 3.
Tinian
In the Marianas, birds: Downs, Theodore 2.
Island, amphibians and reptiles: Downs, Theodore 3.
Tissues
Animal, modified quadruple stain: Groverman.
Titrations
In glacial acetic acid: Kolling 5.
Toads
And frogs, southeastern United States: Burt, Charles E. 5.
Narrowmouth, ecological study, northeastern Kansas: Freiburg.
Tongues
And stomachs of eight New World bats, gross anatomy: Park 1.
Tool
Most wonderful: Klopper.
Tooth
Attachment and replacement in reptiles: Smith, H. M. 13.
Topeka
Coal hole: Smyth, B. B. 17.
State Hospital, industrial therapy program: Hooper.
Topography
And geology of New Mexico, notes: Jewett, J. J. 2.
Tornadoes
Central United States: Bates, F.
Movements and forces: Copley.
Torulopsis
Studies on extracellular starch production by species: Goyette.
Toxicity
Isolation of toxic principles of coffee, determination: Sayre 45.
Training
Factor unemphasized in current theories regarding transfer: Bayles.
Trampling
And grazing, effects on soil: Knoll.
Transactions: See Appendix M.
Transmission
Of fowl cestode, *Davainea cesticillus*: Ackert 2.
Of fowl tapeworm, and the house fly: Ackert 3.

Translation
Tables, free energy and entropy: Gilles.

Traps
Subaquatic light, for insects and other animal organisms: Hungerford 2.

Tray system
For insect collections: Smith, Roger C. 1.

Treasurer, reports: See Appendix N.

Tree
189-year old American elm, west-central Kansas: Albertson 2.
Cottonwood, composition of gas: Bushong 6.
Development of adventitious roots inside the trunks: Gier, Leland J. 6.
Frog, fringe-limbed, new species from Mexico: Duellman, W. E.
Growth, physical properties of water and relation: Smyth, B. B. 28.
Hopper, buffalo, oviposition: Marlatt, C. L. 1.
Migration, Kansas: Gates, Frank 24.
Sciurids with regard to adaptation to arboreal, olisant, and fossorial habits, study of myology and osteology: Peterka.

Trees
Kansas, drought of 1934 and its effect: Stiles.
Kansas forest, identified by their leaves and fruits: Kellerman, W. A. 2.
Notable, Kansas, III: Agrelius 9.
Shrubs, and vines, Cherokee Nation, notes: Gould 9.
Wind injury, Hays, Kansas: Hopkins 5.

Trego County
Russell and Ellis counties, Kansas, bromine and iodine content of subsurface waters: Runyon, H. Everett 1.
Russell and Ellis counties, oil well waters: Runyon, H. Everett 3.
Stone implements: Savage, Joseph 5.

Trematodes
Larval, Laramie Plains: O'Roke 3.
Life cycles: O'Roke 1.

Trends
Educational, in secondary schools of the state with respect to basic sciences, report of committee: Alm 3.

Triangles
In teeth of mammalian genus *Ondatra*: Galbreath 1.

Triassic rocks
Kansas: Hay 13.

Tribolium confusum
Metabolic rate of flour beetle: Calderwood, W. A.

Trichina tissue
On developing larvae of *Trichinella spiralis*, effect of various disintegration products: Wheatley.

Trichinealla
Larvae in albino rat: Leonard, A. B. 3.

Trichinella
Spiralis, developing larvae, effect of various disintegration products of trichina tissue: Wheatley.

Trifluoroacetic acid
Acylation of coumarins: Woods.

Triticum
Some species, and related grasses as hosts for leaf rust of wheat, *Puccinia triticina* Eriks: Johnston, C. O. 5.

Troy
Kansas, extreme case of scaphocephaly from mound burial: Eiseley 3.

Tubercules
Nuptial, catostomid fishes, distribution: Branson, B. A. 1.
Root, production by inoculation: Otis.

Tuberculosis
Rogers, Burton R.
Thoughts on: McWarf 6.

"Tuckahoe"
Kansas: Slagg.

Turbidimetric analysis
Preciptin reaction: Leone 4.

Turkey Creek
And two ponds, limnological conditions: Willis.

Turtle
Box, ornate, physiological study of effect of hibernation: Peters, K.
Fossil, cast from Dakotah epoch: Parmenter.
New, Kansas Cretaceous: Williston 15.
Ornate, box, physiological effect of hibernation: Peters.
Records, Kansas, additional: Clarke, R. F. 1.
Snapping and painted, social relation between: Legler 1.
Soft-shelled, constancy of color and pattern: Smith, Hobart M. 10.
Taxonomic significance of cloacal bursae: Smith, H. M. 12.
Terrapene ornata, notes on courtship: Brumwell 2.

Tusk
Fossil, Equus bed, McPherson County, Kansas: Deere 1.

Twins
Monochorionic, two pigs in single chorion: Harman 8.
Tympanic membranes
Calcified, in mosasaur *Platecarpus*: Vaughan, Peter Paul 1.

U

Uintacrinus
Localities, Niobrara formation, Kansas: Miller, H. W. 1.
Ultramarine blue
In sugars: Raymond.
Ultraviolet
Light, fluorescense of oil-well cuttings: Drees 1.
Light and ultrashort radio waves, effects on microorganisms: Gier, Leland J. 3.
Spectrum of copper produced by hot spark in vacue: Zinszer, Harvey A. 7.
Uma
New fringe-footed lizard, Mexico: Williams, K. L. 2.
Unionid
Population of a pond: Murray, H. D.
Unionidae
Collected in Kansas rivers, localities: Popenoe 4.
Unitaorinus
New elements: Martin, H. T. 2.
United States
Adjacent territory, and mine center mining district, Ontario: Reagan 17.
And Canada, lizards: Burt, Charles E. 3.
Central, fauna, Permian: Beede 5.
Central prairie region, additional records of reptiles: Burt, Charles E. 2.
Central, tornadoes: Bates, F.
Chaetomorpha henningsii P. Richer: Faridi.
Cultivation of medicinal plants: Sayre 39, 44.
Exports, implications for, world wheat balance: Schnittker.
Geographical center: Schoewe 20.
Notes, distribution of rusts of oats: Parker, John H. 1.
Southeastern, frogs and toads: Burt, Charles E. 5.
Southeastern, lizards: Burt, Charles E. 6.
Southern, and Mexico, descriptions of new lizards of genus *Sceloporus*: Smith, Hobart M. 5.
Tin "salting" enterprises: Kedzie 1.
Western, Hymenoptera, collection of University of Kansas: Viereck.
United States—Continued
Western, notes and descriptions of Orthoptera, in entomological collection, University of Kansas: Rehn.
University
Extension: Croissant.
Garfield, expedition of 1889, plants collected: Carleton 1.
Of Illinois field expedition, spring 1949, herpetological results: Reese.
Of Illinois field expedition, 1949, herpetological results: Shannon 1.
Of Illinois field expedition, spring 1949, herpetological results: Smith, Phillip W. 1.
Of Kansas, academic, vocational and maternal status of three hundred and fifty married women graduates: Sherbon.
Of Kansas, Coleoptera collected in New Mexico by entomological expedition: Snow 56.
Of Kansas, color blindness: Nichols 3.
Of Kansas, contribution of secondary school chemistry courses to proficiency in general inorganic chemistry and qualitative analysis: Floyd 2.
Of Kansas drug laboratory, contribution of in enforcement of Food and Drug Law: Watson, G. N. 3.
Of Kansas entomological collecting expedition into Pima County, Arizona, June and July, 1906: Snow 55.
Of Kansas entomological expeditions, 1902–1906, species of Hymenoptera collected in Arizona: Snow 54.
Of Kansas entomological expedition to Arizona, 1904 and 1905, results: Snow 53.
Of Kansas entomological expeditions to Galveston and Brownsville, Texas, results: Snow 52.
Of Kansas, Hymenoptera from western United States in collection: Viereck.
Of Kansas, mountain sheep from state of Washington in collection: Dalquest 2.
Of Kansas, Museum of Vertebrate Paleontology, study of Oligocene Leporidae: Green, Morton 2.
Of Kansas Natural History Reservation, lichens: Kramer, C. L. 2.
Of Kansas Natural History Reservation, molluscan record of succession: Fitch 3.
Of Kansas, new water supply: Murphy, E. C. 7.
Of Kansas, notes and descriptions of Orthoptera from western United States in entomological collections: Rehn.

University—Continued
Of Kansas, scientific expedition, 1883 and 1884, Lepidoptera and Coleoptera collected in New Mexico: Snow 33.
Of Kansas State, Kansas snakes in museum: Mozley.
Of Kansas, Stubbs collection of fleshy fungi: Showalter 1.
Of Kansas, two anemometers: Snow 42.
State, Kansas fishes in museum: Breukelman 4.
Urea
Concentration, effects of varying on efficiency of extraction of unsaturated fatty acids from corn oil: Ericson.
Laboratory synthesis of 2, 3 dichlorophenoxyacetic acid: Hermanson.
Uredineae
Bourbon County, Kansas: Garrett, A. O. 1, 2.
Kansas: Bartholomew 1.
Urethane
Special reference to action, effect of certain chemical agents upon Newcastle disease virus: Bower.
Urine
Comparison of total nitrogen analysis, for one- and four-day periods: Kunerth 1.
Uromyces caladii
Variations in systemic infection: Pady 1.
Utah
Deep Creek Reservation, geology: Reagan 37.
New Mexico and Arizona, amphibians and reptiles: Chenoweth.
Northeast, anciently inhabited caves of the Vernal (Utah) District, with additional notes on Nine Mile Canyon: Reagan 43.
Northwestern, additional archaeological notes on Uintah Basin: Reagan 44.
Northwestern, Ashley and Dry Fork valleys, pictographs: Reagan 39.
Vernal District, anciently inhabited caves, with additional notes on Nine Mile Canyon, northeast Utah: Reagan 43.
Utensils
Culinary, composition: Bailey, E. H. S. 2.

V

Vacuum tube amplifier model: Weber, L. R. 2.
Valence
Number, variable: Sisler 2.
Valentine, D. M., L.L.D.
Necrology: Valentine, D. M.
Valley
Blue River, list of larger fungi: Jewett, Mrs. E. C.
Central Kansas River, silt deposited by July, 1951 flood: Carlson.
Kansas River, between Lawrence and Kansas City, chert gravels: MacFarquhar.
Valve
Injury and repair in living and fossil conchostraceans: Tasch 3.
Vampire
Hairy-legged, geographic range in eastern Mexico: Dalquest 1.
Vapor
Diffusion in spark discharges: Zinszer, Harvey 2.
Super-saturation, and super-heated liquids, experiments: Nichols 1.
Variability
Yield, explained by variance components: Wearden.
Variance
Components, yield variability explained: Wearden.
Variation
In *Sisyrinchium campestre* Bickn: McGregor 12.
Varius
Cystosporites, sporangium: Baxter 6.
Vegetable
Ferment, proteolytic, papain: Barton 7.
Medicinal substances, extractive yield: Sayre 11.
Vegetation
Castle Rock area, Gove County, Kansas: Albertson 6.
Condensed, western Kansas: Reed, Minnie 1.
Herbaceous, considerations concerning mapping: Kuchler.
Jack rabbit and cottontail, coaction of in mixed prairie: Brown, Leo 6.
Kansas, literature: Hopkins 6.
Monument Rocks, Gove County, Kansas: Albertson 3.
Native, Loess Hills–Sandhills ecotone in central Nebraska: Hopkins 4.
Range land, west central Kansas, effect of different intensities and times of grazing and degree of dusting: Cressler.
Woody, Cedar Bluff Reservoir: Hopkins 8.

Vegetative keys
Polemoniales of Kansas: Aller 1.
Vegetative organs and fruits
In the wheat plant, preliminary investigation of translocation of food: Bates, J. C. 2.
Vena cava
A persistent left superior, in the dog: Stoland.
Venus
And mercury and satellites of solar system, periods of rotation: Miller, E. 2.
Veracruz, Mexico
Los Tuxtlas Range, two new lizards (genera *Abronia* and *Xenosaurus*): Werler, J. E.
Verbal-quantitative
And speed-power scores for personnel test: Barnabas 2.
Verbena
Hastata, urticifolia, and *stricta* in Kansas, natural hybridization: Poindexter, J. D.
Vertebrates
Associated, and *Equus* (*Asinus*) *calobatus* Troxell, from Pleistocene of Kansas: Hibbard 19.
Early, sensory canal system: Robertson 4.
Fossil, Kansas, survey: Lane 1, 3, 4, 6, 7, 8.
Fossil, Kansas, survey, birds: Lane 5.
Fossil, Kansas, survey, Mammalia: Lane 6, 8.
Fossil, Kansas, survey, mammals: Lane 7.
Horizon, Upper Silurian, description of new species, *Cephalaspis oeselensis*: Robertson 2.
Lyon County, Kansas, check list: Clarke, R. F. 3.
Pleistocene of Kansas, notes: Hibbard 6.
Remains in barn owl pellets from Stanton County, Kansas: Pettit, Robert M.
Remains, Kansas Permian: Williston 12.
Viability
Bacteria, great geologic age: Reiser.
Victoria Land, Antarctica
Wind gully, sedimentologic study of Beacon formation: Angino 1.
Vines
Trees and shrubs in Cherokee Nation, Notes: Gould 9.
Vireo
Yellow-throated, nesting habits: Goss 3.
Virus
Cucumber, effect of temperature upon local lesion response of cowpea inoculated: Sill 4.
Disease, gramineous—wheat streak mosaic: Sill 5.
Inoculation in chick embryos, simplified technique: Liao 1.
Mosaic, and disease, characteristics of wheat streak: Sill 1.
Mosaic, wheat streak, summary of known host range: Sill 2.
Newcastle, comparison of chromatographic and microbiological assay methods for determining nucleic acid: Newman, F. S.
Newcastle disease, effects of chemical agents, special reference to action of urethane: Bower.
Newcastle disease, structure: Liao 2.
Newcastle, interference by swine influenza virus: Carr.
Vision
Nutritional factors influencing, review of literature: Askren 2.
Visual acuity
And illumination: Wilcox.
Photometry, observations of variable stars: Eberly 1.
Vitamin
A content of milk and colostrum, preliminary study: Kunerth 2.
A, effect of antuitrin growth injections of female albino rats fed a deficient diet: Wimmer.
A, stability of in experimental poultry feed: Parrish 1.
C, and adrenal cortex of guinea pigs, investigation into possible relationship between: Harman 20.
C, and estrogen in adrenalectomized guinea pigs: Brande.
C, biological assay of milk with lactoflavin as standard: Kunerth 4.
C, content of certain organs of guinea pig, effect of experimental diets: Gillum 1.
C, deficiency, effects upon male guinea pig: Harman 18.
C, effect on blood of guinea pig: Harman 17.
C-free diet, growth and reproduction of rats: Brill.
C, limited diet, injection of corpora lutea extract in pregnant guinea pigs: Saffry 2.
C, reproduction in guinea pigs fed, at different levels: Harman 13.
C, riboflavin, milk, source: Kunerth 5.
C, some effects on guinea pigs of feeding, intermittently: Harman 14.

Vitamin—Continued
Determination applied to sample of commercial butter, new method: Kunerth 3.
Vocational interest schedule
Thurstone, and student's actual vocational choices: Briggs.
Volatile oil
In mustard, estimation: Sayre 6.
Volatile solvent
On new apparatus for the continuous extraction of solids: Willard 2.
Volcanic ash
Norton County, Kansas: Knight 1.

W

Waubaunsee County
Kansas, flora: Maus.
Sink holes: Savage, Joseph 3.
Southeastern Riley and southern Pottawatomie counties, Kansas, early Pleistocene geomorphic history: Mudge, M. R. 1.
Waconda
Or Great Spirit Spring, Mitchell County, Kansas: Swineford 2.
Wakarusa Creek
History: Todd 3.
Wallace County
Kansas, insects: Snow 16.
Walnut
Aberrant: Caraiff.
Wamego
Anticline: Beede 7.
War
Advances in yellow fever and the rickettsial infections: Downs, Cora 1.
Bacteriology, and medicine: Sherwood 1.
Effort, chemistry: Greene.
Effort, contributions of psychology: Reed, H. B. 2.
Effort, food: Call 1.
Effort, relation of entomology: Hungerford 1.
Effort, relation of physics: McMillan.
Effort, relation of zoology: Breukelman 6.
Present, geology: Frye 1.
Washburn
College Observatory, eleven and one-half inch equatorial telescope: Woods 1.
Telescope, celestial photography: Pettit, Edison 2.
Washington
County, Dakota Sandstone: Charles.
La Push, sea shells: Reagan 6.
Washington—Continued
Lumni-Noosack Indians: Reagan 28.
Northwestern, and adjacent British territory, geological studies: Reagan 3.
Olympic Peninsula, birds: Reagan 10.
Olympic Peninsula, notes: Reagan 9.
State, mountain sheep, collection of University of Kansas: Dalquest 2.
State Park, Washington County, Missouri, amphibians and reptiles: Myers, Charles W. 1.
Water
Analysis, sanitary: Bailey, E. H. S. 29.
Artesian well, Independence, Kansas, occurrence of bromides and iodides: Bailey, E. H. S. 6.
Artesian well, Meade County, Kansas, bacterial flora: Ellinthorpe.
Birds resident in Kansas in summer, 1955: Mosby.
Chalybeate, analysis of deposit: Case, E. C. 1.
Composition, mineral spring in vicinity of "The Great Spirit Spring," Mitchell County, Kansas: Bailey, E. H. S. 19.
Deep, farm ponds, survival of fish during summer: Tiemeier, O. W. 9.
Drinking, quality of Riley County rural school: Green, Mary M.
Drops containing different dissolved materials, stability of soil structure against falling: McCalla 3.
Effect of substrate salts on stearic acid films: Wheat.
Encountered, two Kansas oil wells, mineralogy of formations and chemical nature: Crum.
Excess, effects on different crops: Mittra, M. K.
Flooding oil projects, southeastern Kansas, ground waters available: Abernathy 2.
From sandstone in Lawrence shales: Young, C. C. 2.
Ft. Scott artesian well: Bailey, E. H. S. 4.
Ground, available for water flooding oil projects, southeastern Kansas: Abernathy 2.
Ground, investigations in Kansas, importance of Pleistocene studies: Frye 5.
Ground, Kansas bottom, immunity of to changes in composition of Kansas River water: Young, C. C. 3.
Ground, lowering of table: Cook, W. A. 1.
Ground, resources of Chase County, Kansas: O'Connor.
Ground, resources of Kansas: Fishel.

Water—Continued
High nitrate, public health significance of as a cause of infant cyanosis and methods of control: Metzler 1.
Influence of on titrations in glacial acetic acid: Kolling 5.
Kansas, flourides, relation to mottled enamel: Gottlieb 1.
Kansas, preliminary report, survey to determine iodine content: Brubaker 2.
Kansas River, immunity of Kansas bottom ground water to changes in composition: Young, C. C. 3.
Kansas, use, misuse and future use: Metzler 2.
Layman looks at: Monfort.
Light plants, further discussion of municipal ownership: Shirk 2.
Magnesium, found near Madison, Kansas, analysis: Bushong 3.
Mineral: Failyer 6.
Mineral, Atchison and Nemaha County: Knerr 10.
Mineral, Kansas: Bailey, E. H. S. 13.
Mineral, Kansas: Failyer 2, 5.
Mineral, Kansas: Davies.
Mineral, utilization: Bailey, E. H. S. 1.
Occurrence of manganese: Young, C. C. 1.
Oil well, Russell, Ellis, and Trego counties: Runyon, H. Everett 3.
Physical properties, relation to tree growth: Smyth, B. B. 28.
Potassium flouride and potassium iodide, the system. The study of phase-equilibria in ternary systems by measurement of conductance: Taft 63.
Purification: Tweeddale 1.
Purification, use of activated carbon: Haney.
Rain, collected at Agricultural College, nitric acid and ammonia: Failyer 9.
Rain, occurrence of nitrates: Failyer 8.
Relations of corn and sorghum: Miller, E. C.
Repellents, effectiveness of silicones, applied to various types of limestone: Lanning 1.
Repellents, effectiveness of sodium methyl siliconate, applied to limestone: Lanning 2.
Repellents, silicones applied to various types of brick: Lanning 4.
Repellents, silicones applied to concrete: Lanning, F. C. 7.
Repellents, silicone of type R Si Y_3 on limestone: Lanning 5.
Water—Continued
Repellents, silicones on sandstone: Lanning 6.
Resources, Johnson County, drought of 1934: Jewett, J. M. 5.
Sandstone, of great purity: Bailey, E. H. S. 26.
Sodium chloride-thiourea, solubilities at 30° in ternary system: Taft 39.
Softening, economy: Brubaker 4.
Solubility, economic force: Bailey, E. H. S. 41.
Sub-surface, Russell, Ellis, Trego counties, Kansas, bromine and iodine content: Runyon, H. Everett 1.
Subterranean, Ellis County, Kansas, radioactive properties: Lippert, Verne.
Sulfates, determination: Bruckmiller.
Surface, control and retention for use: Van Orman.
Supply, improved, for city of Emporia: Smith, Alva J. 6.
Supply, new, University of Kansas: Murphy, E. C. 7.
Supply from sanitary standpoint: Marvin 3.
Supplies of southeastern Kansas: Bartow 2.
Supply, upper Neosho River Basin and the laws of rainfall: Wooster, L. C. 23.
Table, fluctuation of, glaciated part of Kansas: Schoewe 11.
Three strip mine lakes, food habits of fish and physico-chemical condition: Maupin.
Underground, earth resistivity as affected by presence: Warner.
Underground, pollution: Crumbine.
Vapor, nitrogen and oxygen, synthetic mixtures, animal life: Hershey 16.
Well, occurrence of nitrates: Bailey, E. H. S. 22.
Witching for, and other things: Lovewell 16.
Wheel, Pelton, test made at University of Wisconsin: Corp 2.

Watermelons
Sugars: Willard 7.

Watersnake
Genus *Regina*: Smith, H. M. 15.

Watersnakes
American species: Nakamura.

Wave
Equation, showing barrier: Lyon 3.
Length, measurement of by diffraction grating: Weber, L. R. 3.

Waxes
Research: Bowers.

Weather, Kansas
1945: Flora 3.
1946: Flora 4.
1947: Flora 5.
1948: Flora 6.
1949: Garrett, R. A. 1.
1950: Garrett, R. A. 2.
1951: Garrett, R. A. 4.
1952: Garrett, R. A. 5.
1953: Garrett, R. A. 6.
1954: Garrett, R. A. 7.
Common fallacies: Flora 1.
Effect on crops: Flora 2.
Service: Lovewell 2.

Webworms
Sod, observations on in Kansas: Miller, H. D. Oliver.

Weeds
Certain Kansas, presence of barium in ash and extract: Bailey, E. H. S. 32.
Clipping, competition, effect upon spread of pasture grass seedlings: Hase.
In Kansas, recent migrational trends in distribution: Gates, Frank 25.
New, Kansas, star-thistle: Gates, Frank C. 2.
Wheat field, Kansas: Johnston, C. O. 1.

Weevils
Rice, *Sitophilus oryzae* and *sasakii*, determination of possible differences in amino acids: Winden, B. A.

Weights
Accuracy of modern balance and set: Woods 2.

Well
And mineral springs of Kansas, report: Bailey, E. H. S. 23.
Artesian, Fort Scott, water: Bailey, E. H. S. 4.
Artesian, Independence, Kansas, on the occurrence of bromides and iodides in the water: Bailey, E. H. S. 6.
Artesian, Kansas, causes of flow: Hay 14.
Breathing, Logan County, Kansas: Willard 8.
Deep, Elmdale: Smith, Alva J. 8.
Deep, Emporia: Smith, Alva J. 5.
Deep, Madison, Kansas: Bushong 2.
Leavenworth prospect, geology: Jameson.
Oil, two Kansas, mineralogy of formations and chemical nature of water encountered: Crum.
Ottawa gas: Yates 1.
Waters, occurrence of nitrates: Bailey, E. H. S. 22.

Wellington
And Marion formations, southern extension: Gould 8.
Salt, paleoecological observations: Tasch 2.

West, E. P.
In memoriam: Williston 9.

West Drift
Border in eastern Kansas, evidences of relocation: Schoewe 19.

Wheat
Balance, world, implications for United States exports: Schnittker.
Breeder, Kansas farmer, Earl G. Clark: Heyne 3.
Counties, analysis of level-of-living indexes: Dost, J. E.
Curl, occurrence, a vector of wheat streak mosaic on winter wheat seedlings grown on infested kernels: Gibson, William W.
Different stages of growth in southeastern Kansas, effect of fertilizer treatment on composition: Johnson, W. J.
Differential resistance to chinch-bug attack in certain strains: Jones, Elmer T. 1.
Effect upon composition of soil of continuous cropping: Willard 11.
Field, west-central Kansas, spotted and fallowed: Blair, Byron O. 2.
Field weed, Kansas, *Aegilops cylindrica* Host: Johnston, C. O. 1.
Foot-rot disease in Kansas: Melchers 5, 9.
Geology and "Professor" W. Foster: Malin 2.
Germination, baking qualities of flour as influenced by certain chemical substances, milling by-products: Willard 21.
Hard winter, plant tiller, anomalous development: Frazier 3.
Joint worm resistance in wheat, new source: Jones, Elmer T. 6.
Kansas, prevalence and distribution of physiologic races of leaf rust: Huffman, M. D.
Kansas, relation of awn to yield: Gemmell.
Kansas, news of unusual disease developments: Johnston, C. O. 2.
Kansas, take-all disease: White, R. P.
Leaf rust, species of triticum and related grasses as hosts: Johnston, C. O. 5.
Phosphorus absorption by, influenced by applications of lime and phosphorus: Perkins 6.

Wheat—Continued
Plant, preliminary investigation on translocation of food between vegetative organs and fruits: Bates, J. C. 2.
Plants, mature, parasite emergence holes as an aid in determining Hessian fly infestation: Jones, Elmer T. 2.
Quality, effect of environment: Larmour.
Roots, effects of soil amendments upon bacterial populations: Clark, F. E. 1.
Seedling, relation of depth of planting to morphology: Lunsford.
Specialty counties, analysis of changes in level-of-living indexes, 1930, 1940, 1945, 1950: Dost, Jeanne E.
Stem sawfly in Kansas: Painter 2.
Streak mosaic—gramineous virus disease: Sill 5.
Streak, mosaic virus and disease, characteristics: Sill 1.
Streak mosaic virus, summary of known host range: Sill 2.
Varieties, Hessian fly resistance: Jones, Elmer T. 3.
Western Kansas, effects of different intensities of grazing upon three varieties: Roemer.
Who sold his for $1.40? or an examination of the value of Blake's tables: Curtis, George E. 1.
Winter, indication of hail resistance among varieties: Reitz 1.
Winter, and soil moisture in Kansas: Myers, H. E. 2.
World, balance and implications: Schnittker.
× wheatgrass hybrids, new combinations of genes: Reitz 2.

Wheats
Winter, semi-dwarf, preliminary study, agronomic characteristics: Stickler, F. C. 2.

Whipsnake
Sonoran, new subspecies, results of herpetological reconnaissance in extreme southwestern Arizona and adjacent Sonora, description: Hensley 2.

White Sands National Monument
New Mexico, animal occurrence and activity: Bugbee 2.

Whitewater beds
Oldham, Kentucky, relations of Liberty-Saluda: Conkin.

Wichita
Drill hole: Mead, J. R. 6.

Wildlife
Censusing: Brown, Leo 7.
Conservation policies, development of in Kansas: Stene 1.
Farm, management: Brown, Leo 2.
State administration, natural resource: Hall, E. Raymond 2.

Wilson County, Kansas
Composition of natural oil: Dains 1.
Geological section: Hay 6.
Structure and convergence of the formations in Lansing group: Chelikowsky 1.

Wind
Erosion problem of Great Plains, speculations on climate as factor: Zingg.
Hot, preliminary study: Jennings, T. B. 1.
Injury to trees at Hays, Kansas: Hopkins 5.
Kansas, should we re-examine: Albright.
On plants, bibliography of literature relating to effects: Norton.
Velocity, Manhattan, Kansas: Breese 3.
Velocity, new method of determining: Long, John H.

Winter
Barley, study of cold hardiness: Mitchell, H. L. 5.
Wheat, yields and compounds of yield, row width and seeding rate as influencing factors: Stickler, F. C. 1.
Wheats, semi-dwarf, preliminary study, agronomic characteristics: Stickler, F. C. 2.

Wintertime
Conditions, oxygen relationships, Lake Wooster, Kansas: Minter, K. W.

Wires
Electric-light, insulation resistance: Blake 3.

Wisconsin
Eastern, plants, notes on occurrence: Schoewe, C. G.
University, Pelton water wheel test: Corp 2.

Wolf's Bog
Cheboygan County, Michigan, ecological study: Dutro.

Women
And men in college residence hall, nutritive value and cost of food consumed: Atkinson, Ester.
College, nitrogen intake as indicated by nitrogen output: Evers.
College, statistics relating to health: Crotty 2.

Women—Continued
Graduates, University of Kansas, three hundred and fifty married, academic, vocational and maternal status: Sherbon.
Work
Geological, Kansas, historical sketch: Hay 7.
World
Wheat, balance and implications: Schnittker.
Worm
Corn-root, notes: Hunter, S. J. 1.
Wood
Alcohol and acetic acid: Weatherby.
Barite nodules: Knerr 11.
Borer, oviposition: Popenoe 5.
Fossil: Hay 1.
Indigenous Kansas shrubs and lianas, noteworthy anatomical features: Obee 1.
Woodson County, Kansas
First year invasion of plants on exposed bed of Lake Feagan: McGregor 3.
Metamorphic deposits: Mudge, B. F. 12.
South, metamorphism in: Schaffner, D. C. 2.
Wooster
Lake, Kansas, oxygen relationships during wintertime conditions: Minter, K. W.
Wyandotte County, Kansas
Ferns: Reed, Minnie 2.
Wyoming
Central, new burrowing lizard, Oligocene: Walker, M. V. 3.
Converse County, expedition to Laramie Beds: Sternberg, Charles H. 8.
Converse County, Laramie Beds: Sternberg, Charles H. 10.
Miocene, and chalk beds of Kansas, expedition: Sternberg, Charles H. 11.

X

Xanthophylls
Of alfalfa: Gugliemelli.
Xenosaurus
And *Abronia*, two new lizards from Los Tuxtlas Range, Veracruz, Mexico: Werler, J. E.
Xenyl mustard oil
Reagent for amines: Brewster 3.
X-Irradiation
On chickens as revealed by serological analysis—whole plasma comparisons: Leone 2.
X-Radiation
On intestinal photophatase in mouse, effect: Howieson.
X-Ray
Effect upon snowy tree cricket, *Oecanthus nigricornis argentinus*: Beach 2.
Investigation of particle size in beef: Caldwell, M. J. 1.

Y

Yale
Graduates, longevity: Lovewell 14.
Yield
Variability as explained by variance components: Wearden.
Yellow fever
And rickettsial infections, wartime advances: Downs, Cora 1.
Yucca
Plant, composition and properties: Beath.

Z

Zalenski's Law
On conifer leaves, bearing: Burt, Lucile.
Zinc
Content of Kansas grown alfalfa: Schrenk 4.
Electrodeposition, presence of organic addition agents: Senter.
Native: Willard 14.
Uptake in alfalfa, preliminary report: Schrenk 8.
Zinnia grandiflora
And *Petalostemum purpureum*, Kansas plants new to Kansas herbaria: Horr 8.
Zirconium
Spectrophotometric determination: Swim.
Zoology
Majors, record, University of Kansas: Baumgartner, W. J. 2.
Relation to war effort: Breukelman 6.
Zuni species
And plains prairie dog, ecological comparison: Scheffer 9.
Zooplankton
Crustacean, limnetic, northeastern Kansas, species composition and seasonal distribution: Armitage, K. B. 2.

APPENDICES

A–N

APPENDIX A

SPECIAL PUBLICATIONS

Bulletin 1. (1916) Willard, J. T. Some nutritional characteristics of corn. p. 1–16. See also Vol. 29, p. 187–201.

Bulletin 2. (1916) Shirk, J. A. G. American highways (presidential address). p. 2–9.
Congdon, Leon A. A study of foods for infants. p. 9–16. See also Vol. 29, p. 209–216.

Bulletin 3. (1918) Wilson, G. W. Fiftieth annual meeting, Lawrence, Kansas, March 15 and 16, 1918. Report of the secretary for the year 1917–1918, p. 2–10. Minutes of the meeting, p. 11–15.

Librarian's report, 1891–1892. Smyth, B. B. Accessions to the library of the Academy of Science from November 1, 1890 to October 31, 1892, p. 1–32. See also Vol. 13, p. 137–168.

Committee on Conservation and Ecology (1937). Rock City, a proposed national monument in Ottawa County, Kansas. p. 2–16.

Gates, F. C. The identification of Kansas woody plants by their twigs.

Jones, Elmer T. Simplified percentage table of whole numbers 1–100. See also Vol. 47, no. 3, p. 359–360.

Index [Table of contents] *Transactions*, Kansas Academy of Science, Vols. 1–33 (1872–1930).

PREPARATION OF TRANSACTION MANUSCRIPTS

Editorial Board (1937). Suggestions regarding preparation of manuscripts for publication in the *Transactions* of the Kansas Academy of Science. Vol. 39, p. 399–405.

Baumgartner, W. J. (1938). The preparation of drawings and photographs for reproduction in the *Transactions*. Vol. 41, p. 395–397.

Schoewe, Walter H. (1962). Suggestions to Academy authors. Vol. 65, no. 2, p. 206–213.
——— (1962). To authors. See Editor's Page, Vol. 65, no. 3, p. 302.

APPENDIX B

ACADEMY INTEREST — NEWS AND NOTES

Including Scientific Interest

Vol.	No.	Page	Vol.	No.	Page	Vol.	No.	Page	Vol.	No.	Page
35		113–117	51	1	21– 28	55	2	161–166	59	4	405–411
41		275–298		2	163–170		3	255–262	60	1	4– 6
43		355–366		3	291–298		4	385–392		2	142–144
47	1	10– 14		4	427–436	56	1	18– 21		3	244–246
	2	181–185	52	1	14– 17		2	193–199		4	337–341
	3	330–336		2	134–141		3	296–399	61	1	32– 34
48	1	47– 70		3	335–341		4	400–404		2	149–152
	2	138–150		4	418–421	57	1	13– 16		3	249–252
	3	269–285	53	1	15– 20		2	127–131	64	1	75– 79
	4	379–393		2	121–127		3	264–268		3	258–267
49	1	39– 50		3	305–310		4	439–442	65	1	89– 96
	2	141–153		4	445–451	58	1	13– 21		2	190–193
	3	275–288	54	1	15– 20		2	155–160		3	304–306
	4	382–389		2	132–138		3	315–319		4	426–427
50	1	20– 27		3	332–338	59	1	9– 12			
	2	124–129		4	497–503		2	193–197			
	3	267–272	55	1	42– 48		3	309–315			

APPENDIX C

ADDRESSES, PRESIDENTIAL*

Year	President	Vol.	Page	Year	President	Vol.	Page
1883	Thompson, A. H.	9	4– 16	1906	Marvin, F. O.	20 Pt. II	21– 34
1884	Brown, R. J.	9	49– 56	1907	Yates, J. A.	21 Pt. I	31– 46
1886	Nichols, E. L.	10	111–121	1908	Haworth, E.	22	51– 70
1891	Hay, R.	13	3– 6	1909	Dains, F. B.	23 & 24	22– 23
1893	Bailey, E. H. S.	14	6– 13	1911	McWarf, J. M.	25	6– 15
1896	Kelly, D. S.	15	42– 45	1912	Bushong, F. W.	25	16– 23
1897	Williston, S. W.	16	16– 24	1913	Smith, A. J.	26	22– 33
1898	Lantz, D. E.	16	24– 33	1914	Harshbarger, W. A.	27	30– 40
1899	Knerr, E. B.	17	20– 28	1915	Shirk, J. A. G.	28	31
1900	Hitchcock, A. S.	17	28– 34	1916	Todd, J. E.	28	33– 47
1901	Miller, E.	18	27– 35	1917	Agrelius, F. U. G.	29	23– 34
1902	Willard, J. T.	18	36– 46	1918	Havenhill, L. D.	30	33– 39
1903	Cooper, J. C.	19	33– 38	1929	Wilson, W. B.	33	146–153
1904	Bartow, E.	19	39– 48	1930	Branch, Hazel E.	34	27– 32
1905	Wooster, L. C.	20 Pt. I	23– 40	1931	Smith, R. C.	35	31– 33

* Presidential addresses were in effect in 1883. Previous to that time some of the presidents gave public lectures during the annual sessions. Also, not all presidential addresses were published. President J. A. G. Shirk's presidential address was published as Bulletin 2 August 14, 1916. President R. K. Nabour's address was published in the Journal of Heredity, Vol. 14, 1923, p. 227–288.

Year	President	Vol.	Page
1932	Taft, R.	36	36– 40
1934	Matthews, W. H.	38	37– 42
1935	Baumgartner, W. J.	39	45– 51
1936	Oncley, L.	40	49– 53
1937	Dean, G. A.	41	61– 73
1938	Schoewe, W. H.	42	59– 79
1939	Hall, H. H.	43	57– 68
1940	Deere, E. O.	44	29– 38
1941	Gates, F. C.	45	27– 35
1942	Wheeler, R. H.	46	33– 51
1943	Zinszer, H. A.	**47-1	15– 49
1944	Bushnell, L. D.	48-1	55– 69
1945	Breukelman, J.	49-1	51– 70
1947	Peterson, J. C.	51-4	437–452
1948	Albertson, F. W.	52-2	117–131
1949	Murphy, P. G.	53-2	103–118
1950	Albright, P. S.	54-2	139–144
1951	Leonard, A. B.	55-3	247–252
1952	Wells, J. R.	56-3	269–292
1953	Mohler, R. E.	57-3	255–260
1954	Carpenter, A.	58-3	303–309
1955	Ameel, D. J.	59-2	147–155
1956	Choguill, H. S.	61-1	1– 13
1958	Andrews, T. F.	62-2	123–133
1959	Sperry, T. M.	63-4	215–227
1960	Jewett, J. M.	64-3	175–197
1962	Guhl, A. M.	66-2	171–185

** 47-1 indicates Vol. 47, no. 1, etc.

APPENDIX D

CONSTITUTION AND BYLAWS*

Vol.	Page
1	See Vol. 9, p. 11
9	3, 4, 11
16	11, 12
17	14, 15
18	7, 8
19	11, 12
20	18–20
21	24–26
23	8, 9
26	36–38
27	7, 8
28	5, 6
29	6, 7
30	7–9
31	4, 5
32	4, 5
33	4, 5
34	4, 5
35	6, 7
36	6, 7
37	5, 6
38	6–8

Vol.	No.	Page
39		6–8
40		6–8
41		6–8
42		6–8
43		7–9
48	1	115–118
51	2	246–249
54	2	259–262
63	4	313–316
64	2	168 (Bylaw XIII)
*		

CORRESPONDENTS

Vol.	Page
14	280–290
17	227–235

* On May 3, 1963 the Academy adopted a new constitution and bylaws which are published in Vol. 66, no. 2, p. 306–314. Additional bylaws pertaining to the Junior Academy adopted October 6, 1963 are published in Vol. 66, no. 3, p. 452.

APPENDIX E

EDITOR'S PAGE

Vol.	No.	Page
34*		
47	2	177–181
	3	325–329
48	1	41– 46
	2	134–138
	3	265–267
	4	373–376
49	1	36– 39
	2	138–140
	3	273, 274
	4	379–381
50	1	19– 20
	2	120–123
	3	262–267
51	1	20, 21
	2	162, 163
	3	289–291
51	4	425, 426
52	1	13, 14
	2	132–134
	3	334, 335
	4	416–418
53	1	13– 15
	2	119–121
	3	302–304
	4	441–444
54	1	12– 14
	2	130–132
	3	330–332
	4	495–497
55	1	38– 41
	2	159–161
	3	253–255
	4	381–385
56	1	16– 18
	2	191–193
	3	293–295
	4	345–399
57	1	11– 13
	2	124–127
	3	261–264
	4	434–438
58	1	9– 12
	2	151–155
	3	310–312
59–64	No editor's page	
65	2	187–189
	3	301–303
	4	422–425
66	1	64– 66
	2	282–285

* See secretary and editor's report, p. 21, 22.

APPENDIX F

JUNIOR ACADEMY — NEWS AND PAPERS

Vol.	No.	Page
52	2	142–148
	3	342–345
53	2	127–132
	3	310–315
	4	452–454
54	1	20– 22
	3	339–345
	4	503–514
55	1	48– 53
	2	166–171
	3	262–266
55	4	392–394
56	1	22– 28
	3	300–304
	4	404–410
57	1	16– 20
	2	131–138
	4	443–446
58	1	17– 21
	2	160–164
	3	319–323
	4	484–486
59	1	13– 17
	2	197–205
	3	314–319
	4	411–421
60	1	7– 11
	2	145–147
	3	247–251
	4	341–350
61	1	35– 39
	2	153–154
	3	253–258
62	1	9– 30
	2	134–140
	4	232–244
63	2	61– 66
	4	299–304
64	1	72– 75
	2	155–164
	3	268–274
65	3	290–300
	4	467–477

APPENDIX G

LIBRARIAN'S REPORT — ACCESSIONS TO THE LIBRARY

Vol.	Page
6	5, 6
7	6
10	145–154
11	120–127
12	178–186
13	137–168
14	291–364
15	137–195
16	285–317
17	219–226
18	249–259
19	443–453
20	295–310
21	10
23	See secretary's report, p. 13–15
27	138
28	See secretary's report, p. 23
30	See secretary's report, p. 25
32	See secretary's report, p. 21–23
33	See Publication Com. report, p. 20, 21
34	See editor's report, p. 21

APPENDIX H
MEMBERSHIP

Year	Vol.	Page	Year	Vol.	Page	Year	Vol.	No.	Page
1868–'72	1	5	1913	25	iv–vii	1936	39		10–18
1895	15	8*	1914	26	5–10	1937	40		10–19; 33–35
1896	15	41*	1915	26	5–10	1938	41		9–19
1897	16	13–15	1916	27	9–14	1939	42		9–20
1898	16	6–8*	1917	28	9–15	1940	43		10–21
1901	17	16–19	1921	30	11–16	1941	44		7–16
1903	18	3–5	1922–'28	31	8–16	1942	45		7–15
1905	19	6–9	1929	32	7–14	1943	46		7–14
1906	20 Pt. I	5–9	1930	33	7–14	1944	47	3	418–428
1907	20 Pt. II	3–6	1931	34	7–14	1945	48	4	459–470
1908	21	9–12	1932	35	9–16	1948	51	3	355–367
1909	22	3–6	1933	36	9–17	1956	59	1	124–146
1910	23	1–5	1934	37	8–15	1957–'62	60–65		no lists
1911	24	1–5	1935	38	10–17				

* New members.

APPENDIX I
NECROLOGY — IN MEMORIAM

	Vol.	No.	Page
Aldous, A. E.	42		47
Bailey, E. H. S.	37		27
Baldwin, S. A.	19		437
Bartholomew, E.	38		29
Beede, J. W.	43		50
Boyles, D. A.	18		245
Brown, R. J.	26		177
Brunwell, M. J.	45		16
Bushong, F. W.	42		48
Cady, H. F.	47	3	429, 430
Carruth, J. H.	15		135, 136
Cooper, J. C.	26		179–181
Copely, J. T.	42		49
Cragin, F. W.	41		44–46
Dickinson, F. H.	43		51
Drake, J. P.	40		44
Duncan, R. K.	26		109–111
Dyche, L. L.	28		355–362
Eby, J. W.	45		16
Fairchild, G. T.	18		243
Franklin, E. C.	40		42, 43
Goss, N. S.	18		243
Groedy, H. T.	41		44
Harms, A. E.	38		32
Harris, C. L.	42		50
Harshbarger, W. A.	46		15
Hay, R.	15		131–134
Hershey, J. W.	47	3	430
Hitchcock, A. S.	39		36–38
Horton, J. R.	47	3	430, 431
Jewett, J. J.	26		178
Johnson, G. E.	38		28
Kellerman, W. A.	22		46, 47
Kellogg, V. L.	41		46, 47
Knaus, W.	41		47, 49
Marvin, F. O.	27		135–137
McColloch, J. W.	33		22, 23
McNair, G. T.	34		24
McVicar, P.	19		435
McWarf, J. M.	40		45
Mead, J. R.	24		330, 331
Metzger, W. H.	46		15
Miller, E.	34		24
Mudge, B. F.	7		7–11
Mudge, B. F.	56	4	395–399
Mudge, Mary E.	19		439
Nichols, E. L.	42		51, 52
Quintard, J. B.	17		217
Parker, J. D.	24		327–329
Parks, W. P.	47	3	431
Peace, L. M.	43		52
Phelps, L. A.	48	4	471
Popenoe, E. A.	25		186–188
Rarick, C. E.	45		16
Reagan, A. B.	40		40
Robertson, W. R. B.	44		17
Royer, W. D.	47	3	431
Savage, J.	13		65–68
Savage, M. B.	25		182, 183
Saver, F. C.	39		38, 39
Schaffner, J. H.	42		53
Shaad, G. C.	40		41, 42
Shaffer, H. L.	42		52
Smyth, B. B.	25		184, 185
Smyth, L. C. R.	42		54
Snow, F. H.	22		17–45
Sternberg, C. H.	48	4	471, 472
Sterling, C. M.	38		31
Taft, R.	58	4	449–451
Thompson, A. H.	26		112–114
Todd, J. E.	34		24
Tweeddale, W.	17		218
Valentine, D. M.	21		269
Welin, J. E.	45		16
West, E. P.	13		68, 69
White, E. A.	42		55
Yates, J. A.	37		26

APPENDIX J

OFFICERS OF THE ACADEMY

For the Year	Vol.	Page
1868*	1; 9	3–6; 11
1869*	1; 9	6; 12
1870*	1; 9	6; 12
1871*	1; 9	6; 13
1872*	1; 9	7; 13
1873	2; 9	67–69; 14
1874	3	93, 94
1875	4; 9	4; 15
1876	4; 9	4; 15
1877	5	4
1878	6	3
1879	6	5
1880	7	3
1881	7	4, 5
1882	8	3
1883	8	5
1884	9	4
1885	9	57
1886	10	3
1887	10	37
1888	11	5
1889	11	2, 33
1890	11; 12	127; 3
1891	12	57
1892	13	3
1893	13	2, 65
1894	14	6
1895	14	88
1896	14; 15	2; 7
1897	14; 15	88; 38, 39
1898	15; 16	2; 4
1899	16	9
1900	17	4
1901	17	7, 8, 16
1902	18	2, 13
1903	18	2, 18
1904	19	16
1905	19	2
1906	20 Pt. I	2
1907	20 Pt. II	2
1908	21	2, 3
1909	22	1
1910	23	v, 20
1911	23	v, vi
1912	24	183
1913	25	4
1914	26	5
1915	27	9
1916	28	7
1917	28; 29	8; 9
1918	29	10
1919	30	9
1920	30	10
1921	30	10
1922	31	7, 17
1923	31	21
1924	31	26
1925	31	29
1926	31	35
1927	31	38
1928	31	43
1929	32	6, 15
1930	33	7, 15
1931	34	6, 15
1932	35	8, 17
1933	36	8, 18
1934	37	7, 16
1935	38	9, 18
1936	39	9, 19
1937	40	7, 20
1938	41	20–22; 50
1939	42	21–24
1940	43	22
1941	44	18
1942	45	17
1943	46	16
1944	47	2 286
1945	48	2 227
1946	49	2 221, 222
1947	50	1; 2 98; 244
1954	57	2 252
1955	58	4 Frontispiece
1956	59	4 273
1957	60	2 204
1958	61	4 353, 354
1959	62	3 218
1960	63	4 308
1961	64	2 169
1962	65	4 180

* See also First Annual Report, State Board of Agriculture, 1872, p. 344.

APPENDIX K
PROGRAMS OF ANNUAL MEETINGS

Annual meeting	Vol.	Page	Annual meeting	Vol.	No.	Page	Annual meeting	Vol.	No.	Page
1–49*			64	35		17–22	79	50	1	99–104
50	29	64	65	36		18, 19	80	51	2	239–245
51	30	17	66	37		16	81	52	2	248–260
52	30	22	67	38		18–23	82	53	2	292
53	30	26	68	39		20, 21	83	54	2	247–254
54	31	17	69	40		22, 23	84	55	2	237–242
55	31	21	70	41		23	85	56	2	257–264
56	31	26	71	42		25, 26	86	57	2	242–247
57	31	29	72	43		26, 27	87	58	2	288–296
58	31	35	73	44		19–28	88	59	2	265–270
59	31	38	74	45		18–26	89	60	2	189–197
60	31	43	75	46		26–31	90	61	3	345–351
61	32	15–18	76	47	1	124–128	91–94	62–65	–	No programs listed
62	33	15–18	77	48	1	110–114				
63	34	15–20	78	49	1	111–116				

* See secretary's report or minutes, Vols. 1–28.

APPENDIX L
SECRETARY — REPORTS AND MINUTES

Annual meeting	Vol.	Page	Annual meeting	Vol.	Page	Annual meeting	Vol.	No.	Page
1*	1	3–7	35	18	14–21	69	40		31–33
2*	1	6	36	19	13–19	70	41		34, 35
3*	1	6	37	19	20–27	71	42		36–38
4*	1	6	38	20 Pt. I	13–18	72	43		37–40
5*	1	7	39	20 Pt. II	7–15	73	not recorded		
6	2; 9	67–69; 13, 14	40	21	13–21	74	not recorded		
7	3; 9	93–94; 14	41	22	7–16	75	not recorded		
8	4; 9	3, 4; 14, 15	42	23	11–21	76	47	2	283, 284
9	5; 9	3, 4; 15	43	24	179–185	77	48	1; 2	109, 110
10	6; 9	3, 4; 15	44	not recorded					224–228
11	7; 9	3; 15, 16	45	25	1–5	78	49	1; 2	110, 111
12	7; 9	3; 15, 16	46	26	11–21				219–222
13	7	4–6	47	27	15–29	79	50	1; 2	97, 98
14	8	3, 4	48	28	16–22				241–244
15	8	4–6	49	28	22–31	80	51	2; 3	237, 238
16	9	3, 4	50	29	11–14				351–354
17	9	49, 57	51	30	18–21	81	52	2	244–248
18	10	3	52	30	23–25	82	53	2	284–293
19	10	37	53	30	27–29	83	54	2	254–258
20	11	5	54	31	18, 19	84	55	2	242–245
21	11	33	55	31	23–25	85	56	2	265–267
22	12	3, 4	56	31	27, 28	86	57	2	248–251
23	12	57	57	31	31–34	87	58	2	296–300
24	13	3	58	31	36–38	88	59	2	270–276
25	13	65	59	31	40–42	89	60	2	197–204
26	14	5, 6	60	31	44–46	90	61	3	352–355
27	14	87–89	61	32	21–24	91	62	3	216–219
28	15	5–9	62	33	21–24	92	63	4	305–311
29	15	37–41	63	34	21–26	93	64	2	165–173
30	16	1–5	64	35	23, 24	94	65	4	178–184
31	16	6–10	65	36	25–35	95	66	2	289–305
32	17	1–5	66	37	21–22				
33	17	5–13	67	38	23, 24				
34	18	9–13	68	39	27, 28				

* See also First Annual Report, State Board of Agriculture, 1872, p. 341–345.

APPENDIX M
TRANSACTIONS

Vol.	Year	Published	Pages	Ann. Meet.	Editor	Printed by A(cad.) S(tate)	Financed A(cad.) S(tate)	Notes
1	1872	1873	64	5	Parker	S; Miller Bros.	S, A (reprint)	St. Bd. Agri. Ann. Rpt. 1; Reprint, 1895
2	1873	1874	25	6	Parker	S; Miller Bros.	S, A (reprint)	do 2; Reprint, 1895
3	1874	1875	46	7	Parker	S; Miller Bros.	S, A (reprint)	do 3; Reprint, 1895
4	1875	1875	67	8	Wherrell	S; Knaus	S, A (reprint)	do 4; Reprint, 1896
5	1876	1877	76	9	Savage	S; Knaus	S, A (reprint)	do 5; Reprint, 1896
6	1877–78	1878	94	10, 11	Savage	S; Knaus	S, A (reprint)	Biennial report. Reprint, 1896
7	1879–80	1880	135	12, 13	Popenoe	S; Knaus	S, A (reprint)	do Reprint, 1896
8	1881–82	1883	80	14, 15	Popenoe	S	S	do
9	1883–84	1885	145	16, 17	Popenoe	S	S	do
10	1885–86	1887	155	18, 19	Cragin	S	S	do
11	1887–88	1889	129	20, 21	Smyth	S	S	do
12 Pt. I	1889–90	1890	189	22, 23	Smyth	S	S	do No Pt. II
13	1891–92	1893	175	24, 25	Smyth	S	S	do
14	1893–94	1896	370	26, 27	Smyth	S	S	do
15	1895–96	1898	226	28, 29	Smyth	S	S	do
16	1897–98	1899	320	30, 31	Smyth	S	S	do
17	1899–1900	1901	248	32, 33	Smyth	S	S	do
18	1901–02	1903	287	34, 35	Grimsley	S	S	do
19	1903–04	1905	461	36, 37	Grimsley	S	S	
20 Pt. I	1905	1906	272	38	Lovewell	S	S	
20 Pt. II	1906	1907	316	39	Lovewell	S	S	
21 Pt. I	1907	1908	283	40	Lovewell	S	S	No Pt. II
22	1908–09	1909	398	41	Lovewell	S	S	
23	1909	1911	176	42	Lovewell	S	S	V. 23 and 24 published under one cover
24	1910	1911	338	43	Lovewell	S	S	do
25	1911–12	1913	190	44, 45	Lovewell	S	S	Biennial report
26	1913	1914	115	46	Lovewell	S	S	
27	1914	1915	141	47	Lovewell	S	S	
28	1916–17	1918	380	48, 49	Swingle	S	S	Biennial report
29	1918	1918	219	50	Wilson	S	S	
30	1919–21	1919–21	463	51–53	White	S	S	Triennial report

APPENDIX M CONTINUED

Vol.	Year	Published	Pages	Ann. Meet.	Editor	Printed by A(cad.) S(tate)	Financed A(cad.) S(tate)	Notes
31	1922–28	1922–28	279	54–60	White	A—Kimbell	A	V. 31–36 published under one cover. Septennial report
32	1929	1929	143	61	Johnson	A—Kimbell	A	do
33	1930	1930	188	62	Johnson	A—Kimbell	A, S	do
34	1931	1931	313	63	Gates	A—Kimbell	A, S	do
35	1932	1932	273	64	Gates	A—Kimbell	A, S	do
36	1933	1933	327	65	Gates	A—Kimbell	A, S	do
37	1934	1934	341	66	Gates	S	S	
38	1935	1935	353	67	Gates	S	S	
39	1936	1936	406	68	Gates	S	S	
40	1937	1938	422	69	Gates	S	S	
41	1938	1938	416	70	Gates	S	S	
42	1939	1939	517	71	Gates	S	S	
43	1940	1940	489	72	Gates	S	S	
44	1941	1941	448	73	Taft	A—World	A, S	
45	1942	1942	378	74	Taft	A—World	A, S	
46	1943	1943	308	75	Taft	A—World	A, S	
47	1944–45	1944–45	432	76	Taft	A—World	A, S	Quarterly publication. Only numbers 1–3 publ. No. 3 publ. 1945
48	1945–46	1945–46	474	77	Taft	A—World	A, S	do No. 4 publ. 1946
49	1946–47	1946–47	462	78	Taft	A—World	A, S	do No. 3–4 publ. 1947
50	1947	1947	367	79	Taft	A—World	A, S	do No. 3–4 publ. as one number
51	1948	1948	496	80	Taft	A—World	A, S	do
52	1949	1949	521	81	Taft	A—World	A, S	do
53	1950	1950	599	82	Taft	A—World	A, S	do
54	1951	1951	581	83	Taft	A—World	A, S	do
55	1952	1952	502	84	Taft	A—World	A, S	do
56	1953	1953	470	85	Taft	A—World	A, S	do
57	1954	1954	528	86	Taft	A—World	A, S	do
58	1955	1955	589	87	Taft-Cross	A—World	A, S	do
59	1956	1956	502	88	Cross	A—World	A, S	do
60	1957	1957	459	89	Cross	A—World	A, S	do
61	1958	1958	470	90	Cross	A—World	A, S	do
62	1959	1959	274	91	Cross	A—World	A, S	do
63	1960	1960	378	92	Cross	A—World	A	do Supplement—STIP report, 60 p. Sept. 30, 1960
64	1961	1961	374	93	Cross	A—World	A	do
65	1962	1962	479	94	Cross-Schoewe	A—World	A, S	do

APPENDIX N

TREASURER — REPORTS

Vol.	Page	Vol.	No.	Page	Vol.	No.	Page
18	13–27	33		25	52	4	518, 519
19	20	34		22	53	4	596
20, Pt. I	18	35		25	54	3	446, 447
20, Pt. II	7	36		27	55	4	499
21, Pt. I	16	37		23	56	2	265
22	11	38		25	57	2	253, 254
23	16	39		31, 32	58	2	301, 302
24	179	40		35	59	2	277, 278
25	1	41		36, 37	60	2	205, 206
26	11	42		39	61	3	356, 357
27	21	43		42	62	no report	
28	17	47	2	288	63	4	312
29	11	48	2	229, 230	64	2	174
30	21, 25, 28, 29	49	3	366	65	2	184–186
31	19, 25, 29, 34, 42, 46	50	3	364, 365	66	2	296–299
32	25	51	4	493, 494			